

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
811 South First, Artesia, NM 87210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
2040 South Pacheco
Santa Fe, NM 87505

Form C-103
Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30 - 041 - 20896
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator H. L. Brown Operating, L.L.C. Ogrid# 213179		6. State Oil & Gas Lease No.
3. Address of Operator 300 West Louisiana, Midland, Texas 79702		7. Lease Name or Unit Agreement Name: Robinson 8
4. Well Location Unit Letter: G : 1550' feet from the North line and 1400' feet from the East line Section 8 Township T-7S Range R-36-E NMPM Roosevelt County		8. Well No. 1
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 4161' GL, 4180' KB		9. Pool name or Wildcat Wildcat Devonian

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☒ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☒
OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

8-07-01: MIRU Patterson Rig #510. Spud 17 1/2" hole at 7:00 PM. Drilled 17 1/2" hole to 508'.
8-09-01: Ran 11 jts 13-3/8", 48#, H-40 and set at 508'. Cemented with 550 sx cement - circulated 135 sx to the pit.
8-15-01: WOC - 18 3/4 hours. Drilled 11" hole to 3750'. Ran 85 jts 8-5/8", 32# casing and set at 3739. Cemented casing with 890 sx "C" 35:65 Poz w/ 6% gel, 5% salt and 1/4# celloflake at 12.7 ppg. Tailed in with 150 sx "C" w/ 1% CaCl at 14.8 PPG. Circulated cement. Set slips and cut off casing. Tested rams, manifold and casing to 1500 psi - OK. WOC - 18 hours. PU 7-7/8" bit, drilled cement and resumed drilling new hole.
8-29-01: TD well at 8210' on 8/28/01. RU Halliburton and ran GR/CNL/FDC and GR/DLL/MLL.
8-31-01: RU BJ Services. Spot 30 sx plug from 8210' to 8110'. Spot 55 sx plug from 6150' to 6050'. Spot 110 sx plug from 5120' to 5010'. Ran bit and dressed to of cement plug down to 5060'.
9-01-01: Ran 113 jts 5-1/2", 15.5#, J-55 casing and set at 5060'. Cemented with 600 sx "C" - 61:15:11 with 5% salt at 13.3 PPG. Bumped plug, checked floats and ND BOP. Set slips and cut off casing. Welded on wellhead and tested to 2000 psi - OK. Jetted pits and released rig at 12:00 am on 8-31-01. Ran temp survey - TOC @ 3724'.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE [Signature] TITLE Petroleum Engineer DATE 11-22-02

Type or print name Robert McNaughton Telephone No. 915 - 688 - 3726

(This space for State use)

APPROVED BY _____ TITLE ORIGINAL SIGNED BY DATE _____
Conditions of approval, if any: PAUL F. KAUTZ
PETROLEUM ENGINEER