

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

P. O. Box 187

August 24, 1956

Mr. Morris R. Antwell Box 1058 Hobbs, New Mexico

Re: Oil and Gas Lease

NM 04181

Dear Sir:

Your "Subsequent Report of Abandonment" dated May 25, 1956, covering your well No. 1-Malco "B" located in the NEINE; of section 14, T. 15 S., R. 30 E., wildcat area, Chaves County, New Mexico, is hereby approved.

Very truly yours,

(Orig. Sgd.) JOHN A. FROS)

John A. Frost District Engineer

JAF:

Inspected by John A. Frost August 23, 1956



UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

... Vélimo rojna i sam jaiovana

BUNG IN TRACE

ilik se


in a sign and care in a sign of the companies of the comp

Carlos Santo Santo Santo

a entro in date. Teach tot in them

2011

ABOUT TO A BOOK OF THE SERVICE AND A SERVICE



(SUBMIT IN TRIPLICATE)

Land Office	Santa Fe
Lease No	NM-04181
Unit	Malco

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLANS	SUBSECUENT REPORT OF SHOOTING OF ACIDITION
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR. SUBSEQUENT REPORT OF ABANDONMENT. X
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL HISTORY.
NOTICE OF INTENTION TO ABANDON WELL.	
(INDICATE ABOVE BY CHECK MARK	(NATURE OF REPORT, NOTICE, OR OTHER DATA)
Well No. B-1 is located 660 ft. from	line and $\frac{660}{660}$ ft. from $\frac{E}{N}$ line of sec. $\frac{14}{4}$
NE /L	line of sec. 14
NE/4 Of 14 15 C/2 Sec. and Sec. No.) NE/4 Of 14 15	CRANGE) 30-E N.M.P.M.
Undesignated Chaves	r Subdivision) (Meridian) NEW NEXICO (State or Territory)
(Field) (County o	r Subdivision) INS.W INS.ALCO (State or Territory)
The elevation of the derrick floor above sea lev	vel is <u>4180</u> ft.
	LS OF WORK
(State names of and expected depths to objective sands; show size	s, weights, and lengths of proposed casings, indicate and life
(Bottom of hole to 2754)	s, weights, and lengths of proposed casings; indicate mudding jobs, cement ther important proposed work COPED FROM 2726! =2754!
plug @ 1780! (RaseSalt) and a 1	11 and water) Set 15 sack cement
(top of salt). Set 10 sack name	Sack cement plug @ 1080:
9 5/8") and set 10 sack plug @	g @ 2011. (Bottom of surface casing top of 9 5/8" casing. Set a 4"
clean location as to properly	top of 9 5/8" casing. Set a 4" erly labeled and will level and
clean location as to properly coground.	onform with the contours of the
I understand that this plan of work must receive approval in w	a de de la ligação
a understand that this plan of work must receive approval in w	riting by the Geological Survey before operations may be commenced.
Company MORRIS R. ANTWEIL, OIL C	PERATOR
Address P. O. BOX 1058	
Hobbs, New Mexico	R.,
	By A. J. Davis, Jr,
	Title Geologist

and the second s