

Matador Operating Company

V. G. Kinahan Fed #1

OPERATOR

LEASE

1  
WELL NO.660 FSL; 1980 FEL  
FOOTAGE LOCATION20  
SECTION15S  
TOWNSHIP30E  
RANGESchematic

Attached

Tabular DataSurface CasingSize 13-3/8 " Cemented with 600 ex.TOC surface feet determined by circulationHole size 17-1/2"Intermediate CasingSize 8-5/8 " Cemented with 800 ex.TOC surface feet determined by circulationHole size 11"Long stringSize 5-1/2 " Cemented with 300 ex.TOC NA feet determined by \_\_\_\_\_Hole size 7-7/8"Total depth 11,157'Injection interval2176 feet to 2218 feet  
(perforated or open-hole, indicate which)Tubing size 2-7/8" lined with NA set in a

(material)

Elder Sur-Lok II packer at ±2125 feet

(brand and model)

(or describe any other casing-tubing seal).

Other Data1. Name of the injection formation Queen2. Name of Field or Pool (if applicable) Cedar Point3. Is this a new well drilled for injection? ☐ Yes ☒ NoIf no, for what purpose was the well originally drilled? New oil well

4. Has the well ever been perforated in any other zone(s)? List all such perforated intervals and give plugging detail (sacks of cement or bridge plug(s) used) \_\_\_\_\_

See Attached Schematic5. Give the depth to and name of any overlying and/or underlying oil or gas zones (pools) in this area. per section III, B, (5)next higher O&G zone within area of review - nonenext lower O&G zone within area of review - Wolfcamp @ 8060' in Kinahan #1