

N. M. O. C. COPY
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPL
(Other instructions
reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

NM-0463-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

NONE

7. UNIT AGREEMENT NAME

Little Lucky Lake Unit

8. FARM OR LEASE NAME

Kinahan Federal

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Little Lucky Lake Dev.

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 20, T-15-S, R-30-E

12. COUNTY OR PARISH

Chaves

13. STATE

N. M.

SUNDRY NOTICES AND REPORTS ^{ROSDY WELLS O. C. C.}
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

TEXACO Inc.

3. ADDRESS OF OPERATOR

P. O. Box 728 - Hobbs, New Mexico

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*

See also space 17 below.)

At surface

Well is located 1980' from the East Line, and 660' from the
South Line of Section 20, T-15-S, R-30-E, Chaves County, N.M.

14. PERMIT NO.

Regular

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

4004' (D. F.)

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

We propose to do the following work on subject well:

1. Kill well with brine and pull tubing.
2. Drill cement plug from 11026' to 11055'.
3. Perforate 5 1/2" O. D. Casing with one jet shot per Interval at 11033', 11035',
11048', and 11050'.
4. Run tubing and set packer at 11020' to 11025'.
5. Acidize perforations 11033' to 11050' with 3000 gals LSTNE in two 1500 gal
stages with three ball sealers between stages.

RECEIVED
MAY 11 1964
U. S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

RECEIVED

MAY 11 1964

G. E. D.
ARTESIA, NEW MEXICO

18. I hereby certify that the foregoing is true and correct

SIGNED

J. G. Blevins, Jr.

TITLE

Assistant District
Superintendent

DATE

May 8, 1964

(This space for Federal or State office use)

APPROVED

CONDITIONS OF APPROVAL, IF ANY:

MAY 11 1964

RONNIE E. SHOOK

ACTING DISTRICT ENGINEER

TITLE

DATE

*See Instructions on Reverse Side