(SUBMIT IN TRIPLICATE)

Budget Bureau No. 42-R358.4. Form Approved.
. Office Las Cruces
Lease No. NM-0463-A
V1 *.

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

119 SEP 19 M 8 52

NOTICE OF IN	TENTION TO DRILL		SUB	SEQUENT REPORT	OF WATER	SHUT-OFF	
	ITENTION TO CHANGE PLANS.		-1			ING OR ACIDIZIN	
	TENTION TO TEST WATER SH						
	TENTION TO RE-DRILL OR RE						
NOTICE OF IN	TENTION TO SHOOT OR ACID	IZE	SUBS	SEQUENT REPORT	OF ABAND	ONMENT	
NOTICE OF IN	TENTION TO PULL OR ALTER	CASING	SUPI	PLEMENTARY WE	L HISTORY		
Notice of IN Workover	NTENTION TO ABANDON WELL		Х				,
<u> </u>	(INDICATE ABO	OVE BY CHECK MA					
(inahan-F	ederal			00 Inc., F			2.0
Lease No.	146401		норря	, New Mex	ico	Septem	per 18, 19
6/11/4, SE (% Sec	21/4, Sec. 20 c. and Sec. No.)	15-S (Twp.)	30-E (Range)	NM F	Meridian)	w Mayico	
<u>little Li</u>	icky Lake (Dev) (Field)	Chav (Coun	res ty or Subdivisi	on)	<u>ne</u>	(State or Territo	ry)
	on of the derrick floo	or above sea	ty or Subdivisi	ft.	<u></u>	(State or Territo	гу)
The elevati	on of the derrick floo	or above sea DET.	ves ty or Subdivisi level is AILS OF	ft.			
The elevati	on of the derrick floo	or above sea DET. ctive sands; show ing points, and a	ty or Subdivisi level is AILS OF	ft. WORK and lengths of the of the proposed w	proposed ca ork)	sings; indicate n	
The elevati	on of the derrick floo	DET. ctive sands; showing points, and a	ty or Subdivisi level is AILS OF sizes, weights all other impo	ft. WORK and lengths of that proposed we the followed	proposed ca ork) Owing:	sings; indicate n	nudding jobs, co
The elevati	on of the derrick floo fand expected depths to object over subject well well with brine	DET. ctive sands; show ing points, and a l we propo	ty or Subdivisi level is AILS OF sizes, weights all other impo	ft. WORK Land lengths of than proposed wo the follower than the	proposed ca ork) Lowing:	sings; indicate n ker that	nudding jobs, co
State names of working 1. Kill 2. Pres	on of the derrick floor fand expected depths to object over subject well well with brine soure test casing in 5-1/2" casing	DET. ctive sands; showing points, and a l we proport to 1000 F at 10.891	ty or Subdivisi level is AILS OF sizes, weighted the timpo ose to de PSI with	ft. WORK and lengths of retain proposed we follow the follower retrieval tuping a	proposed ca ork) Lowing: ole pac and pac	sings; indicate n ker that ker.	nudding jobs, co
State names of working 1. Kill 2. Pres set	on of the derrick floor fand expected depths to object over subject well well with brine source test casing in 5-1/2" casing	DET. ctive sands; showing points, and a l we proposite to 1000 F at 10,891	ty or Subdivisi level is AILS OF sizes, weighted on the important of the policy PSI with 1'. Pull	WORK and lengths of retain proposed we the follower retrieval tuping approximately	proposed ca ork) lowing: ole pac and pac 11,030	sings; indicate n ker that ker.	nuddingjob*,c
State names of working 1. Kill 2. Pres set 3. Set	on of the derrick floor fand expected depths to object over subject well well with brine source test casing in 5-1/2" casing cast iron cement	DET. ctive sands; show ing points, and a lawe proposition of the 1000 February at 10,891 retainer crations from the same and the same areas of the same are	level is	WORK mand lengths of retain proposed we be followed by the followed by the second sec	proposed can owing: ole pace and pace 11,030	ker that ker.	is preser x of ceme
State names of working 1. Kill 2. Pres set 3. Set 4. Sque	on of the derrick floor over subject well with brine ssure test casing in 5-1/2" casing cast iron cement seze casing performance 5-1/2" cas	DET. ctive sands; show ing points, and a l we proposite to 1000 E at 10,891 retainer prations from the sand affects to the sand and the sand affects to the sand affects to the sand affects the sand affects to the sand affects	level is AHLS OF sizes, weights all other important of the pose to de p	ft. WORK mandlengths of the following the following to the solid tuping a commately 49' to 11, to 10.996	proposed can lowing: ole pace and pace 11,030 ,071' with	ker that ker. Ith 100 s 2 fet sho	is preser x of ceme ts per fo
Working 1. Kill 2. Pres set 3. Set 4. Sque 5. Peri 6. Acid	fon of the derrick floor over subject well with brine saure test casing in 5-1/2" casing cast iron cement eeze casing perforate 5-1/2" cas dize through perf	DET. ctive sands; show ing points, and a l we proposite to 1000 E at 10,891 retainer prations from the sand affects to the sand and the sand affects to the sand affects to the sand affects the sand affects to the sand affects	level is AHLS OF sizes, weights all other important of the pose to de p	ft. WORK mandlengths of the following the following to the solid tuping a commately 49' to 11, to 10.996	proposed can lowing: ole pace and pace 11,030 ,071' with	ker that ker. Ith 100 s 2 fet sho	is preser x of ceme ts per fo
Working 1. Kill 2. Pres set 3. Set 4. Sque 5. Peri 6. Acid	fon of the derrick floor over subject well with brine saure test casing in 5-1/2" casing cast iron cement eeze casing perforate 5-1/2" cas dize through perfular acid.	DET. ctive sands; showing points, and a l we propose to 1000 F at 10,891 retainer rations fring from 1 forations f	level is	ft. WORK mandlengths of the following the following to the solid tuping a commately 49' to 11, to 10.996	proposed can lowing: ole pace and pace 11,030 ,071' with	ker that ker. Ith 100 s 2 fet sho	is preser x of ceme ts per fo
Working 1. Kill 2. Pres set 3. Set 4. Sque 5. Peri 6. Acid	fon of the derrick floor over subject well with brine saure test casing in 5-1/2" casing cast iron cement eeze casing perforate 5-1/2" cas dize through perf	DET. ctive sands; showing points, and a l we propose to 1000 F at 10,891 retainer rations fring from 1 forations f	level is	ft. WORK mandlengths of the following the following to the solid tuping a commately 49' to 11, to 10.996	proposed can lowing: ole pace and pace 11,030 ,071' with	ker that ker. Ith 100 s 2 fet sho	is preser x of ceme ts per fo
Working 1. Kill 2. Pres set 3. Set 4. Sque 5. Peri 6. Acid	fon of the derrick floor over subject well with brine saure test casing in 5-1/2" casing cast iron cement eeze casing perforate 5-1/2" cas dize through perfular acid.	DET. ctive sands; showing points, and a l we propose to 1000 F at 10,891 retainer rations fring from 1 forations f	level is	ft. WORK mandlengths of the following the following to the solid tuping a commately 49' to 11, to 10.996	proposed can lowing: ole pace and pace 11,030 ,071' with	ker that ker. Ith 100 s 2 fet sho	is preser x of ceme ts per fo
Working 1. Kill 2. Pres set 3. Set 4. Sque 5. Peri 6. Acid	fon of the derrick floor over subject well with brine saure test casing in 5-1/2" casing cast iron cement eeze casing perforate 5-1/2" cas dize through perfular acid.	DET. ctive sands; showing points, and a l we propose to 1000 F at 10,891 retainer rations fring from 1 forations f	level is	ft. WORK mandlengths of the following the following to the solid tuping a commately 49' to 11, to 10.996	proposed can lowing: ole pace and pace 11,030 ,071' with	ker that ker. Ith 100 s 2 fet sho	is preser x of ceme ts per fo
Working 1. Kill 2. Pres set 3. Set 4. Sque 5. Peri 6. Acid regi 7. Swal	on of the derrick floor and expected depths to object well over subject well with brine source test casing in 5-1/2" casing cast iron cement seze casing perforate 5-1/2" cas dize through perfular acid. b, test, and retu	DET. ctive sands; showing points, and a l we propose to 1000 F at 10,891 retainer rations fr ing from 1 forations f	level is AILS OF sizes, weights all other imports pse to de PSI with 1'. Pul at appr rom 11,0 10,986' from 10, duction.	ft. WORK Mand lengths of reant proposed we the following a commately 49' to 11, to 10,996' 986' to 10	proposed cannot be packed and pac	ker that ker. '. ith 100 s 2 jet sho with 500	is preser x of ceme ts per fo gals of l
Working 1. Kill 2. Pres set 3. Set 4. Sque 5. Peri 6. Acid regu 7. Swal	fon of the derrick floor and expected depths to object well with brine source test casing in 5-1/2" casing cast iron cement seze casing perforate 5-1/2" cas dize through perfular acid. b, test, and returned that this plan of work must be a source of the second contents of t	DET. ctive sands; showing points, and a l we proposite to 1000 F at 10,891 retainer rations fring from 1 forations from to proceed are to proceed.	level is AILS OF sizes, weighted to depose to depo	WORK and lengths of reant proposed we the following a commately 49' to 11, to 10,996' to 10,496' t	proposed cannot be packed and pac	ker that ker. '. ith 100 s 2 jet sho with 500	is preser x of ceme ts per fo gals of l
Working 1. Kill 2. Pres set 3. Set 4. Sque 5. Peri 6. Acid regu 7. Swal	on of the derrick floor and expected depths to object well over subject well with brine source test casing in 5-1/2" casing cast iron cement seze casing perforate 5-1/2" cas dize through perfular acid. b, test, and retu	DET. ctive sands; showing points, and a l we proposite to 1000 F at 10,891 retainer rations fring from 1 forations from to proceed are to proceed.	level is AILS OF sizes, weighted to depose to depo	WORK and lengths of reant proposed we the following a commately 49' to 11, to 10,996' to 10,496' t	proposed cannot be packed and pac	ker that ker. '. ith 100 s 2 jet sho with 500	is preser x of ceme ts per fo gals of l
State names of working 1. Kill 2. Presset 3. Set 4. Sque 5. Peri 6. Acid regi 7. Swall	fon of the derrick floor and expected depths to object well with brine source test casing in 5-1/2" casing cast iron cement seze casing perforate 5-1/2" cas dize through perfular acid. b, test, and returned that this plan of work must be a source of the second contents of t	DET. ctive sands; show ing points, and a l we propose to 1000 F at 10,891 retainer prations from the forations from the propose trace of the propose trace approval.	level is AMLS OF sizes, weights all other important of the control of the con	WORK mand lengths of that proposed we the following a commately 49' to 11, to 10,996' to 10,996' to 10,996', to Geological:	proposed cannot be packed and packed	ker that ker. '. ith 100 s 2 jet sho with 500	is preser x of ceme ts per fo gals of l