UNITED STATES M. G. C. C. COPY
SUBMIT IN TRIPLICATE*

Form approved.
Budget Burger

SUNDRY NOTICES AND REPORTS ON WELLS (10b not may this form for proposals of till or to deepen or plug back to a different reservoir. 1.	Budget Bureau No. 42-R1424. LEASE DESIGNATION AND SERIAL NO. NM-0338-A	
OHL WELL OTHER TEXACO, Inc. TEXACO, Inc. REAL OF OFFRATOR P.O. BOX 728, Hobbs, New Mexico 88240 1. CALTION OF WALL (Report location clearly and in accordance with any State requirements.* 1. See also space 17 below. 1. See also space 17 belo	INTI-OS 30-2	
TEXACO, Inc. TEXACO, Inc. TEXACO, Inc. ADDRESS OF OPERATOR P.O. BOX 728, Hobbs, New Mexico 88240 1. COLORION OF WALL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1980' FNL & 1980' FEL of Section 29, T-15-S, R-30-E, Unit Letter 'G', Chaves County, New Mexico 14. FEENIT NO. 15. ELEVATIONS (Show whether DF, RF, GE, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other NOTICE OF INVENTION TO: TEST WATER SHUT-OFF PRACTURE TREATMENT SHOOT OR ACHOEVE REPARK WELL (Other) 17. DESCRIBE PROPOSED OR CONFLICTED OPERATIONS (Clearly state all pertinent details, and give pertinent details, and measured and true vertical department to this work.) 18. Rig up. Install BOP. 2. Perforate 5 1/2" OD Csg w/2-JSPF from 9640' - 9644', & 9570' 3. Set RBP 9691'. Spot 250 gal 15% MCA across perforation of Set packer @ 9475'. 4. Acidize perforations 9570' - 9644' w/250 gal 15% MCA across perforation 1500 gal 15% NE Acid. 15. Spot Acid across perforations 9640' - 9644'. Set pkr. @ 96 perforations 9640' - 9644'. Set pkr. @ 96 perforations 9640' - 9644'. Set pkr. @ 96 perforations 9640' - 9644' Set pkr. @ 96 perforations 9640' - 9644'. Set pkr. @ 96 perforations 9640' - 9644' Set pkr. @ 9640' - 9644' Set pkr. @ 9640'	UNIT AGREEMENT NA	AME
8. ADDRESS OF OPERATOR P.O. BOX 728, Hobbs, New Mexico 88240 4. FOLKTON OF WELL (Export location clearly and in accordance with any State requirements.* 1980 'FIL & 1980' FEL of Section 29, T-15-S, R-30-E, Unit Letter 'G', Chaves County, New Mexico 19. Unit Letter 'G', Chaves County, New Mexico 10. In FERMIT NO. 11. FERMIT NO. 12. Grack Appropriate Box To Indicate Nature of Notice, Report, or Other NOTICE OF INTENTION TO: SCHOOL APPROPRIATION (Chearly state all pertinent details, and give pertinent dates, included proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth reach to this work). 11. DESCRIPT TROCOSED OR COMPLETED OPERATIONS (Chearly state all pertinent details, and give pertinent dates, included proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depth reach to this work). 12. Perforate 5 1/2" OD Csg w/2-JSPF from 9640' - 9644', & 9570' 3. Set RBP @ 9691'. Spot 250 gal 15% MCA across perforation set packer @ 9475'. 4. Acidize perforations 9570' - 9644' w/250 gal 15% MC Acid. 1500 gal 15% NE Acid. Flushed w/ fresh water. 5. Spot Acid across perforations 9640' - 9644' set perforations 9640' - 9644' set perforations 9640' - 9644' w/500 gal. 15% NE Acid. 6. Strawn unproductive. Well Shut-In, 6-7-76. Held for further setting that the foregoing is true and correct.	Little Lucky Lake Unit 8. FARM OR LEASE NAME	
P.O. Box 728, Hobbs, New Mexico 88240 Indicators of wall. (Report location clearly and in accordance with any State requirements.) At sources of wall. (Report location clearly and in accordance with any State requirements.) In 1980' FNI. & 1980' FEL of Section 29, T-15-S, R-30-E, Unit Letter 'G', Chaves County, New Mexico It. FERNIT NO. Regular 15. ELEVATIONS (Show whether DF, RT, CE, etc.) Regular 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other NOTICE OF INTENTION TO: SUBSEQUENT R WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACTORES REPAIR WELL CORDET REAL READON' REPAIR WELL CORDET RECOMPLETE CORDET REAL ARABON' REPAIR WELL CORDET RECOMPLETE OF PRACTURE TREATMENT SHOOT OR ACTORES REPAIR WELL CORDET RECOMPLETE OF RECOMPLETED OF REACTIONS (Clearly state all pertinent details, and give pertinent dates. Included proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical dept proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical dept proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical dept proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical dept proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical dept proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical dept perforate 5 1/2" OD Csg w/2-JSPF from 9640' - 9644', & 9570 3. Set RBP @ 9691'. Spot 250 gal 15% MCA across perforation is Set packer @ 9475'. 4. Acidize perforations 9570' - 9644' w/250 gal 15% MC Acid. 1500 gal 15% NE Acid. Flushed w/ fresh water. 5. Spot Acid across perforations 9640' - 9644' w/500 gal. 15% NE Acid. 6. Strawn unproductive. Well Shut-In, 6-7-76. Held for furth	Perry-Federal	
1980' FNI, & 1980' FEL of Section 29, T-15-S, R-30-E, Unit Letter 'G', Chaves County, New Mexico 14. FERNIT NO. 15. ELEVATIONS (Show whether DF, RT, GE, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Notice of intention to: 18. Section 29, T-15-S, R-30-E, Unit Letter 'G', Chaves County, New Mexico 19. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Notice of intention to: 10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Notice of intention to: 10. Section 29, T-15-S, R-30-E, Unit Letter 'G', Chaves County, New Mexico 10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Notice of intention to: 10. Section 29, T-15-S, R-30-E, Unit Letter 'G', Chaves County, New Mexico 10. Section 29, T-15-S, R-30-E, Unit Letter 'G', Chaves County, New Mexico 10. Section 29, Regular 11. Section 29, Regular 12. Regular 13. Set RBP 29, Section 29, Regular 14. Section 29, Regular 15. Section 29, Regular 16. Section 29, Regular 16. Section 29, Regular 16. Section 29, Regular 16. Section 29, Regular 17. Section 29, Regular 18. Regular 18. Regular 19. Section 29, Regular 19. Section 29, Regular 10.	9. WELL NO.	
Unit Letter 'G', Chaves County, New Mexico 15. SECULATIONS (Show whether Dr. NT. GR. etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other NOTICE OF INTENTION TO: SUBSKQUENT R VATER SHUT-OFF FRACTURE TREATMENT SHOOTING OF ACIDIZER SHOOTING OF ACIDIZER RECOMPLETED ABANDON' SEPONT SEPONT results of mu Completion of Recompletion in Co	10. FIELD AND POOL, OR WILDCAT Little Lucky Lake Penn	
15. ELEVATIONS (Show whether Pr. RT. CR. etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, include proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical dept ment to this work.) 1. Rig up. Install BOP. 2. Perforate 5 1/2" OD Csg w/2-JSPF from 9640' - 9644', & 9570' 3. Set RBP @ 9691'. Spot 250 gal 15% MCA across perforation set packer @ 9475'. 4. Acidize perforations 9570' - 9644' w/250 gal 15% MC Acid. 1500 gal 15% NE Acid. Flushed w/ fresh water. 5. Spot Acid across perforations 9640' - 9644'. Set pkr. @ 96 perforations 9640' - 9644' w/500 gal. 15% NE Acid. 6. Strawn unproductive. Well Shut-In, 6-7-76. Held for furth	SEC., T., R., M., OR E SURVEY OR AREA	
Check Appropriate Box To Indicate Nature of Notice, Report, or Other NOTICE OF INTENTION TO: SUBSEQUENT R FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent date, includ proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical dept nent to this work.) 1. Rig up. Install BOP. 2. Perforate 5 1/2" OD Csg w/2-JSPF from 9640' - 9644', & 957' 3. Set RBP @ 9691'. Spot 250 gal 15% MCA across perforation Set packer @ 9475'. 4. Acidize perforations 9570' - 9644' w/250 gal 15% MC Acid. 1500 gal 15% NE Acid. Flushed w/ fresh water. 5. Spot Acid across perforations 9640' - 9644'. Set pkr. @ 96 perforations 9640'. Set pkr. @ 96 perforations 96 pkr. @	C. 29,T-15-S COUNTY OR PARISH	13. STATE
NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and green to this work.) 18. Rig up. Install BOP. 2. Perforate 5 1/2" OD Csg w/2-JSPF from 9640' - 9644', & 957' 3. Set RBP @ 9691'. Spot 250 gal 15% MCA across perforation Set packer @ 9475'. 4. Acidize perforations 9570' - 9644' w/250 gal 15% MC Acid. 1500 gal 15% NE Acid. Flushed w/ fresh water. 5. Spot Acid across perforations 9640' - 9644'. Set pkr. @ 96 p	Chaves	New Mexic
	ultiple completion Report and Log for Report and Log for ding estimated data ths for all markers 70' - 9578'. 9640' - 957 Follow w/ 9606. Acidi	on Well rm.) e of starting any s and zones perti-
	RE	CEIVED
	JUN	- 9 1976
		CGICAL SURVEY
	date <u>6-</u> 8-	.76
(This space for Federal or State office use)	DATE O-O-	+
APPROVED BY APPROVAL, IF ANY: UNLESS FURTHER APPROVED. UNLESS FURTHER APPROVED. BE PUT TO BENSFICAL USE OR PLUGGED BY BE PUT TO BENSFICAL USE OR PLUGGED BY APRIL OCTOBET 1197 1976 *See Instructions on Reverse Side	DATE	

CONSERVATION COMM.

RECEIVED
JUN 1 1 1976