

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

HOBBS OFFICE OCC

MISCELLANEOUS REPORTS ON WELLS

1954 JUL 31 PM 6:36

Submit this report in TRIPLICATE to the District Office, Oil Conservation Commission, within 10 days after the work specified is completed. It should be signed and filed as a report on Beginning Drilling Operations, Results of test of casing shut-off, result of plugging of well, result of well repair, and other important operations, even though the work was witnessed by an agent of the Commission. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Report by Checking Below

30-005-00542

REPORT ON BEGINNING DRILLING OPERATIONS		REPORT ON RESULT OF TEST OF CASING SHUT-OFF		REPORT ON REPAIRING WELL	
REPORT ON RESULT OF PLUGGING WELL	X	REPORT ON RECOMPLETION OPERATION		REPORT ON (Other)	

July 29, 1954

(Date)

Fort Worth, Texas

(Place)

Following is a report on the work done and the results obtained under the heading noted above at the

Texas Pacific Coal and Oil Company

(Company or Operator)

N.M. State "H" A/C 1

(Lease)

Cactus Drilling Company

(Contractor)

Well No. 1 in the SW 1/4 SE 1/4 of Sec. 2

T. 14-S, R. 31-E, NMPM, Dickey Queen Pool, Chaves County.

The Dates of this work were as follows:

Notice of intention to do the work (was) (~~302233~~) submitted on Form C-102 on _____, 19____, and approval of the proposed plan (was) (~~302233~~) obtained. (Cross out incorrect words)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Cement plug was set at bottom of 13 3/8" surface casing at 274'. The hole was filled with mud and a cement cap set at the surface with the required marker.

Witnessed by _____ (Name) _____ (Company) _____ (Title)

Approved:

OIL CONSERVATION COMMISSION

M. L. Armstrong
(Name)

(Title)

(Date)


I hereby certify that the information given above is true and complete to the best of my knowledge.

Name _____

Position _____ Division Superintendent

Representing _____ Texas Pacific Coal and Oil Company

Address _____ P. O. Box 2110, Fort Worth 1, Texas

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

Texas Pacific Coal and Oil Company

N.M. State "HW" A/C 1

Company or Operator

Address

Well No. 1 in SW/4 SE/4 of Sec. 2, T. 14-S

Lease

R. 31-E, N. M. P. M. Driskay Queen Field, from Chaves County.

Well is 660 feet from South line and 1980 feet West of the East line of Section 2

If State land the oil and gas lease is No. Assignment No.

If patented land the owner is. Address

If Government land the permittee is. Address

The Lessee is. Address

Drilling commenced July 3, 1954 Drilling was completed July 8, 1954

Name of drilling contractor Cactus Drilling Company Address Hobbs, New Mexico

Elevation above sea level at top of casing. feet.

The information given is to be kept confidential until 19.

OIL SANDS OR ZONES

No. 1, from to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	OUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
13 3/8"	34.5			269'	Baker				
Reamer at bottom of 13 3/8" casing. Plugged and abandoned.									

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2"	13 3/8"	274	325			

PLUGS AND ADAPTERS

Heaving plug—Material. Length. Depth Set.

Adapters — Material. Size.

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment.

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing. 19.

The production of the first 24 hours was barrels of fluid of which % was oil; % emulsion; % water; and % sediment. Gravity, Be.

If gas well, cu. ft. per 24 hours. Gallons gasoline per 1,000 cu. ft. of gas.

Rock pressure, lbs. per sq. in.

EMPLOYEES

Driller Driller

Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 29th

day of July, 1954

Ruth Barfield

Notary Public

Ruth Barfield

6-1-55

My Commission expires.

Fort Worth, Texas July 29, 1954

Name P. O. Palmer

Position Division Superintendent

Representing Texas Pacific Coal and Oil Company

Company or Operator

Address P.O. Box 2110, Fort Worth 1, Texas

