Form 9-331a (Feb. 1951)							

(SUBMIT IN TRIPLICATE)

Louse No.	TO-OFMAN

UNITED STATES


DEPARTMENT OF THE INTERIOR

Unit .....

GEOLOGICAL SURVEY

			SUBSEO!	ENT REPORT	OF WATER SH	UT-OFF		
	N TO DRILL		1 11		OF SHOOTING			
	N TO CHANGE PLANS ON TO TEST WATER SHU		! !!		OF ALTERING			
	N TO RE-DRILL OR RE		1 11		OF RE-DRILLI			
	ON TO SHOOT OR ACIDI			IENT REPORT	OF ABANDON	1ENT		
NOTICE OF INTENTIO	N TO PULL OR ALTER	CASING	SUPPLE		L HISTORY			
	ON TO ABANDON WELL.							
	(INDICATE ABC	OVE BY CHECK MA	ARK NATURE OF RI		, OR OTHER D			
				Larg	b 14,	<b>.</b>	,	19.
Polarel.	*4*	een oo	( <b>11)</b>	1 <b>446</b>	. (* (	a 🕌 line	of sec	ı.
ell No.	is located	it. ir	om. $\left\{ \begin{array}{c} \mathbf{S} \\ \mathbf{S} \end{array} \right\}$ line	and	rt. Iron	¹ (W∫ mie	OI SCC	
	ing. A	عبالي	(Range)	(1)	deridian)			
(1/2 Sec. and Se	90, NO.)	(T.Mb·)	Consulty.		Mane	Herrico.		
(Field)	- American - American	(Cour	nty or Subdivision)		(	State or Territo	ry)	
	f the derrick floo	or above sea	level is	ft.	denna de	-	t	
he elevation of	the derrick 1100					n lakan		
			TAILS OF V				•	
		ctive sands; show	, sizes, weights, a	d lengths of	proposed casis	ngs; indicate n	nudding job	s, cer
tate names of and e	xpected depths to object	ing points, and	all other importa	it brobosed w	,			
tate names of and e	xpected depths to objec	ing points, and	all other importa	it proposed w				
tate names of and e	4-	ing points, and	all other importa	ne proposed w	unted w	144 250	sasite d	
Program:	4-	00 244 4	-55 Casting	HANT OF	united w	144 250 144 250	essite d essite d	
Program:	325" - 8-5/8" 100" - 5-1/2"	00 377 1	-55 Caming -55 Caming	NAME OF STREET	unted w	146 250 146 250	senits d annies d	
Program:	3251 - 8-5/80	00 377 1	-55 Caming -55 Caming	HART CO	unted w	lud 250 lud 250	parito ( parito (	
Program:	325" - 8-5/8" 100" - 5-1/2" led with rota	OD 24.5 J OB 14.5 J By tools.	-55 Contag -55 Cantag	2007 <b>44</b> 0	unted w	ith 250 ith 250	gasto ( secito (	
Program:	325" - 8-5/8" 100" - 5-1/2"	OD 24.5 J OB 14.5 J By tools.	-55 Caming -55 Caming taly 3200	2007 640 2007 640	unted w	ith 250 ith 250	sasto d sasto d	
Program:	325" - 8-5/8" 100" - 5-1/2" led with rota	OD 24.5 J OB 14.5 J By tools.	-55 Contag -55 Cantag	2007 640 2007 640	unted w	th 250 th 250	serito d serito d	
Program:	325" - 8-5/8" 100" - 5-1/2" led with rota	OD 24.5 J OB 14.5 J By tools.	-55 Caming -55 Caming taly 3200	2007 640 2007 640	unted w	th 250 the 250	parko e nacios e	
Program:	325" - 8-5/8" 100" - 5-1/2" led with rota	OD 24.5 J OB 14.5 J By tools.	-55 Caming -55 Caming taly 3200	2007 640 2007 640	unted w	th 250 th 250	parito d parito d	
Program: 3	325" - 8-5/8" 100" - 5-1/2" led with rota	OD 24.5 J OB 14.5 J By tools.	-55 Caming -55 Caming taly 3200	2007 640 2007 640	unted w	th 250 th 250	serito d	
Program:	325" - 8-5/8" 100" - 5-1/2" led with rota	OD 24.5 J OB 14.5 J By tools.	-55 Caming -55 Caming taly 3200	2007 640 2007 640	unted w	th 290 the 290	seaks (	
Programa 3 31 411 be dril ive Pays 4	325° - 8-5/8° 100° - 5-1/2° led with reta nees 3end st	op 24,5 4 op 14,5 4 ey tools.	-55 Cooling -55 Cooling taly 3200	2007 640 2004 660	mated w		acolts (	ence
Programs 3	125° - 2-5/8° 160° - 5-1/2° Led with rotal moon 3and at	OD 244 4 CO 144 4 CY tools.  Approximation	-55 Cooling -55 Cooling taly 3200	2007 640 2004 660	mated w		accide (	ence
I understand that	125' - 2-5/8- 100' - 5-1/2' led with retainment led with retainment led with retainment led with retainment led work must be reserved to this plan of work must led this plan of work must led the reserved to the led to th	ob 24, 4 co 14, 4 ey tools. approxima	-55 Caning	2007 640 2004 660	mated w		accide (	ence
I understand that	125° - 2-5/8° 160° - 5-1/2° Led with rotal moon 3and at	ob 24, 4 co 14, 4 ey tools. approxima	-55 Caning	nant (44)	Survey before	operations m		<del>-</del>
I understand that Company	125' - 2-5/2' Lod with retainment dent state t this plan of work must	OB 244 4	-55 Caming -55 Caming tally NOO	nant (44)	Survey before	operations m		<del>-</del>
I understand that Company	125' - 2-5/8- 100' - 5-1/2' led with retainment led with retainment led with retainment led with retainment led work must be reserved to this plan of work must led this plan of work must led the reserved to the led to th	OB 244 4	-55 Caming -55 Caming tally NOO	nant (44)	mated w	operations m		<del>-</del>

U. S. GOVERNMENT PRINTING OFFICE 16-8437-5



ţ •