Form <b>9-331a</b> (Feb. 1951)		Approval expires 12-31
	F IN TRIPLICATE)	Land Office
APPROVED UNI	TED STATES	Lease No.
	NT OF THE INTERIOR	Unit Telepole Te
		ARGENYS
A. FROST		REGEIVE
DISTRICT ENGINEER		
SUNDRY NOTICES A	AND REPORTS OF	N WELLS
NOTICE OF INTENTION TO DRILL		shugit Cons. Com
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF WATER	ING OR ACARZINGIA OFFICE
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTER	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		
(INDICATE ABOVE BY CHECK MAR	K NATURE OF REPORT, NOTICE, OR OTHE	R DATA)
	September 3.	, 19_
	(N)	
Well No. 5 is located 2009 ft. from	n line and <b>2010</b> ft. fr	om $\left  \frac{1}{W} \right $ line of sec
SE/4 Hi/4 See. 9 155		( ~ )
(1/4 Sec. and Sec. No.) (Twp.)	(Range) (Meridian)	
Opprocit-Canen Cheveo (Field) (County		Maxlee
	or Subdivision)	(State or Territory)
The elevation of the derrick floor above sea le	evel is <b>4435.5</b> ft.	
DETA	ILS OF WORK	
DEIA		
State names of and expected depths to objective sands: show size	zes, weights, and lengths of proposed ca	
	other important proposed work)	
Proposed to drill above listed well	other important proposed work)	
Proposed to drill above listed well tools to the Chess Sent.	to an approximate TD a	" 3250" with rotary
Proposed to drill above listed well tools to the Queen Sand. Set 310' of 8 5/8" (D 24/ J-55 STAC approximately 300 sacks comput.	to an approximate TD o Sals Casing and compati	f 3250" with rotary to surface with
Proposed to drill above listed well tools to the Queen Send. Set 310' of 8 5/8" GD 24# J-55 STAC approximately 300 masks compat. Set 3250' of 5 1/2" OD 14# J-55 STAC	to an approximate TD o Sals Casing and compati	f 3250" with rotary to surface with
Proposed to drill above listed well tools to the Queen Send. Set 310' of 8 5/8" GD 24# J-95 STAC approximately 300 marks comput. Set 3250' of 5 1/2" OD 14# J-55 STAC sement.	to an approximate TD a Sals Gasing and coment Sals Casing and comen	f 3250' with rotary to surface with with 175 sucks
Proposed to drill above listed well tools to the Queen Sand. Set 310° of 8 5/8° GD 24/ J-95 39hC approximately 300 macks comput. Set 3250° of 5 1/2° 9D 14/ J-95 ST&C mment. Perforate Queen and and sundeilfree	to an approximate TD a Smis Casing and cament Smis Casing and cament . Run 2 3/8" OD tubin	f 3250' with rotary to surface with t with 175 seaks r and complete.
Proposed to drill above listed well tools to the Queen Send. Set 310' of 8 5/8" GD 24# J-95 STAC approximately 300 marks comput. Set 3250' of 5 1/2" OD 14# J-55 STAC sement.	to an approximate TD a Smis Casing and cament Smis Casing and cament . Run 2 3/8" OD tubin	f 3250' with rotary to surface with t with 175 seaks r and complete.
Proposed to drill above listed well tools to the Queen Mand. Set 310° of 8 5/8° GD 24/ J-65 STAC approximately 300 macks comput. Set 3250° of 5 1/2° 9D 14/ J-65 STAC sement. Perforate Queen and and sumivilfree brilling Contractors Midland Drillin	to an approximate TD a Smis Casing and company Smis Casing and company Run 2 3/8" OD tubin g Company, 410 %, Ohio	f 3250' with rotary to surface with with 175 sacks g and complete. Midland, Texas.
Proposed to drill above listed well tools to the Queen Sand. Set 310° of 8 5/8° GD 24/ J-95 STAC approximately 300 macks comput. Set 3250° of 5 1/2° 9D 14/ J-95 STAC moment. Perforate Queen and and sundoilfree Drilling Contractors Midland Drillin Verbal permission to drill this well	to an approximate TD a Smis Casing and company Smis Casing and company Run 2 3/8" OD tubin g Company, 410 %, Ohio	f 3250' with rotary to surface with with 175 sacks g and complete. Midland, Texas.
Proposed to drill above listed well tools to the Queen Mand. Set 310° of 8 5/8° GD 24/ J-65 STAC approximately 300 macks comput. Set 3250° of 5 1/2° 9D 14/ J-65 STAC sement. Perforate Queen and and sumivilfree brilling Contractors Midland Drillin	to an approximate TD a Smis Casing and company Smis Casing and company Run 2 3/8" OD tubin g Company, 410 %, Ohio	f 3250' with rotary to surface with with 175 sacks g and complete. Midland, Texas.
Proposed to drill above listed well tools to the Queen Sand. Set 310° of 8 5/8° GD 244 J-65 SPAC approximately 300 macks comput. Set 3250° of 5 1/2° 9D 144 J-55 STAC moment. Perforate Queen and and sumdoilfree Drilling Contrastors Midland Drillin Normal permission to drill this well byrme O'Heill on August 29, 1957.	to an approximate TD a Smis Gasing and company Smis Gasing and company Run 2 3/8" OD tubin g Company, 410 %. Ohio received from Mr. Joh	f 3250' with rotery to surface with with 175 seaks g and complete. Midland, Taxas.
Proposed to drill above listed well tools to the Queen Sand. Set 310° of 8 5/8° GD 24/ J-95 STAC approximately 300 macks comput. Set 3250° of 5 1/2° 9D 14/ J-95 STAC moment. Perforate Queen and and sundoilfree Drilling Contractors Midland Drillin Verbal permission to drill this well	to an approximate TD a Smis Gasing and company Smis Gasing and company Run 2 3/8" OD tubin g Company, 410 %. Ohio received from Mr. Joh	f 3250' with rotery to surface with with 175 seaks g and complete. Midland, Taxas.
Proposed to drill above listed well tools to the Queen Sand. Set 310° of 8 5/8" GD 24/ J-65 STAC approximately 300 make comput. Set 3250° of 5 1/2" OD 14/ J-65 STAC amount. Norferate Queen and and sandollfrag Drilling Contractors Hidland Drillin Norbal permission to drill this well byrae O'Neill on Angust 29, 1957.	to an approximate TD a Smis Casing and company Smis Casing and company Run 2 3/8" OD tubin g Company, 410 %. Ohio ruceived from Mr. Joh	f 3250' with rotery to surface with with 175 maks raid complete. Nidland, Texas.
Proposed to drill above listed well tools to the Queen Sand. Set 310° of 8 5/8° GD 244 J-65 SPAC approximately 300 macks comput. Set 3250° of 5 1/2° 9D 144 J-55 STAC moment. Perforate Queen and and sumdoilfree Drilling Contrastors Midland Drillin Normal permission to drill this well byrme O'Heill on August 29, 1957.	to an approximate TD a Smis Gasing and company Smis Gasing and company Run 2 3/8" OD tubin g Company, 410 %. Ohio received from Mr. Joh	f 3250' with rotery to surface with with 175 maks raid complete. Nidland, Texas.
Proposed to drill above listed well tools to the Queen Sand. Set 310° of 8 5/8" GD 24/ J-65 STAC approximately 300 make comput. Set 3250° of 5 1/2" OD 14/ J-65 STAC amount. Norferate Queen and and sandollfrag Drilling Contractors Hidland Drillin Norbal permission to drill this well byrae O'Neill on Angust 29, 1957.	to an approximate TD a Smis Casing and compare Smis Casing and compare Run 2 3/8" OD tubin Company, 410 %, Ohio received from Hr, Joh	f 3250' with rotery to surface with with 175 maks raid complete. Nidland, Texas.
Proposed to drill above listed well tools to the Queen Sand. Set 310° of 8 5/8° CD 24/ J-65 STAC approximately 300 matks comput. Set 3250° of 5 1/2° 9D 14/ J-65 STAC mannt. Perforate Queen and and municilfrac Drilling Contractors Midland Drillin Forbel permission to drill this well byrae O'Neill on ingust 29, 1957.	to an approximate TD a Smis Casing and compare Smis Casing and compare & Run 2 3/8" OD tubin g Company, 410 %. Ohio received from Mr. Joh OIL CONSERVATION C P. O. Box 2045	1 3290' with rotary to surface with with 175 moks and complete. Midland, Texas. Front by Mr.
Proposed to drill above listed well tools to the Queen Sand. Set 310° of 8 5/8° CD 24/ J-65 STAC approximately 300 matks comput. Set 3250° of 5 1/2° 9D 14/ J-65 STAC mannt. Perforate Queen and and municilfrac Drilling Contractors Midland Drillin Forbel permission to drill this well byrae O'Neill on ingust 29, 1957.	to an approximate TD a Smis Casing and compare Smis Casing and compare & Run 2 3/8" OD tubin g Company, 410 %. Ohio received from Mr. Joh OIL CONSERVATION C P. O. Box 2045	f 3250' with rotery to surface with with 175 maks raid complete. Nidland, Texas.
Proposed to drill above listed well teals to the Queen Sand. Set 310° of 8 5/8° GD 24/ J-65 STAC approximately 300 matks comput. Set 3250° of 5 1/2° 9D 14/ J-65 STAC mont. Perforate Queen and and sumfoilfree brilling Contrastors Midland Drillin forbal permission to drill this well byrae O'Meill on ingust 29, 1957.	to an approximate TD a Smis Casing and compare Smis Casing and compare & Run 2 3/8" OD tubin g Company, 410 %. Ohio received from Mr. Joh OIL CONSERVATION C P. O. Box 2045	to surface with with 175 seaks and complete. Midland, Texas. Front by Mr.

÷

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-128 Revised 5/1/57

676

Well Location and Acreage Dedication Plat

Section A. Date 8-30-57 Operator Joseph I. O'Neill. Ir. \_Lease\_\_\_ Federal "P" Well No. <u>5</u> Located 2310 \_\_Unit Letter F Section 9 Township 15 S Range NMPM 37 E Located Feet From <u>West</u>Line,\_\_ 1650 Feet From North Line Chaves County G. L. Elevation Dedicated Acreage Acres Name of Producing Formation Pool Is the Operator the only owner\* in the dedicated acreage outlined on the plat below? Yes\_\_\_\_No\_ 2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes\_\_\_\_No\_\_\_\_. If answer is "yes," Type of Consolidation\_ If the answer to question two is "no," list all the owners and their respective interests 3. below: Owner Land Description C Section.B This is to certify that the information in Section A above is true and complete 1650 to the best of my knowledge and belief. Joseph I. 0'Holl) (Operator 2310 ೧೯ (Representative Alo V. Ohio, Midland, Te 40 AC Address This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief. Date Surveyed 8-30-57 Registered Professional Engineer and/or Land Surveyor. 1980 2310 94.4 2000

(See instructions for completing this form on the reverse side)