



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **LC**
Lease No. **079622**
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Featherstone **Fort Worth, Texas** **March 7**, 19**55**
Well No. **1** is located **1980** ft. from **XX** line and **1980** ft. from **4** line of sec. **8**
NE/4 SW/4 Sec. 8 **13-S** **31-E** **NMPM**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wilcox **Chaves** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Surface pipe to be set at approximately 150' with cement circulated back to surface.
Intermediate string will be cased at approximately 1,200' and pulled on completion.
Hole will be reduced at top of Queen Sand, expected at 2,800'. If commercial production is established, 7" casing will be cemented with 125 sacks.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Neville G. Penrose, Inc.**

Address **1813 Fair Building**

Fort Worth, Texas

By **John P. McNaughton**
Title **Engineer**