Santa Fe, New Mexico

NOTICE OF INTENTION TO DRI	NOTICE	OF	INTENTION	TO	DRILL
----------------------------	--------	----	-----------	----	-------

mmission or its proper agent and approval obtained before drilling

		Tukhan	k, Texas		June 29, 194	16
		F# 0000	Place			Date
OIL CONSEI	RVATION CO	MMISSION,				
Santa Fe, Ne	w Mexico,					
Gentlemen:		otified that it is ou		manaa tha drilling	of a well to be known	own as
You	are nereby r	mpany	r intention to come State H	mence the driming	No. 2	in NW/4 ME/4
	Compan	y or Operator		Lease		
of Sec. 12	, T18	S , R 31E	_, N. M., P. M.,	aprock	Field, Chaves	County.
	Ŋ	The well is_	660 feet	(S.) of the N	orth line and	1980 feet
1		(W.) o	f the East	ine of Sectio	n 12-13S-31E	
	*	directions.)	ocation from sectio			
		If state land	the oil and gas lea			
		If patented	land the owner is_			
	1	Address	.,			
		If governme	ent land the permit	tee is		
			Alli			
AREA	640 ACRES	Address	Remo	Nevada		
	LL CORRECTI	We propose	to drill well with dr	illing equipment a	s follows:	
	Rotary	to 30001 . Cal	ble tools from	3000' to tot	al depth	
The status of	of a bond fo	r this well in conf		e 39 of the Gene	eral Rules and Reg	zulations of the
					-	, oz o
Commission :	is as follows:	in effect				
		owing strings of cas				
We propose t	to use the foll	owing strings of cas		cement them as in		Sacks
			sing and to land or		ndicated:	
We propose to Size of Hole	Size of Casing 8-5/8*	owing strings of cas	sing and to land or	cement them as in	ndicated:	Sacks
We propose to Size of Hole	Size of Casing 8-5/8*	owing strings of cas	New or Second Hand	cement them as ir	Landed or Cemented	Sacks Cement
Size of Hole  10-3/4"	Size of Casing	owing strings of cas  Weight Per Foot  28#	New or Second Hand	Depth	Landed or Cemented	Sacks Cement
We propose to Size of Hole  10-3/4"  7-7/8"	Size of Casing  8-5/8*  5-1/2*	owing strings of cas  Weight Per Foot  28#  15.5#	New or Second Hand	Depth SOO' 3000'	Landed or Cemented  Comented  Comented	Sacks Cement 150 600
Size of Hole  10-3/4** 7-7/8**  If changes in	Size of Casing  8-5/8*  5-1/2*  the above place	owing strings of cas  Weight Per Foot  28#  15.5#  an become advisable	New or Second Hand  New  Wew  Wew  We will notify you	Depth 300° 3000°	Landed or Cemented  Cemented  Cemented  or landing casing.	Sacks Cement 150 600
Size of Hole  10-3/4** 7-7/8**  If changes in	Size of Casing  8-5/8*  5-1/2*  the above place	owing strings of cas  Weight Per Foot  28#  15.5#	New or Second Hand  New  Wew  Wew  We will notify you	Depth 300° 3000°	Landed or Cemented  Comented  Comented	Sacks Cement 150 600
Size of Hole  10-3/4** 7-7/8**  If changes in	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or	owing strings of cas  Weight Per Foot  28#  15.5#  an become advisable	New or Second Hand  New  Wew  Wew  We will notify you	Depth 300° 3000°	Landed or Cemented  Cemented  Cemented  or landing casing.	Sacks Cement 150 600
Size of Hole  10-3/4"  7-7/8"  If changes in the first pro	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or	owing strings of cas  Weight Per Foot  28#  15.5#  an become advisable	New or Second Hand  New  Wew  Wew  We will notify you	Depth 300° 3000°	Landed or Cemented  Cemented  Cemented  or landing casing.	Sacks Cement 150 600
Size of Hole  10-3/4"  7-7/8"  If changes in the first pro	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or formation:	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  Wew  Wew  We will notify you	Depth 300° 3000°	Landed or Cemented  Cemented  Cemented  or landing casing.	Sacks Cement 150 600
Size of Hole  10-3/4"  7-7/8"  If changes in the first pro	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  Wew  We will notify you car at a depth of	Depth 300° 3000°	Landed or Cemented  Cemented  Cemented  or landing casing.	Sacks Cement 150 600
Size of Hole  10-3/4"  7-7/8"  If changes in the first pro Additional in	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or formation:	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  Wew  We will notify you car at a depth of	Depth 300' 3000' before cementing about 3037	Landed or Cemented  Comented  Comented  or landing casing.	Sacks Cement 150 600
Size of Hole  10-3/4"  7-7/8"  If changes in the first pro Additional in	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or formation:	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  Wew  We will notify you car at a depth of	Depth  SOO'  SOOO'  before cementing about 3037  ely yours,  Delfern Oil	Landed or Cemented  Comented  Comented  or landing casing.	Sacks Cement 150 600
Size of Hole  10-3/4"  7-7/8"  If changes in the first pro Additional in	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or formation:	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  Wew  We will notify you car at a depth of	Depth  SOO'  SOOO'  before cementing about 3037  ely yours,  Delfern Oil	Landed or Cemented  Comented  Comented  or landing casing. feet.	Sacks Cement 150 600
Size of Hole  10-3/4"  7-7/8"  If changes in the first pro Additional in	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or formation:	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  We will notify you cur at a depth of	Depth  SOO'  SOOO'  before cementing about 3037  ely yours,  Delfern Oil	Landed or Cemented  Comented  Comented  or landing casing. feet.  Company pany or Operator	Sacks Cement 150 600
We propose to Size of Hole  10-3/4**  7-7/8**  If changes in the first pro Additional in Approved	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or formation:	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  We will notify you car at a depth of  By  Positic	Depth  SOO'  SOO'  before cementing about 3057  ely yours,  Delfern Oil  Com	Landed or Cemented  Comented  Comented  or landing casing. feet.  Company pany or Operator	Sacks Cement 150 600
We propose to Size of Hole  10-3/4**  7-7/8**  If changes in the first pro Additional in Approved	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or formation:	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  We will notify you car at a depth of  By  Positic	Depth  SOO'  SOO'  before cementing about SOS7  ely yours,  Delfern Oil  Com  Engineer	Landed or Cemented  Cemented  Cemented  or landing casing. feet.  Company pany or Operator	Sacks Cement 150 600
We propose to Size of Hole  10-3/4**  7-7/8**  If changes in the first pro Additional in Approved	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or formation:	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  We will notify you car at a depth of  By  Positic	Depth  SOO'  SOO'  Before cementing about 3037  ely yours,  Delfern Oil  Com  Engineer  communications recommunications recommunications	Landed or Cemented  Cemented  Cemented  or landing casing. feet.  Company pany or Operator  egarding well to	Sacks Cement  150 600  We estimate that
Size of Hole  10-3/4**  7-7/8**  If changes in the first pro Additional in Approved	Size of Casing  8-5/8*  5-1/2*  the above plaductive oil or formation:	weight Per Foot  28#  15.5#  an become advisable gas sand should oc	New or Second Hand  New  We will notify you car at a depth of  By  Positic Send	Depth  SOO'  SOO'  SOO'  before cementing about 3037  ely yours,  Delfern Oil  Com  Engineer  communications recommunications	Landed or Cemented  Cemented  Cemented  or landing casing. feet.  Company pany or Operator  egarding well to  reper  ock National E	Sacks Cement  150 600  We estimate that