



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

LAND OIL COMPANY

STATE E-4191

Well No. 1, in SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Sec. 14, T. 38E (Lease), R. 15S, NMPM.

Pool, CHAVES County.

Well is 660 feet from SOUTH line and 1980 feet from EAST line

of Section 14. If State Land the Oil and Gas Lease No. is E-4191

Drilling Commenced APRIL 3, 1955 Drilling was Completed APRIL 21, 1955

Name of Drilling Contractor CAMDEN DRILLING COMPANY

Address FORT WORTH, TEXAS

Elevation above sea level at Top of Tubing Head 4412

The information given is to be kept confidential until _____, 19____.

OIL SANDS OR ZONES

No. 1, from 3046 RT to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

NO WATER

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
<u>8 5/8</u>	<u>24</u>	<u>NEW</u>	<u>316</u>	<u>TEXAS PATTERN</u>			
<u>5 1/2</u>	<u>14</u>	<u>NEW</u>	<u>3036</u>	<u>HALLIBURTON</u>			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>11"</u>	<u>8 5/8"</u>	<u>316</u>	<u>150</u>	<u>CIRCULATED</u>	<u>10</u>	
<u>7 7/8"</u>	<u>5 1/2"</u>	<u>3036</u>	<u>100</u>	<u>HALLIBURTON</u>	<u>10</u>	<u>200 BBL'S</u>

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, Complete Natural interval treated or shot.)

Result of Production Stimulation _____

Depth Cleaned Out _____

JORD OF DRILL-STEM AND SPECIAL TE

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from SURFACE feet to 3046 DF feet, and from feet to feet.
Cable tools were used from 3046 DF feet to 3057 DF feet, and from feet to feet.

PRODUCTION

Put to Producing APRIL 26, 1955
OIL WELL: The production during the first 24 hours was 200 barrels of liquid of which 100 % was
was oil; NO % was emulsion; NO % water; and NO % was sediment. A.P.I.
Gravity 32
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	500	RT	T. Devonian		T. Ojo Alamo
T. Salt			T. Silurian		T. Kirtland-Fruitland
B. Salt			T. Montoya		T. Farmington
T. Yates	2200	RT	T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen	3047	RT	T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash		T. Mancos
T. San Andres			T. Granite		T. Dakota
T. Glorieta			T.		T. Morrison
T. Drinkard			T.		T. Penn
T. Tubbs			T.		T.
T. Abo			T.		T.
T. Penn			T.		T.
T. Miss			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	500	500	RED BED				
500	2200	1700	ANHY				
2200	2250	50	YATES				
2250	3046	800	ANHY				
3047	3057	10	QUEEN				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

APRIL 27, 1955

LANDA OIL COMPANY
Company or Operator
Name Robert E. Ford
Address 5738 N. CENTRAL EXPRESSWAY, DALLAS, TEXAS
Position or Title ENGINEER