Desizati Official	771/230	
OPert	C-166)	

		J					(Perte C-108)
			N	ew mexi c	D OIL CONSE	RVATION COM	MISSION
		4			Samta Fe, No	W Marie HODBS	CFFICE OCC
						•	
						1955 SEP	9 AM 9:34 9 AM 9:34
					WELL R	ECORD	9 M 9:34
			9				
			Mail to Distric	t Office, Oil	Conservation Com	mission, to which Fo	orm C-101 was sent not
			later than twen of the Commiss	ity days after c son. Submit in	ompletion of well. QUINTUPLICA	Follow instructions i FE, If State L	in Rules and Regulations and submit 6 Copies
AR	EA 640 ACRES WELL CORRECTI						
+						Leviak	*******
	(Compa						
							11-8 , NMPM.
Caprock	Queen.	******		Pool,		Charres	County.
Well is	9 83 ' fe	et from	Borth	line and	1982	feet from	line
of Section	14	If State La	and the Oil and	Gas Lesse No.	is D-852	R	
							• 55 , 19
Name of Drillin	og Contractor	Heit	le Drillin	Company			
	15 CONTRACTOR	Door	1628. Hob	be. New Me			
	fidentia)	19		SANDS OR Z	ones		
No. 1 from	3038	10	3056 T	DIF No. 4	. from		
No. 3, from					, 22 / 22		
				fant watee			
	n rate of water in						
-							
No. 2, from						.feet	
No. 3, from			to			.feet	
No. 4, from		•••••••	to			feet.	
			<u> </u>	ASING RECO	RD		n 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SIZE	WEIGHT PER FOOT	NEW OB USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8*	24	Jor	298	HONCO	None	None	Surface string
5-1/2*	14	Hew	3032	Baker	None	None	Qil string
	<u> </u>			•	++		
					and an		

MUDDING AND CEMENTING RECORD

SIZE OF	SIZE OF	where	NO. SACKS	METROD	MUD	AMOUNT OF
HOLE	CASING	Str	OF CEMENT	USED	Gravity	MUD USED
<u>12-1/4*</u>	8-5/8"	309	300	Halliburton	R	Cat sire.
7-7/8*	5-1/2"	3041	100	Halliburton		Plug to 30051.

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

9-5-55 Dowell fraced Gases firmation w/5000 gals sil & 2500# sand.

Result of Production Stimulation 9-5-55 Brebbed 6 bre. recovered 78 M.O.

·····

.....

....Denth Cleaned Out....

.....

JRD OF DRILL-STEM AND SPECIAL TE

	If	f drill-stem or other spec	cial tests or devi	ation surveys wes	e made, submit report on	зерал	rate sheet and attach hereto
			. •	TOOLS	USED		
Rot	ary tools w	ere used from		3056	D. feet, and from		feet to
							feet tofeet.
•			•	PRODU	JCTION		
л.		ing	0 .				
Put	to Produci	-					
OII	L WELL:	The production during	the first 24 hou	irs was	122 barrels	of lie	quid of which
		was oil;	% was en	nulsion;		d	% was sediment. A.P.I.
					(Refer to Form		
~	0 WET 1						
GA	S WELL:	I he production during	; the first 24 hou	irs was	M.C.F. plus		barrels of
		liquid Hydrocarbon. Sl	hut in Pressure	lbs	•		
Le	ngth of Tin	ne Shut in	•		•		
	PLEASE	INDICATE BELOW	FORMATION	TOPS (IN CON	FORMANCE WITH G	EOG1	RAPHICAL SECTION OF STATE):
			eastern New M				Northwestern New Mexico
т.	Anhy					Т.	Ojo Alamo
Т.	THE RUA	stler 1452	T.	Silurian	• • • • • • •	Т.	Kirtland-Fruitland
В.	Salt		Т.	Montoya		Т.	Farmington
Т.	Yates	2278	т.	Simpson		Т.	Pictured Cliffs
Т.	7 Rivers		Т.	McKee	•	т.	Mencfee
Т.	Queen	3020	т.	Ellenburger		Т.	Point Lookout
Т.	Grayburg.		т.	Gr. Wash		т.	Mancos
т.	San Andre	es	Т.	Granite		т.	Dakota
т.						т.	Morrison.
т.						т.	Pepn
Т.	Tubbs		т.			Т.	
Т.	Abo		Т.			т.	
т.	Penn		Т.			т.	
Т.	Miss		Т.	••••••			

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 185 1300 1620 2180 2490 3020	185 1900 1620 2180 2490 3020 3056 TB	185 1115 320 560 310 530 36	Sand Redbeds Salt Anhy & salt Anhy Lime Sand (Queen)				_
			· · ·				
•							

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator	Phillips	Potroleum	Campany.
Name			