Form 9-331 a (March 1942)

## (FIVE COL. & SUMCETER)

(SUBMIT IN TRIPLICATE)

## UNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

	1 pprova	l expires 1	1-30 <b>-49.</b>	
	Les	Greet	os,I	·M.
-	6	W. M.		
-				
Logso 1	ACH CO			
		70		•
Unit				
1 27 4				

Budget Bureau No. 42-R358.1.

3:06


TICE OF INTENTION TO DRILL		SUBSEQUENT R	EPORT OF WATER SHUT-OFF	
TICE OF INTENTION TO CHANG		1 1	EPORT OF SHOOTING OR ACID	1
TICE OF INTENTION TO TEST Y		1	EPORT OF ALTERING CASING.	1 1
TICE OF INTENTION TO RE-DR	ILL OR REPAIR WELL	SUBSEQUENT R	EPORT OF REDRILLING OR RE	PAIR
TICE OF INTENTION TO SHOOT	OR ACIDIZE	SUBSEQUENT R	EPORT OF ABANDONMENT	
TICE OF INTENTION TO PULL	OR ALTER CASING	SUPPLEMENTAR	Y WELL HISTORY	
TICE OF INTENTION TO ABANE	DON WELL	_	·/	
The second second second second	ICATE ABOVE BY CHECK MAR	K NATURE OF REPORT	NOTICE, OR OTHER DATA)	
d Committee line.	•	January 27		55
Mr. W. Tename				, 19
		(A.D. :	<b>46</b> (F.)	16
No. is	located ft. ft	$\operatorname{rom}\left\{ \begin{smallmatrix} \mathrm{IN} \\ \mathrm{S} \end{smallmatrix} \right\}$ line and	ft. from 1	ine of sec
	9 <b>6</b> . <b>4</b>	# (೨)	(₩) <b>E.M.P.M.</b>	
Section 15	1346		.No. of	
(14 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	
(Field)		ty or Subdivision)	(State or T	oreitoev)
(1614)	(Count	ly of Bubaivision)	Owned Elevation:	9.9. met a
•	ing points, and all	l other important prope	hs of proposed casings; indicat osed work)	
				_
1 with combination	a rotery and cal	ble tools, dr	illing to apprent	mately 1,450'
l with combination G.S., Ship, 2-ho	n rotory and call	ble tonie, dri g and commit t	illing to apprecia	meely 1,450' alone of hole
l with combination 0.3., ship, school with cable teel	n retary and cal sections caring s and appreciant	ble tools, dri g and equant t bely 3005' of	illing to approximate the state of the state	mately 1,450' ( liamon of hole seemless east
l with combination 0.3., ship, since the color tool ly above expected with color tools.	n rotary and cal rounless easing s and approximat producing some	ble tools, dri g and commt to bely 3005° of and communication	illing to apprents rith 350 seeks; he 7" 0.D. 20\$ J-55 with 200 seeks or	mbely 1,450' clames of hole combons easi numt, complete
l with combination 0.3., the property of the combination of the combin	n rotary and call contract on and approximate probability same and similars if a bine.	hic tools, dri s and commit to only 3005' of and communications accomming and	illing to apprents rith 350 macks; to 7" 0.D. 20¢ J-55 with 200 macks or place on year, us	mbely 1,450° clames of hole seculoss entitions entitions that the seculos in the seculos of the
l with combination 0.3., Ship, 2.40 i with cable tools to the capacital with cable tools to the capacital	n rotary and call controls can approximate producing same and similar if a bing. Purping a	ble tools, dri g and opposit to bely 3005' of and opposite accoragy and mit will use	illing to apprents pith 350 seeks; to 7" 0.D. 20\$ J-55 with 200 seeks or place on yeap, w electric motor fo	mbely 1,450' ( clames of hole seculous enti- ment, complete sing 3-2/5' 0.1 or power.
l with combination of 0.3., Ship, 3.40 is with cable tools with cable tools open combens to	n rotary and call control cantage and approximate probacing same and simfrue if a bing. Pumping t	the tools, dring and comment to the secondary and main will use	illing to apprents rith 350 seeks; he 7" 0.D. 20\$ J-55 with 200 seeks or place on year, w electric motor fo	mbely 1,450' ( clames of hole seculous easis munt, complete ing 9-2/0" 0.1 or power.
l with combination of 0.3., Ship, 3.40 levith cable tools with cable tools when the cable tools appet combes to	n rotary and call common and simfras if a bring. Pumping t	tic tools, dring and comments of comments and comments and comments and comments will use	illing to apprents pith 350 seeks; to T" 0.D. 20\$ J-55 with 200 seeks or place on year, us electric motor fo	ustaly 1,450° ( liamon of hole seculous cardio numb, complete sing 3-2/0° 0.1 or power.
l with combination 0.3., Ship, 3.40 i with cable tools with cable tools upon past combes to	n rotary and call common caring and approximately some and approximately some and similars if a bing. Pumping a	hic tools, dri g and commute may 3005' of and commuted moreogry and mit will use	illing to apprents pith 350 seeks; to T" 0.D. 20\$ J-55 with 200 seeks or place on pump, us electric motor fo	mbely 1,450° micros of hole seculoss english english ting 3-2/0° 0.1 m power.
l with combination 0.3., Ship, 3-hip I with cable took Ly above emported with cable tooks much semileus to	n rotary and call contains and approximately probacing same and similars if a bing. Pumping t	tic tools, dring and comment to bely 3005' of and comments and main will use	illing to apprents pith 350 seeks; by T" 0.D. 20\$ J-55 with 200 seeks or place on year, w electric mater fo	mbely 1,450° clamos of hole seculose enti- ment, complete sing 5-2/5° 0.1 or power.
l with combination 0.3., Ship, H-hip I with cable took Iy above expected with cable tooks when semiles to	n rotary and call continues and approximate probability same and simfrue if a bing. Pumping t	ble tools, dri g and commt to bely 3005° of and commuted accoracy and mit will use	illing to apprents pith 350 seeks; to 7" 0.D. 20\$ J-55 with 200 seeks or place on yeap, w electric motor fo	mbely 1,450' ( clamps of hole simulans english munt, complete sing 9-2/0" (.) or power.
l with combination of G.B., Ship, H-holis with cable tools with cable tools where some the cable tools where some some some some some some some som	n rotary and cal comines easing s and approximat producing some and simirus if a bing. Pumping t	tic tools, dring and comments of and comments and comments and comments and comments and comments will use	illing to apprents pith 350 seeks; he T" 0.D. 20\$ J-55 with 200 seeks or place on year, us electric motor fo	mbely 1,450° ( clames of hole seculous easi munt, complete ing 9-2/0° 0.1 or power.
l with embination of 0.3., Ship, 3-40 l with cable tools with cable tools upon a semicon to	n rotary and cal continue caring and approximat probacing case and simfrue if a bing. Pumping t	hic tools, dri g and commt to hely 3003' of and commuted moceanapy and mit will use	illing to apprenticulate 350 seeks; to T" 0.D. 205 J-55 with 200 seeks or place on pump, us electuric motor for a clearful motor for a	mbely 1,450° ( liamon of hole seculous enti- ment, complete sing 5-2/5° 0.1 or power.
l vith embination of G.J., Ship, H-hO l vith cable teal ly above expected with cable teals upoet semiless to	n rotary and cal continue caring and approximat probacing case and simfrue if a bing. Pumping t	hic tools, dri g and commt to hely 3003' of and commuted moceanapy and mit will use	illing to apprenia rith 350 seeks; to T" 0.D. 265 J-55 with 200 seeks or place on pump, us electric motor for	mbely 1,450° ( liamon of hole seculous enti- ment, complete sing 5-2/5° 0.1 or power.
l with carbination 0.3., Shi, 3-h0 i with cable tools iy above expected rith cable tools upoet somilees to	work must receive approval	hic tools, dri g and commt to hely 3003' of and commuted moceanapy and mit will use	illing to appreniation of the 350 seeks; by 7" 0.D. 20\$ J-55 with 200 seeks or place on pump, us electric motor for alectric motor for a contribution of the contribut	mbely 1,450° ( liamon of hole seculous enti- ment, complete sing 5-2/5° 0.1 or power.
I with embination "0.3., Ship, 2-h0 is with cable tools ly above emported with cable tools upoct seamless to	work must receive approval	hic tools, dri g and commt to hely 3003' of and commuted moceanapy and mit will use	illing to apprenticate 350 seeks; by T" 0.D. 205 J-55 with 200 seeks or place on pump, us electric motor for ogical Survey before operations	idence of hole seemless entitions, complete sing 3-2/5 0.1 power.
I with embination of which can be apported by above emported with cable tools where the capacitant and a semileus to a semileus	work must receive approval	hic tools, dri g and commt to hely 3003' of and commuted moceanapy and mit will use	illing to apprenticate 350 seeks; by 7" 0.D. 205 3-55 with 200 seeks or place on year, we electric motor ?	idence of hole seemless entitions, complete sing 3-2/5 0.1 power.
I with embination of which cable tools by above expected with cable tools where the cabl	work must receive approval	hic tools, dri g and commt to hely 3003' of and commuted moceanapy and mit will use	Illing to apprenticate 350 seeks; in 7" 0.D. 205 J-55 with 205 seeks or place on pump, us electric motor for a contribution for a contribution of the contribution of	idence of hole seemless entitions, complete sing 3-2/5 0.1 power.

## WELL LOCATION SURVEY PLAT

OPERATOR WHALEY COMPANY, INC.

LEASE FEDERAL "A" L.C. 069184, -1,080 Acres

WELL NO.



SEC. 15 . TWP. 13 S., RGE. 31 E., N.M.P.M.

I HEREBY CERTIFY THAT THIS PLAT WAS MADE FROM NOTES TAKEN IN THE FIELD BY ME AND THAT THE SAME IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

JOHN W. WEST, PE & LS NO. 676

ohn West

1-19-55