OIL CONSERVATION COMMISSION

HOBBS, NEW MEXICO

March 27, 1957

Salsich, McGrath & Smith 302 Pet. Life Bldg. Midland, Tex.

Gentlemen:

Mr. W. A. Gressett, Oil & Gas Inspector for the Commission, has made an inspection of the location for your Chaves State "A" No, 3 in Unit I of Section 24, T-13-S, R-31-E and has found everything in order. A check of the file for the well indicates, however, that Form C-105, Well Record, has not been submitted. Your Report of Final Plugging will be approved upon receipt of this form.

Yours very truly,

OIL CONSERVATION COMMISSION

R. F. Montgomery Proration Manager

mc

SOF CONSERVATION CONTROL ROL

10055 RD - 41 M.CO

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

Notice of Intention	Notice of Intention to	Notice of Intention	
to Change Plans	Temporarily Abandon Well	to Drill Deeper	
NOTICE OF INTENTION	X NOTICE OF INTENTION	Notice of Intention	
TO PLUG WELL	TO PLUG BACK	to Set Liner	
NOTICE OF INTENTION		Notice of Intention	
TO SQUEEZE TO ACIDIZE		to Shoot (Nitro)	
Notice of Intention	NOTICE OF INTENTION	Notice of Intention	
to Gun Perforate	(OTHER)	(Other)	

OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO	Hobbs	January 16,	1957
	(Place)		(Date)
Gentlemen:			
Following is a Notice of Intention to do	certain work as described below at th	e	
Salsich, NcGrath and Sm		3 Well No	in 1
IL (Company or Operator)	-13-5 , -318	NMPM Caprock Qui	(Unit) Pool
(40-acre Subdivision)		·····	

FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

We propose to spot a 50 sack bottom hole plug. Pull all recoverable $4\frac{1}{2}$ " casing and spot a 50 sack plug in the stub of the $4\frac{1}{2}$ " casing, a 50 sack plug in the bottom of the surface and a 5 sack plug in the top with a 4" marker 5' above the ground,

Except as follows:	Salsich, Smith & McGrath Company or Operator By Alan Antweil
Approved OIL CONSERVATION COMMISSION	PositionSend Communications regarding well to:
By E.Y. Fischer	Name
	Address