

AREA 640 ACRES  
LOCATE WELL CORRECTLY

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

White - Geror Oil Corp.

(Company or Operator)

State

(Lease)

Well No. 9, in NE 1/4 of NW 1/4 of Sec. 26, T. 13S, R. 31E, NMPM.

Drickey - Queen

Pool,

Chaves

County.

Well is 660 feet from North line and 1980' feet from West line

of Section 26. If State Land the Oil and Gas Lease No. is 2

Drilling Commenced 3-17-1955 Drilling was Completed 4-11-1955

Name of Drilling Contractor R. A. Thomas

Address Artesia, N. Mex.

Elevation above sea level at Top of Tubing Head D.E. 4126 The information given is to be kept confidential until No., 19.

## OIL SANDS OR ZONES

No. 1, from 3052 to 3064 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 125 to 155 feet

No. 2, from to feet

No. 3, from to feet

No. 4, from to feet

## CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8		New	214'				Water shut off
5 1/2		New	3052				Oil String

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	8 5/8	214'	100			
	5 1/2	3052	100			

## RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Sand Frac open hole from 3052' - 3064' with 7500 lbs. sand &amp; 10,000 gal. lease oil.

Result of Production Stimulation 1 PP 25.8 BO in 3 hrs.

Depth Cleaned Out 3064 F.D.

# RECORD OF DRILL-STEM AND SPECIAL TESTS.

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary tools were used from 0 feet to 3054 feet, and from feet to feet.  
Cable tools were used from 3052 feet to 3064 feet, and from feet to feet.

## PRODUCTION

Put to Producing 4-14, 1955

OIL WELL: The production during the first 24 hours was 207 barrels of liquid of which 100% was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 37

GAS WELL: The production during the first 24 hours was 1.57 M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

### Southeastern New Mexico

### Northwestern New Mexico

T. Anhy 1450	T. Devonian	T. Ojo Alamo
T. Salt 1510	T. Silurian	T. Kirtland-Fruitland
B. Salt 2130	T. Montoya	T. Farmington
T. Yates 2295	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen 3052	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Misc	T.	T.

## FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	125	125	Caliche				
125	155	30	Water Sand				
155	1450	1295	Red Shale				
1450	1510	60	Anhy				
1510	2130	620	Salt				
2130	2295	165	Anhy & Red Sh.				
2295	2410	115	Red sd (Yates)				
2410	3052	642	Red Sh, salt, Anhy & some Red sd.				
3052	3064	12	Grey Sand w/oil stain				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

*Chas. D. Sands* 4-28-55  
(Date)

Company or Operator White-Geror Oil Corp.

Address

Name

Position or Title Consulting Geologist

C. D. SANDS  
303 Green Acres