

AREA 640 ACRES  
LOCATE WELL CORRECTLY

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

White - Geror Oil Corporation

State

(Company or Operator)

(Lease)

Well No. 12, in NW 1/4 of SW 1/4, of Sec. 26, T. 13S, R. 31E, NMPM.

Drickey-Queen

Pool, Chaves

County.

Well is 1980 feet from South line and 660 feet from West line

of Section 26. If State Land the Oil and Gas Lease No. is 2

Drilling Commenced 3-8, 1955. Drilling was Completed 4-4-1955

Name of Drilling Contractor R. A. Thomas

Address Artesia, N. Mex.

Elevation above sea level at Top of Tubing Head D.F. 4413. The information given is to be kept confidential until

Not, 19

## OIL SANDS OR ZONES

No. 1, from 3024 to TD. No. 4, from to

No. 2, from to. No. 5, from to

No. 3, from to. No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 125 to 155 feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8		New	205				Water shut off
5 1/2		New	3022				Oil String

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	8 5/8	205	100			
	5 1/2	3022	100			

## RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Natural

Result of Production Stimulation 1 PP Mat., 82 BO/11 Hrs.

Depth Cleaned Out 3035 TD

END OF DRILL-STEM AND SPECIAL TEST

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3024 feet, and from feet to feet.  
Cable tools were used from 3022 feet to 3035 feet, and from feet to feet.

PRODUCTION

Put to Producing 4-4-1955 (Based on 82 BO/14 hrs.)  
OIL WELL: The production during the first 24 hours was 139.2 barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity 37  
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure 12.5 PM lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1450	T. Devonian	T. Ojo Alamo	
T. Salt 1510	T. Silurian	T. Kirtland-Fruitland	
B. Salt 2130	T. Montoya	T. Farmington	
T. Yates 2285	T. Simpson	T. Pictured Cliffs	
T. 7 Rivers	T. McKee	T. Menefee	
T. Queen 3024	T. Ellenburger	T. Point Lookout	
T. Grayburg	T. Gr. Wash	T. Mancos	
T. San Andres	T. Granite	T. Dakota	
T. Glorieta	T.	T. Morrison	
T. Drinkard	T.	T. Penn	
T. Tubbs	T.	T.	
T. Abo	T.	T.	
T. Penn	T.	T.	
T. Miss	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	125	125	Caliche				
125	155	30	Water Sand				
155	1450	1295	Red Shale				
1450	1510	60	Anhy				
1510	2130	620	Salt				
2130	2285	155	Anhy & Red Sh.				
2285	2400	115	Red Sd. (Yates)				
2400	3024	624	Red Sh., Salt, Anhy & some Red Sd.				
3024	3035	11	Gry. Sd. (Queen) with oil stain.				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

White-Geror Oil Corp. Address  
Name Consulting Geologist  
C. D. SANDS  
303 Green Acres  
Mahhe New Mexico  
4-28-55 (Date)