

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
2040 Pacheco St.
Santa Fe, NM 87505

WELL API NO. 30-005-00880
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-10418-76
7. Lease Name or Unit Agreement Name Rock Queen Unit
8. Well No. 38
9. Pool name or Wildcat Caprock Queen
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4425' DF

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL ☐ GAS WELL ☐ OTHER ☐ Injection	
2. Name of Operator Queen Sand Operating Co	
3. Address of Operator 13760 Noel Road, Suite 1030, LB44 Dallas, TX	
4. Well Location Unit Letter <u>D</u> : <u>660</u> Feet From The <u>North</u> Line and <u>660</u> Feet From The <u>West</u> Line Section <u>26</u> Township <u>13S</u> Range <u>31E</u> NMPM Chaves County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4425' DF	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
OTHER: ☐	PLUG AND ABANDONMENT ☐
	CASING TEST AND CEMENT JOB ☐
	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Open hole completion 3034-3051'
8 5/8" 24# set @ 260' & circulated cement
14# set @ 3034'

THE COMMISSION MUST BE NOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF DRILLING OPERATIONS FOR THE C-103 TO BE APPROVED.


- 1) set CIBP @ 2950' w/25 sks on top Tag
- 2) perforate @ 1450' Tag
- 3) plug from 1450 to 1400' inside & out w/75 sks
- 4) shoe plug @ 310' - 210' Tag
- 5) perf @ 310' - 210' inside & out w/75 sks
- 6) 10 sks on top to 50'
- 7) weld on cap
- 8) install marker

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE James L. Hull, Jr. TITLE Production Clerk DATE 8/1/00
TYPE OR PRINT NAME James L. Hull, Jr. TELEPHONE NO 972-383-8260

(This space for State Use)

APPROVED BY _____ TITLE ORIGINAL COPY DATE _____
CONDITIONS OF APPROVAL, IF ANY: GARY WILK
FIELD REP



ATTN T2M H.

PLUGGING & ABANDONMENT WORKSHEET (1 STRING CSNG)

OPERATOR QUEEN SAND OPER
LEASENAME ROCK QUEEN #

SECT 26 TWN 135 WELL # 38
FROM 660 (N/S) L 660 RING 268 310
TD: 3051 FORMATION @ TD QUEEN
PBTB: ON 3034-51 FORMATION @ PBTB QUEEN

10 SACKS
IN TOP

8 5/8
@
TOC 260

PERF @ 310
4 shots @ 90°
CEMENT WITH
75 SXS

PERF @ 1450'
4 shots @ 90°
CEMENT W 75 SXS

25 SXS ON TOP
CIBP @ 2950

3034

TD 3051

	SIZE	SET @	TOC	TOC DETERMINED BY	
SURFACE	8 5/8	260'		CIBP	
INTMED 1					
INTMED 2					
PROD	5 1/2	3034			
	SIZE	TOP	BOT	TOC	DETERMINED BY
LINER 1					
LINER 2					
	CUT & PULL @			TOP - BOTTOM	
INTMED 1			PERFS	-	
INTMED 2			OPENHOLE	-	
PROD					

* REQUIRED PLUGS DISTRICT 1

KUFTLER (AMITYD)	
VATES	
QUEEN	3034
ORAYBURO	
SAN ANDREW	
CAPTAIN REEF	
DELAWARE	
BELL CANYON	
CHERRY CANYON	
BURBY CANYON	
BUNG SPRING	
GLOBETA	
ELINEBRY	
TURB	
DEINKARD	
ABO	
WC	
PENON	
STRAWN	
ATOEK	
MORROW	
NIS	
ORVORIAN	

PLUG	TYPE	SACKS	DEPTH
PLUG	PLUG	CMNT	
EXAMPLES			
PLUG #1	OFF	35 SXS	1750'
PLUG #2	SPR	50 SXS	300'-400'
PLUG #3	SURF	10 SXS	0-10'
PLUG #1	CIB/25	25	
PLUG #2	SALT	75	1450-1350
PLUG #3	SHOG	75	310-210
PLUG #4	SURF	10	0-50'
PLUG #5			
PLUG #6			
PLUG #7			
PLUG #8			
PLUG #9			
PLUG #10			
PLUG #11			
PLUG #12			
PLUG #13			
PLUG #14			
PLUG #15			
PLUG #16			
PLUG #17			
PLUG #18			
PLUG #19			
PLUG #20			

