



HOBBS OFFICE OCC

CITIES SERVICE PETROLEUM COMPANY

BOX 97, 500 BROADMOOR BLDG.
HOBBS, NEW MEXICO

July 27, 1962

Oil Conservation Commission
State of New Mexico
P. O. Box 871
Santa Fe, New Mexico

Attention: Mr. A. L. Porter, Jr.

Gentlemen:

Cities Service Petroleum Company, operator of the Drickey Queen Sand Unit, Caprock Queen Pool, Chaves County, New Mexico requests administrative approval as provided in Rule 701 for the conversion of the following well to injection:

Tract 32 Well No. 1-A, NW NE Section 2, T-14S, R-31E.

This well is offset by producing wells which have experienced response from the waterflood. Forms C-116 are included showing tests before and after stimulation.

The proposed injection well is located on a pattern previously established in the Caprock Queen Pool, results of which have indicated a thorough and efficient sweep of oil by the injected water. The injection well will be equipped with cement lined tubing and packers to prevent possible contamination of fresh water zones in the event of a casing leak (see attached schematic diagram).

Copies of this application have been sent to each offset operator and to the State Engineer.

Very truly yours,

CITIES SERVICE PETROLEUM COMPANY



E. F. Motter
Asst. Division Engineer

EFM/sjb

Attachments

Copies to:

State Engineer
Atten: Mr. Frank Irby
P. O. Box 1069
Santa Fe, New Mexico

Oil Conservation Commission
P. O. Box 2045
Hobbs, New Mexico

John H. Trigg
P. O. Box 5629
Roswell, New Mexico

Great Western Drilling Company
P. O. Box 1659
Midland, Texas

Whaley Company, Inc.
1301-4 Continental Life Bldg.
Fort Worth 2, Texas

NEW MEXICO OIL CONSERVATION COMMISSION

HOBBS OFFICE OCC

GAS-OIL RATIO REPORT

1962 JUL 30 AM 7:21

OPERATOR Cities Service Petroleum Company POOL Caprock Queen
ADDRESS Box 97, Hobbs, New Mexico MONTH OF September, 19 61
SCHEDULED TEST..... COMPLETION TEST..... SPECIAL TEST X..... (Check One)
(See Instructions on Reverse Side)

Lease	Well No.	Date of Test	Producing Method	Choke Size	Test Hours	Daily Allowable Bbls.	Production During Test			GOR Cu. Ft. Per Bbl.
							Water Bbls.	Oil Bbls.	Gas MCF	
Drickey Queen Sand Unit Tract 42	1	9-26 1961	P	Open	24	-	0	8	TEST	TEST
Test before stimulation										

No well will be assigned an allowable greater than the amount of oil produced on the official test.

During gas-oil ratio test, each well shall be produced at a rate not exceeding the top unit allowable for the pool in which well is located by more than 25 percent. Operator is encouraged to take advantage of this 25 percent tolerance in order that well can be assigned increased allowables when authorized by the Commission.

Gas volumes must be reported in MCF measured at a pressure base of 15.025 psia and a temperature of 60 degrees F. Specific gravity base will be 0.60.

Mail original and one copy of this report to the district office of the New Mexico Oil Conservation Commission. In accordance with Rule 301 and Appropriate Pool Rules.

(I certify that the information given is true and complete to the best of my knowledge.)

Date July 19, 1962

Cities Service Petroleum Co.
Company

By

C. D. Lindsey

Production Engineer
Title