


N.

(Revised 7/1/52)  
(Form C-106)AREA 640 ACRES  
LOCATE WELL CORRECTLY

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

NO. 1000 OFFICE 000  
1000 MAR 23 PM 3:34

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

Gulf Oil Corporation  
(Company or Operator)Chaves State "ES"  
(Lease)Well No. 1, in NE  $\frac{1}{4}$  of NE  $\frac{1}{4}$  of Sec. 2, T. 14-S, R. 31-E, NMPM.

Drickey Queen

Pool,

Chaves

County.

Well is 660 feet from North line and 1980 feet from East lineof Section 2. If State Land the Oil and Gas Lease No. is E-2855Drilling Commenced January 17, 1955. Drilling was Completed February 5, 1955.Name of Drilling Contractor Donnelly Drilling Co.Address Box 443, Artesia, N. M.Elevation above sea level at Top of Tubing Head 4405' GL. The information given is to be kept confidential until

\_\_\_\_\_, 19\_\_\_\_.

## OIL SANDS OR ZONES

No. 1, from None to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_

No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from \_\_\_\_\_ to \_\_\_\_\_ feet.

No. 2, from \_\_\_\_\_ to \_\_\_\_\_ feet.

No. 3, from \_\_\_\_\_ to \_\_\_\_\_ feet.

No. 4, from \_\_\_\_\_ to \_\_\_\_\_ feet.

## CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
<u>8-5/8"</u>	<u>32#</u>	<u>New</u>	<u>290'</u>	<u>Baker</u>			<u>Surface</u>
<u>5-1/2"</u>	<u>14#</u>	<u>New</u>	<u>3058'</u>	<u>Baker</u>			<u>Oil string</u>

## MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
<u>12-1/4"</u>	<u>8-5/8"</u>	<u>302'</u>	<u>300</u>	<u>Howco</u>		
<u>7-7/8"</u>	<u>5-1/2"</u>	<u>3066'</u>	<u>1550</u>	<u>Howco</u>		

## RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

2-15-55 - Treated open hole formation from 3082-3095' with 8000 gallons lease oil,  
1# sand per gallon.

Result of Production Stimulation Failed to recover all load oil.

Depth Cleaned Out \_\_\_\_\_

CORD OF DRILL-STEM AND SPECIAL TF

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3067 feet, and from feet to feet.  
Cable tools were used from 3067 feet to 3095 feet, and from feet to feet.

PRODUCTION

Put to Producing Dry Hole, 19

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was  
was oil; % was emulsion; % water; and % was sediment. A.P.I.  
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of  
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy. 1423'	T. Devonian.	T. Ojo Alamo.
T. Salt.	T. Silurian.	T. Kirtland-Fruitland.
B. Salt.	T. Montoya.	T. Farmington.
T. Yates. 2313	T. Simpson.	T. Pictured Cliffs.
T. 7 Rivers.	T. McKee.	T. Menefee.
T. Queen. 3082	T. Ellenburger.	T. Point Lookout.
T. Grayburg.	T. Gr. Wash.	T. Mancos.
T. San Andres.	T. Granite.	T. Dakota.
T. Glorieta.	T.	T. Morrison.
T. Drinkard.	T.	T. Penn.
T. Tubbs.	T.	T.
T. Abo.	T.	T.
T. Penn.	T.	T.
T. Miss.	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	9'		Distance from Kelly Drive Bushing to Ground				
	245		Surface Sand & Caliche				
	1400		Red Bed				
	1505		Anhydrite				
	1696		Salt & Shells				
	1925		Shale & Salt				
	2180		Salt & Anhydrite				
	2231		Shale & Anhydrite				
	2310		Anhydrite & Salt				
	2774		Anhydrite & Shale				
	2786		Anhydrite & Gypsum				
	2845		Anhydrite, Gypsum & Shale				
	3067		Anhydrite & Shale				
	3082		Anhydrite				
	3095		Sand				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far  
as can be determined from available records.

March 24, 1955

(Date)

Company or Operator Gulf Oil Corporation

Address Box 2167, Hobbs, New Mexico

Name B. F. Taylor

Position or Title Area Supt. of Prod.