

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Las Cruces
Lease No. LC 068474
Unit Government "B"
Cities Service Oil Co.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 30, 1954

Well No. 10 is located 1980 ft. from 10 line and 1980 ft. from 10 line of sec. 3

NW 3 14S 31E MMFM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Dickey-Queen (Ext.) Chaves New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4425 ft. (Est.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill this well to an approximate total depth of 3060' in the Queen Sand.

Size of Casing	Weight Per Foot	Depth	Cement
8 5/8" OD	22.79 and/or 24	320'	Cemented-circulate
5 1/2" OD	14	3000'	150 sacks *

* Mud ahead of cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Cities Service Oil CompanyAddress Box 97
Hobbs, New MexicoBy [Signature]
Title Asst. Division Supt.

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000


100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000

100-100000-100000



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Field Office Las Cruces
Lease No. LC 068474
Unit Government "B"
Cities Service Oil Co.

1954 JUL 31 PM 6:39

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	<input type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	<input type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

July 30, 1954

Well No. 10 is located 1980 ft. from TM line and 1980 ft. from E line of sec. 3

NW SE 3 14S 31E NMPM
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Drickey-Queen (Ext.) Chaves New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 4425 ft. (Est.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is proposed to drill this well to an approximate total depth of 3060' in the Queen Sand.

Size of Casing	Weight Per Foot	Depth	Cement
8 5/8" OD	22.7# and/or 24#	320'	Cement-circulate
5 1/2" OD	14#	3000'	150 sacks *

* Mud ahead of cement.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Cities Service Oil Company
Address Box 97
Hobbs, New Mexico
By [Signature]
Title Asst. Division Supt.

WELL LOCATION SURVEY PLAT

OPERATOR CITIES SERVICE OIL CO.

LEASE GOVERNMENT "B"

WELL NO. 10



SEC. 3, TWP. 14 S., RGE. 31 E., N.M.P.M.

I HEREBY CERTIFY THAT THIS PLAT WAS MADE
FROM NOTES TAKEN IN THE FIELD BY ME AND
THAT THE SAME IS TRUE AND CORRECT TO THE
BEST OF MY KNOWLEDGE AND BELIEF.

John W. West

JOHN W. WEST, PE & LS NO. 676

7-30-1954