Form 9-381a	and a second	Budget Bureau 42–R358.3. Approval expires 12–31–55.
(Feb. 1951)	(SUBMIT IN TRIPLICATE)	and Office
•	DEPARTMENT OF THE INTERIOR	ease No. LC C66474
	GEOLOGICAL SURVET	ities service 011 Co. 20

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	
	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	 SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	 SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	 SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL.	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

			3 4 9	taber 8	, 19 🇯
Well No is locate	d 1909.5 ft. f	rom_ ${}^{} \left\{ \begin{matrix} N \\ \textbf{s} \end{matrix} \right\}$ line	and 1990 ft. from	$\left\{ \begin{array}{c} \mathbf{E} \\ \mathbf{V} \end{array} \right\}$ line of s	sec. <u>3</u>
S¥ ¥1 3	145	111		,,	
(1/2 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)		
(Field)	(Cou	inty or Subdivision)	ite (8	tate or Territory)	

The elevation of the derrick floor above sea level is 426 ft. (Dr)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Notal depth 3030' in anhydrite. Ren 97.7 joints (3023.2') of $5\frac{1}{2}$ (2) 14/ SR J-55 SS casing set at 3030' and commuted with 300 sacks anal commut. Fing was down at 1:30 W September 3, 1956. Commut was allowed to set while retary was moved off and dwilling-in unit moved in. Setur shut-off test was made September 6, 1956 and results were satisfactory. Sylling resumed.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company	Cities Service Gil Company	
Address	Box 97	
	Robba, Nov. Series	By
		Title Annt. Stristen Sept.
	U. S. GOVERNMENT PRINTING OFFICE	1684375