



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Las Cruces**
Lease No. **LC 068474**
Unit **Government "B"**
Cities Service Oil Co.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 28, 1954

Well No. **17** is located **660** ft. from **N** line and **660** ft. from **E** line of sec. **10**
(1/4 Sec. and Sec. No.)
Dickey, Juan **14S** **31E** **N44W**
(Field) (Twp.) (Range) (Meridian)
Chaves **New Mexico**
(County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **4250** ft. (est.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well was drilled to 2872' in Anhydrite. Ran 73 3/4 joints of 5 1/2" ID 14 and 15.5 J-55 SS casing, 2865.5' set at 2871' and cemented with 300 sacks. Plug was down at 9:30 a.m., October 26, 1954. Cement was allowed to set 48 hours before testing for shut-off. Bailing test was satisfactory. Drilling resumed.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Cities Service Oil Company**

Address **Box 97**

Bobbs, New Mexico

By

Title **Asst. Division Asst.**