



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

Gulf Oil Corporation (Company or Operator) Stella Zimmerman et al (Lease)

Well No. 3, in NE 1/4 of SE 1/4, of Sec. 11, T. 14-S, R. 31-E, NMPM.

Drickey-Queen Pool, Chaves County.

Well is 1980 feet from South line and 1980 feet from West line of Section 11. If State Land the Oil and Gas Lease No. is.

Drilling Commenced October 10, 1954. Drilling was Completed October 22, 1954.

Name of Drilling Contractor Donnelly Drilling Co.

Address Box 443, Artesia, New Mexico

Elevation above sea level at Top of Tubing Head 4407'. The information given is to be kept confidential until, 19.

OIL SANDS OR ZONES

No. 1, from 3068 to 3082' No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
9-5/8"	32.30#	New	35.1'	Holco			
7"	20#	New	30.9'	Holco			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4"	9-5/8"	363'	300	Holco		
8-3/4"	7"	3067'	1650	Holco		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Result of Production Stimulation

Depth Cleaned Out

ORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3069 feet, and from feet to feet.
Cable tools were used from 3069 feet to 3082 feet, and from feet to feet.

PRODUCTION

Put to Producing November 20, 1954
OIL WELL: The production during the first 24 hours was 84 barrels of liquid of which 100 % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity 35.8
GAS WELL: The production during the first 24 hours was M C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1420'		T. Devonian		T. Ojo Alamo
T. Salt			T. Silurian		T. Kirtland-Fruitland
B. Salt			T. Montoya		T. Farmington
T. Yates	2300		T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen	3065		T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash.		T. Mancos
T. San Andres			T. Granite		T. Dakota
T. Glorieta			T.		T. Morrison
T. Drinkard			T.		T. Penn.
T. Tubbs			T.		T.
T. Abo			T.		T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	8'		Distance from Top Kelly Drive Bushing to Ground				
	367		Caliche and Sand				
	1195		Red bed				
	1390		Red bed and Shale				
	1510		Anhydrite				
	2225		Anhydrite and Salt				
	2580		Anhydrite and Gyps.				
	2687		Anhydrite				
	3057		Anhydrite and Shale				
	3065		Anhydrite and broken R. rock				
	3068		Anhydrite and Dolomite				
	3081		Sand				
	3082		Anhydrite				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

December 7, 1954 (Date)
Company or Operator Gulf Oil Corporation Address Box 2167, Hobbs, New Mexico
Name E. J. Jones Position or Title Area Supt. of Prod.