## NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Medica FRICE GOC

WELL RECORD

21 M 7:28

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

ontractor.	Gueen feet from	e Land the Oil and Drilling	Pool,line and	990¹s was Completed	September	31-E , NMI	
ontractor.	feet from	e Land the Oil and Drilling	Pool,line and	990¹	September		
ontractor	feet from	e Land the Oil and Drilling	d Gas Lease No.  1955 Drilling	isg was Completed	September	. 30 , 19.5	
ontractor	If State 24. The Head op of Tubing 1	e Land the Oil and Common Deliling	d Gas Lease No.  1955 Drilling  Compeny	is	September	<b>30</b> , 19. <b>5</b>	
ontractor	August 24 The He	omes Drilling	1955 Drilling	was Completed	September	30 , 19.5	
level at To	op of Tubing	omes Drilling libs, New M Head4,20	- Company				
level at To	op of Tubing	Mbs, New M Head 4,20	exice				
level at To	op of Tubing	Head4,20	62 gr	The info		·····	
<b></b>	op of Tubing	Head , 19	#4- <del>81-</del>		mation given is to	he kent confidential i	
		., 10		I HE INIO	mation given is to	be kept confidential t	
			L SANDS OR Z				
2910	to	2914	No. 4	, from	to	***************************************	
	to	•••••	No. 5	, from	to		
	to		No. 6	, from	to		
e of water	r inflow and e						
e or water	mnow and c	to			.feet		
		to			.feet		
		to			.feet		
•••••	······································		•••••		feet.		
	••••••	to		••••••			
			CASING RECO	RD	. 1		
WEIGHT PER FOOT	NEW OI	R AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE	
	Maur	143	1 mails			Surface	
2	Used	1190	-		•	Protection	
3	New &	Used 2905	Larkin	-	Nene	- Production	
				1 1			
		MUDDING	AND CEMENT	TING RECORD			
E OF	WHERE	NO. SACKS	METHOD USED	G	MUD RAVITY	AMOUNT OF MUD USED	
SING	SEA.		<b>~</b>				
<b>V4</b>	163	125	Circulation				
3/8	2906	125	Parkira Plur				
	weight per foot	weight New of USED  15.45 New  2 Used  New 4  14.34  11.90  2906	IMPOI e of water inflow and elevation to which to	IMPORTANT WATER e of water inflow and elevation to which water rose in hole to to  CASING RECO  WEIGHT NEW OR LOW LIND OF SHOE  15.45 New 143 Lowin  190 3 New 144 2905 Lowin  MUDDING AND CEMENT  MUDDING AND CEMENT  LOW	IMPORTANT WATER SANDS  e of water inflow and elevation to which water rose in hole.  to	cof water inflow and elevation to which water rose in hole.  to feet.  to feet.  CASING RECORD  WEIGHT NEW OR USED AMOUNT SHOE PULLED FROM PERFORATIONS  15.45 New 143 Lankin  MUDDING AND CEMENTING RECORD  MUDDING SET OF CEMENT USED MUD GRAVITY  1432 125 Circulation  MUDDING AND CEMENTING RECORD	

## CORD OF DRILL-STEM AND SPECIAL T

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Lotary to	ols were	used from		teet to					faat		
able too	ls were us	sed from	0 1190	feet to	TD	feet,	and from.	····	feet	to	et -1
						UCTION					te
, . <del>-</del>		^-	tober 1								
ut to Pr	oducing				, 19. <b>55</b>						
IL WE	LL: Th	e productio	n during the first	t 24 hours	was	52	ba	arrels of li	quid of which	100	% ,
	~	•	36	• was cinu		******************************	% wate	er; and		% was sedi	ment. A.F
AS WE	LL: The	e production	n during the first	24 hours	was	***************************************	M.C.F.	lus		***************************************	barrels
			rbon. Shut in Pr								
enath o				1 1 2							
				γ			Mar and 1			1	
PLEA	ASE IND	ICATE BI	ELOW FORMA	TION TO	PS (IN CO	NFORMAN	CE WIT	H GEOG	RAPHICAL S	SECTION OF	STATE)
Anhy.	10	40	Southeastern						Northwe	stern New Mo	exico
					evonian				Ojo Alamo	••••••	
Sait	19	80	••••••		lurian		7*	<sub>C</sub> T:		itland	
Yates	21	30	••••••		Iontoya	1					
			***************************************		mpson IcKee					Ťs	
Queer	29	10			llenburger						
			•••••		r. Wash					ut	
San A	ndres				ranite						
Glorie	ta	•••••			••••		4			•••••	
			***************************************		•			т.		•••••	
		••••••		Т	·····			т.			
										•••••••••	
Penn	••••••	••••••		T	••••		•••••••••	Т.			
Penn	••••••	••••••		T				Т.			
Penn				T	••••			T.			
Penn Miss		••••••		T				T. T.			
Penn		Thickness		T T		ON RECC	PRD	T.			
Penn		Thickness	Fo	T T		ON RECC	PRD	T. T.			
Penn Miss	То	Thickness in Feet		T T		ON RECC	PRD	T. T.			
Penn Miss	То	Thickness in Feet	Fo	T T		ON RECC	PRD	T. T.			
Penn Miss	To 1248	Thickness in Feet	Red beds Anhydrite	T T		ON RECC	PRD	T. T.			
Penn Miss	То	Thickness in Feet	For Red beds	T T		ON RECC	PRD	T. T.			
Penn Miss	To 1248 1364 1980	Thickness in Feet 1248 116 616	Red beds Anhydrite Salt	TF	ORMATIC	ON RECC	PRD	T. T.			
Penn Miss  rom 0 18	To 1248	Thickness in Feet	Red beds Anhydrite	TF	ORMATIC	ON RECC	PRD	T. T.			
Penn Miss	To 1248 1364 1980 2130	Thickness in Feet 1248 116 616 150	Red beds Anhydrite Salt Anhydrite	T Formation	ORMATIC	ON RECC	PRD	T. T.			
Penn Miss  rom  0  18  34	To 1248 1364 1980	Thickness in Feet 1248 116 616	Red beds Anhydrite Salt	T Formation	ORMATIC	ON RECC	PRD	T. T.			
Penn Miss  rom  0  18  34	To 1248 1364 1980 2130	Thickness in Feet 1248 116 616 150	Red beds Anhydrite Sait Anhydrite C Sand and a	TF	ORMATIC	From	To	Thickness in Feet			
Penn Miss  rom  0  18  14  10  15	To 1248 1364 1980 2130 2255 2910	Thickness in Feet  1248 116 616 150 125 655	Red beds Anhydrite Salt Anhydrite Sand and a	TF	ORMATIC	From	To	Thickness in Feet			
Penn Miss  rom  0  18  14  10  15	To 1248 1364 1980 2130	Thickness in Feet  1248 116 616 150 125	Red beds Anhydrite Sait Anhydrite C Sand and a	TF	ORMATIC	From	To	Thickness in Feet			
Penn Miss  rom  0  18  4  10  15	To 1248 1364 1980 2130 2255 2910	Thickness in Feet  1248 116 616 150 125 655	Red beds Anhydrite Salt Anhydrite Sand and a	TF	ORMATIC	From	To	Thickness in Feet			
Penn Miss  Tom  O  8  4  O  5	To 1248 1364 1980 2130 2255 2910	Thickness in Feet  1248 116 616 150 125 655	Red beds Anhydrite Salt Anhydrite Sand and a	TF	ORMATIC	From	To	Thickness in Feet			
Penn Miss  o  o  o  f  o  o  f	To 1248 1364 1980 2130 2255 2910	Thickness in Feet  1248 116 616 150 125 655	Red beds Anhydrite Salt Anhydrite Sand and a	TF	ORMATIC	From	To	Thickness in Feet			
Penn Miss  rom  0  8  4	To 1248 1364 1980 2130 2255 2910	Thickness in Feet  1248 116 616 150 125 655	Red beds Anhydrite Salt Anhydrite Sand and a	TF	ORMATIC	From	To	Thickness in Feet			
Penn Miss  rom  0  8  4	To 1248 1364 1980 2130 2255 2910	Thickness in Feet  1248 116 616 150 125 655	Red beds Anhydrite Salt Anhydrite Sand and a	TF	ORMATIC	From	To	Thickness in Feet			
Penn Miss	To 1248 1364 1980 2130 2255 2910	Thickness in Feet  1248 116 616 150 125 655	Red beds Anhydrite Salt Anhydrite Sand and a	TF	ORMATIC	From	To	Thickness in Feet			
Penn Miss  rom  0  18 34 30 65 55	To 1248 1364 1980 2130 2255 2910	Thickness in Feet  1248 116 616 150 125 655	Red beds Anhydrite Salt Anhydrite Sand and a	TF	ORMATIC	From	To	Thickness in Feet			

I hereby swear or affirm that the information given herewith is a	complete and correct record of the well and all work done on it so far
as can be determined from available records.	
	October 21, 1955
Company or Operator Neville G. Penrose, Inc.	Address 1813 Fair Bldg., Ft. Worth, Texas
Name Jakus F 10/1 laugus	Position or TitleVice President
John P. McNeughten	