



## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES  
LOCATE WELL CORRECTLY

White-Geror

State

(Company or Operator)

(Lease)

Well No. 2, in SE 1/4 of SW 1/4, of Sec. 16, T. 14S, R. 31E, NMPM.

Drickoy-Queen

Pool,

Chaves

County.

Well is 660 feet from South line and 1980 feet from West line

of Section 16. If State Land the Oil and Gas Lease No. is 7

Drilling Commenced 4-5-1955 Drilling was Completed 4-25-1955

Name of Drilling Contractor R. A. Thomas

Address Petroleum Bldg., Hobbs, N. Mex.

Elevation above sea level at Top of Tubing Head DF 4218 The information given is to be kept confidential until

No. 19

## OIL SANDS OR ZONES

No. 1, from 2874 to 2885 No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

## IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

## CASING RECORD

| SIZE  | WEIGHT PER FOOT | NEW OR USED | AMOUNT | KIND OF SHOE | CUT AND PULLED FROM | PERFORATIONS | PURPOSE    |
|-------|-----------------|-------------|--------|--------------|---------------------|--------------|------------|
| 8 5/8 |                 | new         | 136    |              |                     |              | Surface    |
| 5 1/2 |                 | new         | 2874   |              |                     |              | Oil String |

## MUDDING AND CEMENTING RECORD

| SIZE OF HOLE | SIZE OF CASING | WHERE SET | NO. SACKS OF CEMENT | METHOD USED | MUD GRAVITY | AMOUNT OF MUD USED |
|--------------|----------------|-----------|---------------------|-------------|-------------|--------------------|
|              | 8 5/8          | 136       | 100                 |             |             | SURFACE            |
|              | 5 1/2          | 2874      | 100                 |             |             | XXXXXXXXXX         |

## RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Swab nearly dry Natural

Sand Fracted w/7500 lbs. sand &amp; 10,000 gal. lease oil.

Result of Production Stimulation 1 PF 21 BQ/3 hrs.

Depth Cleaned Out TD (2885)  
C.D. SANDS  
303 Green Acres  
Hobbs New Mexico

# RE AD OF DRILL-STEM AND SPECIAL TEST

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

## TOOLS USED

Rotary tools were used from 0 feet to 2875 feet, and from feet to feet.  
Cable tools were used from 2874 feet to 2885 feet, and from feet to feet.

## PRODUCTION

Put to Producing 4-25, 19-55.

OIL WELL: The production during the first 24 hours was 168 barrels of liquid of which 100% was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 37

GAS WELL: The production during the first 24 hours was TSTM M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

### Southeastern New Mexico

### Northwestern New Mexico

|                |                |                       |
|----------------|----------------|-----------------------|
| T. Anhy. 1275  | T. Devonian    | T. Ojo Alamo          |
| T. Salt. 1350  | T. Silurian    | T. Kirtland-Fruitland |
| B. Salt. 1880  | T. Montoya     | T. Farmington         |
| T. Yates. 2120 | T. Simpson     | T. Pictured Cliffs    |
| T. 7 Rivers    | T. McKee       | T. Menefee            |
| T. Queen. 2874 | T. Ellenburger | T. Point Lookout      |
| T. Grayburg    | T. Gr. Wash    | T. Mancos             |
| T. San Andres  | T. Granite     | T. Dakota             |
| T. Glorieta    | T.             | T. Morrison           |
| T. Drinkard    | T.             | T. Penn               |
| T. Tubbs       | T.             | T.                    |
| T. Abo         | T.             | T.                    |
| T. Penn        | T.             | T.                    |
| T. Miss        | T.             | T.                    |

## FORMATION RECORD

| From | To   | Thickness in Feet | Formation                               | From | To | Thickness in Feet | Formation |
|------|------|-------------------|---|------|----|-------------------|-----------|
| 0    | 1275 | 1275              | Red beds                                |      |    |                   |           |
| 1275 | 1350 | 75                | An. & Red Shale                         |      |    |                   |           |
| 1350 | 1880 | 530               | Salt & red beds                         |      |    |                   |           |
| 1880 | 2120 | 240               | An. & red beds                          |      |    |                   |           |
| 2120 | 2220 | 100               | Red Sd. & Shale                         |      |    |                   |           |
| 2220 | 2874 | 654               | Red shale, salt & anhy                  |      |    |                   |           |
| 2874 | 2885 | 11                | Loose red to grey sand w/some oil stain |      |    |                   |           |

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Chas. D. Sands 5-25-55  
(Date)

Company or Operator White-Geror

Address

Name

Position or Title Consulting Geologist

C. D. SANDS  
303 Green Acres