

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

.....Depth Cleaned Out.....

	e well cor		Leun Company			Medlin "4	. •	
	,	(Company or Ope	Lator,			(Licase)	T	••••••••••••
l No	1	, in NE	¼ of	.¼, of Sec	, T	14-8	, _R 31-	, NM
	Driek	ry Queen		Pool,	Chaves		•••••	Coı
is6	60	feet from.	North	line and	1986	feet fro	m West	
ection	22	If S	State Land the Oil a	nd Gas Lease No.	is	95		
ling Comr	nenced	11-20-	-54	19 Drillin	g was Completed	11-	-29-54	19
•			Jenni		· -			-
	_		Hebbs					
ation abov	ve sea level a:	t Top of Tubir	ng Head , 19					
				IL SANDS OR Z	ONES			
1, from	3075	t	, 3101	No. 4	, from		to	
2, from		t	0	No. 5	, from		to	
3, from		t	:0	No. 6	, from		to	
م مدملة ماسي			IMPO I elevation to which	RTANT WATER				
			to			.		
			toto					
-			toto					
3, from			t o			teet		
						•		
4, from			to			feet		
4, from			to			feet		
4, from	WEIGH PER FOO	T NEW	OR			eet		
	WEIGH	T NEW	OR AMOUNT	CASING RECO	CUT AND PULLED FROM	PERFORATI	ons	PURPOSE
	WEIGH PER FOO	T NEW OT USE	OR AMOUNT	CASING RECO	RD CUT AND	PERFORATI Ko r	ONS	
	WEIGH PER FOO	T NEW USE	OR AMOUNT	CASING RECO	CUT AND PULLED FROM	PERFORATI	ONS	PURPOSE BEFTROS
	WEIGH PER FOO	T NEW USE	OR AMOUNT	CASING RECO	CUT AND PULLED FROM	PERFORATI	ONS	PURPOSE
	WEIGH PER FOO	T NEW USE	OR AMOUNT H-40 J-55	CASING RECO	CUT AND PULLED FROM	PERFORATI	ONS	PURPOSE
SIZE -5/8* -1/2* ZE OF	WEIGH PER FOO	T NEW USE	OR AMOUNT H-40 J-55	CASING RECO KIND OF SHOE 317 3074	CUT AND PULLED FROM Mone Hellibert	PERFORATI	ONS S	PURPOSE
SIZE -5/8* -1/2* ZE OF IOLE	WEIGH PER FOO 285 115 SIZE OF CASING	T NEW USE STACE LTAKE	OR AMOUNT B-40 J-55 MUDDING NO. SACKS OF CEMENT	CASING RECO KIND OF SHOE 317 3074 AND CEMENT METHOD USED	CUT AND PULLED FROM Hellibert	PERFORATI On Non MUD RAVITY	ONS C	PURPOSE IL String OUNT OF TO USED
SIZE -5/8* -1/2* ZE OF TOLE 2-1/4*	WEIGH PER FOO	T NEW USE STACE LTAKE	OR AMOUNT B-40 J-55 MUDDING NO. SACKS OF CEMENT 250 450 ex gol	CASING RECO KIND OF SHOE 317 3074 AND CEMENT	CUT AND PULLED FROM Heall 1 burt	PERFORATI MOT MUD	AM MT	PURPOSE Il String OUNT OF DUSED
SIZE 3-5/8* 1-1/2* ZE OF HOLE	WEIGH PER FOO 284 1/4 SIZE OF CASING	NEW USE STACK LITER	MUDDING No. SACKS OF CEMENT 250 450 sx gol followed w/	CASING RECO KIND OF SHOE 317 3074 AND CEMENT METHOD USED Hallibart	CUT AND PULLED FROM Heall 1 burt	PERFORATI ON NOT MUD RAVITY 8,9	AM MT	PURPOSE Il String OUNT OF
SIZE -5/8* -1/2* ZE OF TOLE 2-1/4*	WEIGH PER FOO 284 1/4 SIZE OF CASING	NEW USE STACK LITER	MUDDING NO. SACKS OF CEMENT 250 450 sx gol followed v/ 100 sx reg	CASING RECO KIND OF SHOE 317 3074 AND CEMENT METHOD USED Hallibart Hallibart	CUT AND PULLED FROM None Hellibert ING RECORD	PERFORATI ROT MUD RAVITY 8,9 8,9	AM MT	PURPOSE Il String OUNT OF DUSED
SIZE -5/8* -1/2* ZE OF HOLE 2-1/4*	WEIGH PER FOO 284 1/4 SIZE OF CASING	NEW USE STACK LITER	MUDDING NO. SACKS OF CEMENT 250 450 sx gol followed v/ 100 sx reg	CASING RECO KIND OF SHOE 317 3074 AND CEMENT METHOD USED Hallibart	CUT AND PULLED FROM None Hellibert ING RECORD	PERFORATI ROT MUD RAVITY 8,9 8,9	AM MT	PURPOSE IT String OUNT OF DUSED
SIZE -5/8* -1/2* ZE OF HOLE -1/4* 7-7/8*	WEIGH PER FOO 285 145 SIZE OF CASING 8-5/8 5-1/2	WHERE SET 327 3084	MUDDING NO. SACKS OF CEMENT 250 450 EX FOLLOWER RECORD OF The Process used, No.	CASING RECO KIND OF SHOE 317 3074 AND CEMENT METHOD USED Halliburt Halliburt PRODUCTION A	CUT AND PULLED FROM Hellibert ING RECORD OR AND STIMULAT	PERFORATI On No. MUD RAVITY 8.9 8.9 FION treated or shot	AM Cament Coment	PURPOSE IL String OUNT OF OUT OUT OF OUT OUT OF OUT OUT OF OUT
SIZE 2-5/8* -1/2* ZE OF HOLE 2-1/4* 7-7/8*	WEIGH PER FOO 28 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	WHERE SET 327 3084 (Record to marton ser	MUDDING NO. SACKS OF CEMENT 250 450 sx gol followed w/ 100 sx reg	CASING RECO KIND OF SHOE 317 3074 AND CEMENT METHOD USED Halliburt Halliburt PRODUCTION A	CUT AND PULLED FROM Hellibert ING RECORD OR AND STIMULAT	PERFORATI On No. MUD RAVITY 8.9 8.9 FION treated or shot	AM Cament Coment	PURPOSE IL String OUNT OF OUT OUT OF OUT OUT OF OUT OUT OF OUT
SIZE 2-5/8* -1/2* ZE OF HOLE 2-1/4* 7-7/8*	WEIGH PER FOO 285 145 SIZE OF CASING 8-5/8 5-1/2	WHERE SET 327 3084 (Record to marton ser	MUDDING NO. SACKS OF CEMENT 250 450 EX FOLLOWER RECORD OF The Process used, No.	CASING RECO KIND OF SHOE 317 3074 AND CEMENT METHOD USED Halliburt Halliburt PRODUCTION A	CUT AND PULLED FROM Hellibert ING RECORD OR AND STIMULAT	PERFORATI On No. MUD RAVITY 8.9 8.9 FION treated or shot	AM Cament Coment	PURPOSE IL String OUNT OF OUT
SIZE 2-5/8* 1-1/2* ZE OF 10LE 2-1/4* 7-7/8*	WEIGH PER FOO 28 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	WHERE SET 327 3084 (Record to marton ser	MUDDING NO. SACKS OF CEMENT 250 450 EX FOLLOWER RECORD OF The Process used, No.	CASING RECO KIND OF SHOE 317 3074 AND CEMENT METHOD USED Halliburt Halliburt PRODUCTION A	CUT AND PULLED FROM Hellibert ING RECORD OR AND STIMULAT	PERFORATI On No. MUD RAVITY 8.9 8.9 FION treated or shot	AM Cament Coment	PURPOSE IL String OUNT OF OUT OUT OF OUT OUT OF OUT OUT OF OUT

OORD OF DRILL-STEM AND SPECIAL TE

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary to	ools wei	re used from	feet	to 3101	feet, a	nd from	····	feet to	feet.	
								feet to		
				PRODU	CTION					
Dua an D		gDee	ember 26	19 54						
				,				100		
OIL WE								uid of which. 100		
		was oil;	/10 % was	emulsion;		% water	r; and	0 % was so	ediment. A.P.I.	
		Gravity	35	•••••						
GAS WE	arr.				, ,	MCFn	1110		homele of	
			-			м.с.г. р	143		Daileis Ul	
			arbon. Shut in Pressur							
Length o	of Time	Shut in	•							
PLE	ASE I	NDICATE BI	ELOW FORMATIO	n tops (in con	FORMAN	CE WIT	H GEOGE	SAPHICAL SECTION O	F STATE):	
	•	144 ~	Southeastern New	Mexico				Northwestern New		
	-			T. Devonian				Ojo Alamo		
			-	Γ. Silurian				Kirtland-Fruitland		
			•	T. Montoya						
				Г. МсКее				Menefee	•	
T. Que	2002			T. Ellenburger		••••	Т.	Point Lookout		
T. Gray	Grayburg T. Gr. Wash				••••••	Т.	Mancos	***************************************		
	T. San Andres T. Gran						Dakota			
-				r,				Morrison		
				Γ Γ				Penn		
			•	Γ						
T. Penr	1			Γ		·····	Т.			
T. Miss		•••••		Γ	************	·•••	Т.	•••••		
				FORMATIO	N RECO	RD				
From	То	Thickness in Feet	Forma	tion	From	То	Thickness in Feet	Formation	1	
0	650	450	Dodhada	-						
650	185	650 1205	Redbeds Anhydrite							
1855	2625	770	Salt & anhyd	rite						
2625	3101	476	Ambydrite							
			Top Queens	3075						
			Top of pay	3093						
	1		Total depth	3101						
					i.					
								_		
			,							
			•							
									1. av-	
-		<u></u>	ATTACH SEDAT	ATE SHEET IF	A DDITTO	NAL SP	ACE IS N	· · · · · · · · · · · · · · · · · · ·		

I hereby swear or affirm that the information given herewith is a	complete and correct record of the well and all work done on it so far
as can be determined from available records.	Welcroster 12-27-54 (Date)
· · ·	Address Ber 2105, Hebbs, New Mexico
Name N. G. Crosten	Position or Title. District Chief Glerk