

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico 7105 000

WELL RECORD N 4:43

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

If State Land submit 6 Copies

Shelton-Western Oil Producers Randin-Sizemons University Well No. 2 in Mill 1/4 of SW 1/4, of Sec. 23 T. In R. 312 N. N. M. Undesignated Pool Chaves Co. Chaves	LOCA	AREA 640 ACI ATE WELL COI	res Rrectly						
Undesignated Prof. Chaver Oo	She	lton-Wa	Company or Open	Producer	?. <u>s</u>	Handin-	Simmons Uni	versity	
Well is 165 C feet from LOLITE line and 330 feet from Lost of Section 23 H State Land the Oil and Gas Lease No. is Drilling Commenced 5.20 1958. Drilling was Completed 7.6 19. Name of Drilling Contractor Shelto Drilling Company. Address Lovington, New Mexico. Elevation above sea level at Top of Tubing Head 4112 The information given is to be kept confidential 7.4 19.58. OIL SANDS OR ZONES No. 1, from 3098 No. 4, from No. 5, from to No. 5, from No. 3, from No. 6, from to No. 6, from to Feet No. 3, from to feet No. 3, from to feet No. 3, from to feet No. 4, from No. 4, from to feet No. 4, from to feet No. 4, from No. 5, from No. 5, from No. 5, from No. 6, from N	Well No	2	, in <u>Ni</u>			?.3 т	, R.	312 , NMPN	
of Section 23 If State Land the Oil and Gas Lease No. is. Drilling Commenced		Unde si g	nated	***************************************	Pool,	Ct	aves	Count	
Drilling Commenced. 5-20 1958. Drilling was Completed. 7-6 19. Name of Drilling Contractor. Shello Drilling Company Address Eox 1156 Lovington, Nam Maxido Elevation above sea level at Top of Tubing Head. 14.12 The information given is to be kept confidential 7-6. 19.58. OIL SANDS OR ZONES No. 1, from 3098 to 3106 No. 4, from to No. 5, from to No. 5, from to No. 6, from to Michael Sands Include data on rate of water inflow and elevation to which water rose in hole. No. 1, from to feet. No. 2, from to feet. No. 3, from to feet. No. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR SIND AMOUNT SIND OF FULLED FROM PERFORATIONS FURFORE CS 4 1/2 9.5 INW 3136 Hallburton Surface CS 4 1/2 9.5 INW 3136 Hallburton GRAVITY MUDUING OF AMOUNT OF MUDUING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS WEITHOUT GRAVITY MUDUINED	Well is	165 C	feet from	couth	line and	330	feet from	West li	
Name of Drilling Contractor Shelfo Drilling Contractor Contractor Shelfo Drilling Contractor Contra	of Section	23	If S	tate Land the Oi	l and Gas Lease No.	is	•••••••••••••••••••••••••••••••••••••••		
Address FOX 1.156 LOY 1.1gt 1.01 a. Now. Mox 1.00 Elevation above sea level at Top of Tubing Head 1.1.2 The information given is to be kept confidential 7.6	Drilling Cor	nmenced	6-20		, 19.58 Drillin	g was Complete	7-6	195.	
Elevation above sea level at Top of Tubing Head 1412 The information given is to be kept confidential 7-c 19.58. OIL SANDS OR ZONES No. 1, from 3096 to 3106 No. 4, from to No. 5, from to No. 3, from to No. 6, from to No. 6, from to No. 6, from to No. 1, from to No. 6, from to No. 1, from to No. 1, from to No. 1, from to No. 2, from to No. 4, from to Feet No. 3, from to No. 4, from to Feet No. 4, from Test of USED AMOUNT SHOE FULLED FROM PERFORATIONS PURPOSE SIZE PER FOOT USED AMOUNT SHOE FULLED FROM PERFORATIONS PURPOSE SIZE PER FOOT USED AMOUNT SHOE FULLED FROM PERFORATIONS PURPOSE SIZE OF CASING SET NO. 8, ACCES OF CEMENT USED CATURED AMOUNT OF MUDDING AND CEMENTING BECORD SIZE OF SIZE OF SIZE OF WHERE NO. 8, ACCES OF CEMENT USED CATURED AMOUNT OF MUDD USED CATURED SIZE OF CASING SET NO. 8, ACCES OF CEMENT USED CATURED (CIT CALLS SEC.)	Name of Dr	illing Contrac	ctorSh	elro Dri	Lling Compa	<u>ау</u>	***************************************	***************************************	
OIL SANDS OR ZONES No. 1, from 3098 to 3106 No. 4, from to No. 5, from to No. 5, from to No. 5, from to No. 6, from to No. 1, from to feet. No. 1, from to feet. No. 2, from to feet. No. 3, from to feet. No. 4, from to feet. CASING RECORD SIZE PER FOOT USED AMOUNT KIND OF FULLED FROM PERFORATIONS FURPOSE FOR SIZE PER FOOT USED AMOUNT SHOE FULLED FROM PERFORATIONS FURPOSE 11/2 9.5 No. 13136 Hellburton Sturface Cs WUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACRS WETFOD MUDDING AMOUNT OF MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACRS WETFOD MUDDING AMOUNT OF MUDDING AND CEMENTING RECORD	Address		<u> Fo</u>	x 1156	Lovi	egton. Ne	w Mexico	••••••••••••	
OIL SANDS OR ZONES No. 1, from 3098 to 3106 No. 4, from to No. 5, from to No. 5, from to No. 3, from to No. 6, from to No. 6, from to No. 6, from to No. 1, from to No. 1, from to feet. No. 1, from to feet. No. 2, from to feet. No. 3, from to feet. No. 4, from to feet. CASING BECORD SIZE PER FOOT USED AMOUNT SHOE FULLED FROM PERFORATIONS PURPOSE SHOE FULLED FROM PERFORATIONS PURPOSE 1212 USED 1961 IS 111 DUT On STOM. CSq. MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD GRAVITY AMOUNT OF MID USED TO SEED TO SE	Elevation ab	ove sea level a	at Top of Tubin	g Head	µ12	The ir	aformation given is to	be kept confidential uni	
No. 1, from 10. 10. 10. 10. 10. 10. 10. 10. 10. 10.	•••••	7-0		, 195.8					
No. 1, from 10. 10. 10. 10. 10. 10. 10. 10. 10. 10.					OIL SANDS OR Z	ONES			
No. 2, from to No. 5, from to No. 6, from to No. 1, from to feet. No. 1, from to feet. No. 2, from to feet. No. 3, from to feet. No. 4, from to feet. CASING BECORD SIZE WEIGHT NEW OR SHOE PULLED FROM PERFORATIONS FURFOSE 8 5/8 Ct. USSC 196 Hellburton Surface Cs 4 1/2 9.5 Hew 3136 Hellburton Strong. Csq. MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED AMOUNT OF MID USED OF CEMENT USED (Circulated)	No. 1 from	รกย	. 8 .				**		
IMPORTANT WATER SANDS Include data on rate of water inflow and elevation to which water rose in hole. No. 1, from	-	-		-					
IMPORTANT WATER SANDS Include data on rate of water inflow and elevation to which water rose in hole. No. 1, from to feet. No. 2, from to feet. No. 3, from to feet. No. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8 5/8 24 USSA 1964 IS 11 DUTTON SHOE FULLED FROM PERFORATIONS PURPOSE 4 1/2 7.5 NOW 3136 HALLDUSTON STORM STORM CSQ. MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACES WETHOU GRAVITY AMOUNT OF MUD USED 11 CASING SET OF CEMENT USED GRAVITY AMOUNT OF MUD USED 11 (8 5/6) 196 125 INSTITUTED (CITCULS to 2)									
Include data on rate of water inflow and elevation to which water rose in hole. No. 1, from	No. 3, from.	• • • • • • • • • • • • • • • • • • • •	t	J		, Irom		***************************************	
No. 1, from to feet. No. 2, from to feet. No. 3, from to feet. No. 4, from to feet. CASING RECORD SIZE PERFOOT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8 5/8 24 Used 196 Halliburton Surface Cs 4 1/2 9.7 New 3136 Halliburton Srod. Csq. MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF HOLE CASING SET OF CEMENT USED GRAVITY AMOUNT OF HOLE CASING SET OF CEMENT USED GRAVITY AMOUNT OF MUD USED				IMP	ORTANT WATER	SANDS			
No. 2, from to feet. No. 3, from to feet. No. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR AMOUNT KIND OF CUT AND PERFORATIONS PURPOSE 8 5/8 Class Used 196 Reliable on Surface Cs 4 1/2 9.5 New 3136 Reliable on Prod. Csq. MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD WID GRAVITY AMOUNT OF MUD USED 11 8 5/8 126 Record Cs Size Of Casing Set No. SACKS OF CEMENT USED GRAVITY AMOUNT OF MUD USED									
No. 3, from	-								
CASING RECORD SIZE WEIGHT NEW OR USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8 5/8 24 Used 196 Halliburton Surface Cs 4 1/2 9.5 New 3136 Halliburton Prod. Csq. MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS OF CEMENT USED GRAVITY AMOUNT OF MUD USED	•								
SIZE WEIGHT NEW OR LUSED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8 5/8 24 Used 196 Halliburton Surface Cs 4 1/2 9.5 New 3136 Halliburton Prod. Csq. MUDDING AND CEMENTING RECORD SIZE OF CASING SET NO. SACKS METHOD MUD GRAVITY AMOUNT OF MUD USED 11 8 5/9 196 125 Halliburton (Circulated)	No. 3, from.	·····		to			fcet		
SIZE WEIGHT NEW OR USED AMOUNT KIND OF CUT AND PERFORATIONS PURPOSE 8 5/8 24 Used 196 Helliburton Surface Cs 4 1/2 9.5 New 3136 Helliburton Prod. Csq. MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD GRAVITY AMOUNT OF MUD USED 11 0 5/0 196 125 Helliburton (Circulated)	No. 4, from.			to	•••••••		feet		
SIZE PER FOOT USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 8 5/8					CASING RECO	RD			
8 5/8 24 Used 196 Halliburton Surface Cs 4 1/2 9.5 New 3136 Halliburton Prod. Csq. MUDDING AND CEMENTING RECORD Size of Size of Where No. Sacks Method Gravity Amount of MUD USED 11 8 5/8 196 125 Halliburton (Circulated)									
MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD MUD GRAVITY AMOUNT OF MUD USED 11 0 5/6 196 125 Helliburton (Circulated)	SIZE	PER FO	OT USE	AMOUN	T SHOE	PULLED FROM	PERFORATIONS	PURPOSE	
MUDDING AND CEMENTING RECORD SIZE OF SIZE OF WHERE NO. SACKS METHOD MUD GRAVITY AMOUNT OF MUD USED 11 0 5/6 196 125 Halliburton (Circulated)	8 5/8	3 24	Use	d 196 9	Hallibur	on-		Surface Csq.	
SIZE OF SIZE OF WHERE NO. SACKS METHOD WUD GRAVITY AMOUNT OF MUD USED 11 85/6 196 125 Halliburton (Circulated)	4 1/6	7.5	New	3136	Hailibur	on		Prod. Csq.	
SIZE OF SIZE OF WHERE NO. SACKS METHOD WUD GRAVITY AMOUNT OF MUD USED 11 85/6 196 125 Halliburton (Circulated)					<u> </u>				
SIZE OF SIZE OF WHERE NO. SACKS METHOD WUD GRAVITY AMOUNT OF MUD USED 11 85/6 196 125 Halliburton (Circulated)				MUDDIN	NG AND CEMENT	ING RECORD			
HOLE CASING SET OF CEMENT USED GRAVITY MUD USED 11 8 5/6 196 125 Halliburton (Circulated)			WHERE	NO. SACKS			MUD		
-m + m + t + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1	HOLE	CASING	SET	OF CEMENT	USED		GRAVITY		
7 7/8 4 1/2 3136 + 150 Halliburton	11 - /6	8 5/8	196	125	Hallibur:	ton (Circ	ulated) -		
	7 7/8	4 1/2	3136	150	Mallibur	ton			
			(Record th	ne Process used,	No. of Qts. or Gal	s. used, interval	treated or shot.)		
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	••••••						•		
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)			••••••	-2			·····	······································	
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	•								
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)									
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)					***************************************		•		
	Kesult of Pro	oduction Stim	ulation		••••••		***************************************	•••••••••••••	
								•••••••••••••••••••••••••••••••••••••••	
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.) Result of Production Stimulation		*****************			······		Depth Cleaned O	ut	

CORD OF DRILL-STEM AND SPECIAL TI

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

			0 feet to 3136					
Cable tools were used from				PRODUCTION				1661
. 		7.	•9 , 19 <u>58</u>	 •				
Put to Pro				a.				61
OIL WEI			during the first 24 hours was					
			% was emulsion;		% water	; and	% was s	ediment. A.P.
	Gra	vi ty	37°					
GAS WEI	LL: The	production	during the first 24 hours was		I,C.F. pl	us		barrels
	liqu	id Hydroca	rbon. Shut in Pressurelbs.					
Length of	_							
			ELOW FORMATION TOPS (IN CONF	ORMANO	E WITT	I GEOGI	RAPHICAL SECTION (OF STATE):
PLEA	ASE IND	ICAIE BI	Southeastern New Mexico				Northwestern New	
T. Anhy	100)C	T. Devonian			т.	Ojo Alamo	
T. Salt			T. Silurian			т.	Kirtland-Fruitland	
B. Salt			T. Montoya				Farmington	
			T. Simpson				Pictured Cliffs	
T. 7 Riv	rers _ ვეი	5	T. McKee				Point Lookout	
-			T. Gr. Wash			_	Mancos	
· ·	-		T. Granite			T.	Dakota	
T. Glori	eta		т			т.	Morrison	
			T				Penn	
				T				
			T					
			T					•••••
			FORMATIO	n reco	RD			
From	То	Thickness in Feet	Formation	From	To	Thicknes in Feet	Formatio	on
	3.6.5							
0 196	195 1000	196 801	ourra c e Oh, Colo. & enhy					
000	1050	50	Anhy					
-	1	450	Salt, anhy & sh					
500 098	3098 3114	1598 16	නිර lo, anhy, sh & salt බර					
114	3136	22	Dolo, anhy, & sh					
-							,	
							·	
	1							

	<u>' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' </u>	ATTACH	SEPARATE SHEET IF	ADDITIO	NAL SPA	CE IS N	EEDED	
I he	reby swear or a	ffirm that the infor	mation given herewith is a	a complete	and correc	t record o	f the well and al	l work done on it so far
as can be	determined fro	m available records.			••••••	7-9-5	8	(Date)
Company	or Operatorhe	lton-warre	onOi.lProducer	Address	734 Pe	trole	um Buildi w Mexico	ng