

CONSERVATION DIVISION

P. O. BOX 2088

SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Injection		7. Unit Agreement Name
2. Name of Operator Lewis B. Burleson, Inc.		8. Farm or Lease Name State D
3. Address of Operator Box 2479, Midland, TX 79702		9. Well No. 5
4. Location of Well UNIT LETTER M, 460 330 FEET FROM THE south LINE AND 330 FEET FROM THE west LINE, SECTION 27 TOWNSHIP 14S RANGE 31E NMPM.		10. Field and Pool, or Wildcat Caprock Queen
15. Elevation (Show whether DF, RT, GR, etc.)		12. County Chaves

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Surface casing - 8-5/8" @ 252'
Production Casing - 4-1/2" @ 3100'

This well has been plugged as follows with your approval:

1. Drilled out through collapsed pipe to 650'. Queen is bridged off and does not communicate with hole at this depth.
2. Set 350 foot plug in 4-1/2" from 300 to 550' (30 sxs).
3. Pumped and set 102 sx of cement at 320' feet in and out of 8-5/8" and 4-1/2" pipe filling both pipe and annulus with cement through hole in pipe.
4. Install marker.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED _____ TITLE President DATE 5-20-86

APPROVED BY Jack Griffin TITLE OIL & GAS INSPECTOR DATE JUN 5 1986

CONDITIONS OF APPROVAL, IF ANY:

H. P. ...