
....Denth Cleaned Out.....



## NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

## WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

	inien Oil	(Company of Opera	California tor)			H.A. Lindle	<b>X</b>
Well No	3-26	, in. 83		4, of Sec26	, Т;	lk-8,	r. <b>31-x</b> , NMPM
£	aprock.C	N. 000	************************	Pool,	Chaves		County
Vell is	330	feet from	South	line and.	2310	feet from.	lin
f Section	28	If Sta	ate Land the Oil an	i Gas Lesse No.	i	*******************************	***************************************
Orilling Cor	mmenced	June 10	***************************************	1 <b>57</b> Drillin	g was Completed	June 15	, 157
_							
				•	<del>-</del> -		***************************************
		-	- •	-			to be kept confidential until
				•		•	
			Λπ	SANDS OR Z			
	0020						to
•	• •		-				
•							io
No. 3, from.	<del></del>	10.		140, 6	, Irom	***************************************	
			IMPOR	tant water	SANDS		
			elevation to which				
•							•
lo. 2, from	•••••		óo	***************************************	***************************************	feet	***************************************
No. 3, from	••••••••		to			feet	***************************************
No. 4, from	•		to	***************************************	,	feet	
				CASING RECO	RD	•	
SIZE	WEIG PER I		R AMOUNT	RIND OF	CUT AND PULLED FROM	PERFORATION	s Purpose
8-5/8"	425	Have	159.80'	Ouide Sh			Surface Casing
5-1/2"	144	lev	2967.54	Guide Sh	<del></del>	2930-2936	Production Casi
2" ME	4.74	New	2951.30'			4.0	
		l l		ļ	!!		
<del></del>							
			MUDDING	AND CEMENT	ING RECORD		
SIZE OF	SIZE OF	WHERE	NO. SACES	METROD		MUD	AMOUNT OF
HOLE	CASING	SET	NO. SACES OF CEMENT	METHOD USED	G	RAVITY	MUD USED
HOLE		167.89/. 1	NO. SACES	METROD		RAVITY	
	CASING	167.89/. 1	NO. SACES OF CEMENT	METHOD USED	G	RAVITY	MUD USED
HOLE	CASING	167.89/. 1	NO. SACES OF CEMENT	METHOD USED	G	RAVITY	MUD USED
HOLE	CASING	167.89/. 1	NO. SACES OF CEMENT	METHOD USED		RAVITY	MUD USED
HOLE.	CASING	167.89/ 1 2979.54 20	NO. SACES OF CEMENT OV. W/b/s Gel. O V/b/s Gel. 200 cm. Pt.	METHOD USED  PAP PAP PAP RODUCTION	AND STIMULAT	FION	MUD USED
11 ° 7/8°	CASING 8_5/8" 5-1/2"	167.89 1 2979.54 20	NO. SACES OF CEMENT  OF CEMENT  OV / by Gel.  200 cm. Pt.  Pata-Crete  RECORD OF P	METHOD USED  PAP PAP  PAP  RODUCTION A  of Qts. or Ga	AND STIMULAT	FION treated or shot.)	MUD USED
11 " 7-7/8"	CASING 8_5/8" 5-1/2"	167.89 1 2979.54 20 (Record the	NO. SACES OF CEMENT  OF CEMENT  OF A Gal  OF A Gal  OF PARTICIPATE  RECORD OF P  Process used, No.  2930-2936.	PAP PAP PAP RODUCTION A of Qu. or Ga	AND STIMULAT	FION treated or shot.)	MUD USED
11 " 7-7/8"	CASING 8_5/8" 5-1/2"	167.89 1 2979.54 20 (Record the	NO. SACES OF CEMENT  OV. W/b/ Gel O W/b/ Gel 200 cm. Pt. This-Crete  RECORD OF P	PAP PAP PAP RODUCTION A of Qu. or Ga	AND STIMULAT	FION treated or shot.)	MUD USED
11 " 7-7/8"	CASING 8_5/8" 5-1/2"	167.89 1 2979.54 20 (Record the	NO. SACES OF CEMENT  OF CEMENT  OF A Gal  OF A Gal  OF PARTICIPATE  RECORD OF P  Process used, No.  2930-2936.	PAP PAP PAP RODUCTION A of Qu. or Ga	AND STIMULAT	FION treated or shot.)	MUD USED
HOLE 11" -7/8"	CASING 8_5/8" 5-1/2"	167.89 1 2979.54 20 (Record the	NO. SACES OF CEMENT  OF CEMENT  OF A Gal  OF A Gal  OF PARTICIPATE  RECORD OF P  Process used, No.  2930-2936.	PAP PAP PAP RODUCTION A of Qu. or Ga	AND STIMULAT	FION treated or shot.)	MUD USED
Perf	CASING 8_5/8" 5=1/2" Corated	167.89 1 2979.54 20 (Record the	NO. SACKS OF CEMENT  OF CEMENT  OF WAR GOLD  OF PARTIES  RECORD OF P  Process used, No. 2930-2936:	PAP PAP PAP RODUCTION A of Qu. or Ga with 30 h	AND STIMULAT	TION treated or shot.)	MUD USED

## CORD OF DRILL-STEM AND SPECIAL ...

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

	•		o ·	800	L	JOEAN .		***			
			fe			feet, an					feet.
Cable tools	were use	ed from	fe	et to	•••••	feet, an	d from		feet to	· · · · · · · · · · · · · · · · · · ·	fcet.
	÷				PRODUC	TION					
Put to Pro	ducing	June 2	3,		<sub>1</sub> <b>5</b> 7						
OIL WEL	_	nroductio	n during the first 24	•	<b>/</b>	6	harr	els of liqu	aid of which	99.8	Vo was
OIL WEL			•% w								
		2	<b>ຮ</b> ດິ			•	% water;	and		% was sedi	iment. A.P.I.
	Gra	vity		•							
GAS WEL	L: The	production	n during the first 24	hours was		М	I.C.F. plu	18			barrels of
	liqu	id Hydroca	arbon. Shut in Press	urc	lbs.						
Length of	Time Sh	ut in									
PLEA	SE IND	ICATE B	ELOW FORMATI	ON TOPS (	IN CONF	ORMANO	E WITH	GEOGR	APHICAL SI	ECTION OF	STATE):
			Southeastern Ne	w Mexico	•				Northwest	ern New M	exico
T. Anhy	11741			T. Devoni	an			Т.	Ojo Alamo	********	•••••••
T. Salt	1261			T. Siluria	n			T.	Kirtland-Fruit	land	
B. Salt	1980		•••••	T. Monto	ya			Т.	Farmington	•••••	
T. Yates	2142'			T. Simpso						·····	
T. 7 Rive	2308 2924		••••••	T. McKee				Т.	Menefee	•••••••••••••••••••••••••••••••••••••••	••••••
T. Queen	2724			T. Ellenby	urger	er					
-	· ,			T. Gr. Wa	ash	T. Mancos					
				-		T. Dakota					
					T. Morrison						
					T. Penn						
								_			
									******		***************************************
7				FOR	MATION	N RECO	RD			4	
From	То	Thickness	For	nation		From	То	Thickness in Feet		Formation	
		in Feet		·····				in reet			
0 128	128	128 1046	Sand and ca Redbeds	liche.							
1174	1174 1261	107	Anhy.								
1174	1980	699	Salt					:			
1980 2142	2142	162	Anhy.	_							
2142	2300 2924	158 624	Sand and An Anhy.	N.							
2300 2924 2940	2940	16	Sand and								
2940	2980	40	Inhy.	. •							
							-			•	
								,			
		ļ									
1											
								1			
								1			
,											
4				•		·					
							<u> </u>				

ATTACH SEPARATE SHEET IF A	ADDITIONAL SPACE IS NEEDED
I hereby swear or affirm that the information given herewith is a	complete and correct record of the well and all work done on it so far
as can be determined from available records.	6/26/27
Company or Operator Union Oil Company of California	Address 619 V. Texas Ave. Midland, Texas
R.w. Jan.	Position or Title Drilling Supt.