## NEW MY CO OIL CONSERVATION COMMIS N

Santa Fe, New Mexico

HOBBS OFFICE O. C. C.

Name Union Oil Company of California

Address 619 West Texas Avenue, Midland, Texas

Form C-101

NOTICE OF INTENTION TO PROPER O. C.

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before dating or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

If State Land submit 6 Copies Attach Form C- 128 in triplicate to first 3 copies of form C-101

(Fisce)  L CONSERVATION COMMISSION  NTA FE, NEW MEXICO  ntlemen:  You are hereby notified that it is our intention to commence the EXCEST of a well to be known as  Union Oil, Company of California.  (Company of California.  (Company of Optimize)  South Caprock Queen Unit - Tract 55-a.  (Leass)  (John No. 16-29)  (Joh		1	Midland, Texas			October 3	0, 1963
Nouth Caprock Queen Unit - Tract 55-8, Well No. 16-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of Section 15-29, in. P. The well to be known as the state of the section 15-29, in. P. The well to be known as the state of the section 15-29, in. P. The well to be known as the state of the section 15-29, in. P. The well to be known as the state of the section 15-29, in. P. The well to be known as the state of the section 15-29, in. P. The well to be known as the state of the section 15-29, in. P. The well to be known as the state of the section 15-29, in. P. The well to be known as state of the section 15-29, in. P. The well to be known as state of a well to be known as state of the section 15-29, in. P. The well to be known as state of a well to be known as states as the section 15-29, in. P. P. The states of a well to be known as states as the section 15-29. In the well to be known as states as the sectio			N COMMISSION			(Date)	
You are hereby notified that it is our intention to commence the EMES of a well to be known as Union Oil Company of California  Company of Operator)  South Caprock Queen Unit - Tract 55-a , Well No. 16-29 , in P The well (Lease)  Act (Lease)  feet from the Caprock Queen Unit - Tract 55-a , Well No. 16-29 , in P The well not capt line of Section 29 T 14-8 , R 31-E , NMPM.  IVE LOCATION FROM SECTION LINE)  D C B A			XICO				
Union Gil Company of California  South Caprock Queen Unit - Tract 55-a	ntlemen:						
South Caprock Queen Unit - Tract 55-a	You ar <b>Un</b>	e hereby no 10n Oil (	tified that it is our in Company of Cali			***	***************************************
Inc. of Section 29 T. 14-8 R. 31-E NMPM.  IVE LOCATION FROM SECTION LINE)  Caprack Queen Pool, Chayes Countries of State Land the Oil and Gas Lease is No.  If patented land the owner is Nr. Hall Boole, Bogle Farms, Inc.  Address. Dextar, New Maxico  Rotary rig  E F G H  The status of plusging bond is J. S. Ward & Son  Artesis, New Mexico  P. S. Box 1767  Midland, Texas  We judged to complete this well in the Queen Sand  formation at an approximate depth of Casing and to cement them as indicated:  Size of Role  Size of Casing  Weight per Foot  New or Second Hand  Depth  Sacks Cement  11" 8-5/8" * 244 New 118.84" 200  6-3/4 4-1/2" 9.54 New 2905' 300				act 55-a	., Well No. 16-29	, inP	
IVE LOCATION FROM SECTION LINE)  Captrock Queen Pool, Chaves Could If State Land the Oil and Gas Lease is No  If patented land the owner is Mr. Hal Pogle, Bogle Farms, Inc.  Dexter, New Mexico  Rotary rig  E F G H  The status of pluaging bond is.  It is states of pluaging bond is.  It is stat	cated9	90					
If State Land the Oil and Gas Lease is No		•••••	CO		•	•	-
D C B A Address Penter We propose to the well with drilling equipment as follows: Rotary rig  E F G H  The status of pluseing bond is. J. B. Ward & Bon  Artesia, New Mexico  Drilling Contrador Rod Ric Corporation  P. C. Box 1767  Midland, Texas  We intend to complete this well in the Queen Sand  formation at an approximate depth of  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Bise of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  11" 8-5/8" * 24# New 118.84' 200  6-3/4 4-1/2" 9.5# New 2905' 300	IVE LO	CATION F	ROM SECTION LIN				
Dexter, New Mexico  Rotary rig  E F G H  The status of plugging bond is. J. B. Mard & Son  Artesia, New Mexico  Destruction  Artesia, New Mexico  Destruction  F. G. Box 1767  Midland, Texas  We intend to complete this well in the Queen Sand  formation at an approximate depth of  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole  Size of Casing  Weight per Foot  New or Second Hand  Depth  Sacks Cement  11"  8-5/8" * 214 New 2905' 300							
We propose to the well with drilling equipment as follows:  Rotary rig  We propose to the well with drilling equipment as follows:  Rotary rig  The status of plugging bond is.  Rotary Ric Corporation  P. 9. Box 1767  Midland, Texas  We intend to complete this well in the. Queen Sand  formation at an approximate depth of.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole  Size of Casing  Weight per Foot  New or Second Hand  Depth  Sacks Cement  11"  8-5/8" * 2½# New 118.84"  200  6-3/4 4-1/2"  9.5# New 2905'  300			D A		Dexter No	gie, Bogie Far	ns, Inc.
E F G H  The status of plusging bond is. J. B. Ward & Bon  Artesia, New Mexico  Drilling Contractor Rod Ric Corporation  P. G. Box 1767  Midland, Texas  We intend to complete this well in the Queen Band formation at an approximate depth of.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  11" 8-5/8" * 24# New 118.34" 200  6-3/4 4-1/2" 9.5# New 2905' 300	ر i	C	B A	Addressre-ente	27		Rotary ric
The status of plusging bond is.  Artesia, New Mexico  Drilling Contractor Rod Ric Corporation  P. 6. Box 1767  Midland, Texas  We justed to complete this well in the Queen Sand  formation at an approximate depth of CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  11" 8-5/8" * 24# New 118.84" 200  6-3/4 4-1/2" 9.5# New 2905' 300				·   \			
Artesia, New Mexico  Rod Ric Corporation  P. 0. Box 1767  Midland, Texas  We intend to complete this well in the Queen Sand formation at an approximate depth of CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole  Size of Casing  Weight per Foot  New or Second Hand  Depth  Sacks Cement  11"  8-5/8" * 24#  New 118.84"  200  4-1/2"  9.5#  New 2905'  300	E	F	G H	T1 / 4 - 1 \	J. S.	Ward & Son	••••••••••
M N O P We intend to complete this well in the Queen Sand formation at an approximate depth of  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  11" 8-5/8" * 24# New 118.84" 200  6-3/4 4-1/2" 9.5# New 2905' 300				The status of plusging	Artesi	B. New Mexico	•••••••
M N O We intend to complete this well in the Queen Sand  formation at an approximate depth of CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  11" 8-5/8" # 24# New 118.84" 200  6-3/4 4-1/2" 9.5# New 2905' 300	ſ.	ĸ	1 7				
M N O P We intend to complete this well in the Queen Sand  We intend to complete this well in the Queen Sand  formation at an approximate depth of.  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks Cement  11" 8-5/8" * 214 New 118.84" 200  6-3/4 4-1/2" 9.5# New 2905' 300	~	P. 0. Box 1767					••••••••••••••
We intend to complete this well in the Queen Sand  formation at an approximate depth of CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole  Size of Casing  Weight per Foot  New or Second Hand  Depth  Sacks Cement  11"  8-5/8" # 24#  New 118.84"  200  6-3/4  4-1/2"  9.5#  New 2905'  300		`			Mdlan	d, Texas	
formation at an approximate depth of  CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole  Size of Casing  Weight per Foot  New or Second Hand  Depth  Sacks Cement  11"  8-5/8" * 214"  New 118.84"  200  6-3/4  4-1/2"  9.5#  New 2905'  300	М	N	0 1				
CASING PROGRAM  We propose to use the following strings of Casing and to cement them as indicated:  Size of Hole  Size of Casing  Weight per Foot  New or Second Hand  Depth  Sacks Cement  11"  8-5/8" * 214"  New 118.84"  200  6-3/4  4-1/2"  9.5#  New 2905'  300		<u> </u>					
Size of Hole			(	1	-		
11" 8-5/8" * 24# New 118.84' 200 6-3/4 4-1/2" 9.5# New 2905' 300	We pr	opose to use	the following strings	Casing and to cement t	hem as indicated:		
6-3/4 4-1/2" 9.5# New 2905' 300	Size	of Hole	Size of Casing	Weight per Foot	New or Second Hand		Sacks Cement
				24#	Nev	118.84'	200
If changes in the above plans become advisable we will notify you immediately.	6-3/	4	4-1/2"	9.5#	Nev	29051	300
If changes in the above plans become advisable we will notify you immediately.					•		
If changes in the above plans become advisable we will notify you immediately.							
	If cha	nges in the	above plans become a	dvisable we will notify yo	u immediately.		
		Be	e reverse side				
See reverse side			;				
See reverse side				10	Sincerely yours,		
Sincerely yours	pproved xcept as	follows:		19	Union Cil Company of California		
pproved, 19, Sincerely yours,					732		
pproved, 19, Sincerely yours,	<b>*</b> ₿ኒ	rface ce	sing cemented a	ss indicated	By Well	Wicken	
pproved		ring ori	ginal drilling	of well.	Position Prod	uction Clerk	
#Burface casing cemented as indicated during original drilling of well.  Sincerely yours,  *Burface casing cemented as indicated  Position Oil Company of California  *Burface casing cemented as indicated  Position Production Clerk		OIL CO	NSERVATION COM	MISSION		Communications rega	ording well to

This is the proposed re-entry of an abandoned well originally drilled as Union Oil Company of California - H. A. Lindley "B" No. 2-29 well.

Proposed plan of operations:

Drill out existing cement plugs and deepen from current total depth of 2880 feet to approximate total depth of 2905 feet.

Run and cement 4-1/2" casing at total depth with 300 sx. of cement. Run Gemma Ray-Neutron log and perforate at estimated interval from 2860 - 2870 feet.

Treat with acid and complete as a water injection well, using 2" EUE plastic coated tubing.

## NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE SECTION A Operator Lease Well No. Union Oil Company of California Bouth Caprock Queen Unit-Tract 55a 16-29 Unit Letter Section Township Range County P 14-B 31-E Chaves Actual Footage Location of Well: 990 feet from the south line and 330 feet from the east line Ground Level Elev. Formation Pool Dedicated Acreage: 4198 Injection: Caprock Queen Queen Sand Acres 1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES \_\_\_\_\_NO \_\_X . ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1935 Comp.) 2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or other-Unitigation agreement 3. If the answer to question two is "no," list all the owners and their respective interests below: Land Description SECTION B CERTIFICATION I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief Name Production Clerk Company Union Oil Co. of California Date October 30. 1963 I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed 990' Registered Professional Engineer and/or Land Surveyor Certificate No. 330 660 990 /320 /650 /980 23/0 2640 2000 1500 1000 500

INSTRUCTIONS FOR COMPLETION OF FORM C-128

1. Operator shall furnish and certify to the information called for in Section A.

- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.

.3 :2 . 1 . 3