

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

2174 : 1 3:4J

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE: If State Land submit 6 Copies

Gulf Oil Corporation Chaves State "BK" B (Company of Operator) No. 1	Gulf Oil Corporation Chayes State "BK" B (Company of Operator) in SE M of SE M, of Sec. 32 T LL-S R 31-E N Gaprock Queen Pool, Ghayes C Chayes C	LOCAT	AREA 640 ACR	ES RECTLY	of the Comm	nission. Submit in	QUINTUPLICA	ATE, If State I	and submit 6 Cop
No. 1	in Si 1/4 of SE 1/4, of Sec. 32 , T. 14-S , R. 31-S , NN Gaprock Queen Pool, Ghaves CC 60 feet from South line and 660 feet from East 2-14-31. If State Land the Oil and Gas Lease No. is			Gulf Oil	Corporation		Cr	naves State "Bl	К и В
Gaprock Queen Pool, Ghayes is 660 feet from South line and 660 feet from Est cetion 32-14-31 If State Land the Oil and Gas Lease No. is E-7652 ling Commenced. Sept. 19 19-55 Drilling was Completed. Sept. 24. to of Drilling Contractor Ps. W. Miller Drilling & Production Cos. Box 5613, Roswell, N. M. ation above sea level at Top of Tubing Head. The information given is to be kept confidence. DIL SANDS OB ZONES 1, from None to No. 4, from to No. 5, from to No. 6, from feet. 2, from to Feet. 2, from 10 feet. CASING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD	Gaprock Queen Pool, Chaves Co for feet from South line and		`						
LIE 660 feet from South line and 660 feet from Est cution 32-14-31. If State Land the OH and Gas Lease No. is E-7552 ling Commenced. Sept. 19 19-55. Drilling was Completed. Sept. 24. Le of Drilling Contractor. Ps. W. Miller Drilling & Production Cos. Box 5613, Roswell, N. M. Box 5613, Roswell, N. M. Ation above sea level at Top of Tubing Head. The information given is to be kept confidence. OIL SANDS OR ZONES 1, from None to No. 4, from to No. 5, from to No. 6, from feet. 2, from to feet. 2, from to feet. 2, from to feet. 2, from to Feet. CASING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD	South Sout			=					
If State Land the Oil and Gas Lesse No. is	2-14-31 If State Land the Oil and Gas Lease No. is. E-7662 meed Sept. 19 19.55. Drilling was Completed. Sept. 24 19. g Contractor. Ps. W. Miller Drilling & Production Co. BOX 5613, Roswell, N. M. sea level at Top of Tubing Head. The information given is to be kept confidential 19. OIL SANDS OR ZONES No. 4, from to. No. 5, from to. No. 6, from to. IMPORTANT WATER SANDS rate of water inflow and elevation to which water rose in hole. to. feet. CARING RECORD WEIGHT NEW OR AMOUNT SIND OF CUT AND FERFORATIONS FURFORE 24.# New 304.! Baker Not Surface MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD								
ting Commenced Sapt. 19 19.55. Drilling was Completed Sapt. 24 to of Drilling Contractor. P. W. Miller Drilling & Production Co. PS. W. Miller Drilling & Production Co. Box 5613, Roswell, N. M. ation above sea level at Top of Tubing Head. The information given is to be kept confid OIL SANDS OR ZONES 1, from None to No. 4, from to No. 5, from to No. 6, from to No. 6, from to IMPORTANT WATER SANDS ude data on rate of water inflow and elevation to which water rose in hole. 1, from to The information given is to be kept confid No. 6, from to The information given is to be the information given is to be the informatio	Sept. 19								
BOX 5613, ROSWELL, N. M. BOX 5613, ROSWELL, N. M. The information given is to be kept confidence of the information given is to be kept confidence. Information above sealevel at Top of Tuber	BOX 5613, ROSWELL, N. M. sea level at Top of Tubing Head								
Tess. Box 5613, Roswell, N. M. ation above sea level at Top of Tubing Head. The information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence of the information given is to be kept confidence. NOIL SANDS OF ZONES NO. 4, from to	BOX 5613, ROSWELL, N. M. sea level at Top of Tubing Head	-							
OIL SANDS OF ZONES 1, from None to No. 4, from to No. 5, from to No. 6, from No.	OIL SANDS OR ZONES OIL SANDS OR ZONES No. 4, from to to No. 5, from to No. 6, f		_						
OIL SANDS OR ZONES 1, from	NOTE TO NO. 4, from to No. 5, from to No. 6, from t	ation abo	ve sea level a	t Top of Tubing	Head				
2, from	TIMPORTANT WATER SANDS rate of water inflow and elevation to which water rose in hole. to feet. to feet. to feet. CASING RECORD CASING RECORD CASING BECORD CUT AND PERFORATIONS PURPOSE 21.# New 304.1 Baker Not Surface MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD				•	IL SANDS OR Z	ones		
IMPORTANT WATER SANDS ude data on rate of water inflow and elevation to which water rose in hole. 1, from to feet. 2, from to feet. 4, from to feet. CASING RECORD SIZE FEE FOOT USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPORTING RECORD MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD METROD GRAVITY AMOUNT O MIDD SEED AMOUNT O MIDD USED AMOUNT O MIDD USED	IMPORTANT WATER SANDS rate of water inflow and elevation to which water rose in hole. to feet. to feet. CASING RECORD WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS FURFOSE 2/1,# New 30/4,1 Baker Not Surface MUDDING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD METHOD GRAVITY AMOUNT OF MUDD SURFACE MUDDING AND CEMENTING RECORD	•							
IMPORTANT WATER SANDS ude data on rate of water inflow and elevation to which water rose in hole. 1, from	TIMPORTANT WATER SANDS rate of water inflow and elevation to which water rose in hole. to								
ude data on rate of water inflow and elevation to which water rose in hole. 1, from	rate of water inflow and elevation to which water rose in hole. to	3, from		to		No. 6	, from	to	*******************************
1, from to feet. 2, from to feet. 3, from to feet. CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPORTS OF CASING AND CEMENTING RECORD MUDDING AND CEMENTING RECORD E OF SIZE OF WHERE NO. BACKS USED GRAVITY AMOUNT OF CASING SET OF CEMENT	TO				IMPO:	RTANT WATER	SANDS		
2, from to feet. 3, from to feet. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPORTIONS PURPORTIONS PURPORTIONS PURPORTIONS SURface Not Surface	TO SIZE OF SET OF CEMENT OF CEMENT USED SIZE OF CASING RECORD SET OF CEMENT USED GRAVITY AMOUNT OF MUD USED SET OF CEMENT USED GRAVITY AMOUNT OF MUD USED	ude data	on rate of wa	ater inflow and	elevation to which	water rose in hol	e.		
3, from to feet. 4, from to feet. CASING RECORD SIZE WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURP. 7-5/8" 24# New 304! Baker Not Surface MUDDING AND CEMENTING RECORD E OF SIZE OF WHERE NO. SACES WETHOD GRAVITY AMOUNT O	CASING RECORD WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 24# New 304! Baker Not Surface MUDDING AND CEMENTING RECORD SIZE OF WHERE NO. SACES OF CEMENT USED GRAVITY AMOUNT OF MUD USED	1, from		*************************			***************************************	feet	***************************************
CASING RECORD SIZE WEIGHT NEW OR AMOUNT KIND OF CUT AND PERFORATIONS PURPORTIONS PURPORTIONS PURPORTIONS PURPORTIONS SURface Control of the Control of Co	CASING RECORD WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 24# New 304! Baker Not Surface MUDDING AND CEMENTING RECORD SIZE OF WHERE NO. SACES OF CEMENT USED GRAVITY AMOUNT OF MUD USED	2, from			to	-44114-4400-07547		feet	***************************************
SIZE WEIGHT NEW OR LUSED AMOUNT SHOE PULLED FROM PERFORATIONS PURPORT 24.# New 304.1 Baker Not Surface	WEIGHT NEW OR AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 21.# New 301. Baker Not Surface MUDDING AND CEMENTING RECORD SIZE OF WHERE NO. SACES OF CEMENT USED GRAVITY AMOUNT OF MUD USED	3, from			to	***************************************		feet	
SIZE WEIGHT NEW OR AMOUNT SHOP CUT AND PERFORATIONS PURPORTIONS PU	WEIGHT NEW OR LISED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 24# New 304! Baker Not Surface MUDDING AND CEMENTING RECORD SIZE OF WHERE OF CHENT USED METHOD GRAVITY AMOUNT OF MUD USED	4, from			to	***************************************		feet	
SIZE FER FOOT USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPORATIONS PURPORTIONS PURPORTIO	PER FOOT USED AMOUNT SHOE PULLED FROM PERFORATIONS PURPOSE 21.# New 301.1 Baker Not Surface MUDDING AND CEMENTING RECORD SIZE OF WHERE NO. SACES OF CEMENT USED MUD GRAVITY AMOUNT OF MUD USED	!							
MUDDING AND CEMENTING RECORD E OF SIZE OF WHERE NO. SACES METHOD MUD AMOUNT OF CEMENT USED GRAVITY MUD USED	MUDDING AND CEMENTING RECORD SIZE OF WHERE NO. SACES METHOD MUD AMOUNT OF MUD USED CASING SET OF CEMENT USED GRAVITY MUD USED	SIZE					PULLED FROM	PERFORATIONS	PURPOSE
E OF SIZE OF WHERE NO. SACES METHOD MUD AMOUNT OF CEMENT USED GRAVITY MUD USED	SIZE OF WHERE NO. SACES METHOD MUD AMOUNT OF CASING SET OF CEMENT USED GRAVITY MUD USED	7-5/8"	24	# New	3041	Baker	Not		Surface
E OF SIZE OF WHERE NO. SACES METHOD MUD AMOUNT OF CASING SET OF CEMENT USED GRAVITY MUD USED	SIZE OF WHERE NO. SACES METHOD MUD AMOUNT OF CASING SET OF CEMENT USED GRAVITY MUD USED								
E OF SIZE OF WHERE NO. SACES METHOD MUD AMOUNT OF CASING SET OF CEMENT USED GRAVITY MUD USES	SIZE OF WHERE NO. SACES METHOD MUD AMOUNT OF CASING SET OF CEMENT USED GRAVITY MUD USED								
ILE CASING SET OF CEMENT USED GRAVITY MUD USEI	CASING SET OF CEMENT USED GRAVITY MUD USED				MUDDING	AND CEMENT	ING RECORD		
" 7-5/8" 313! 200 Howco P & P	7-5/8" 313' 200 Howco P & P		SIZE OF CASING		NO. BACES OF CEMENT	METHOD USED	G	MUD RAVITY	AMOUNT OF MUD USED
		18	7-5/8"	3131	200	Howco P &	P		
							<u> </u>		
RECORD OF PRODUCTION AND STIMULATION				(Record th	ne Process used, N	o. of Qts. or Ga	is. used, interval	treated or shot.)	
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)	Von	e			······································			•••••••
					op====================================		**=-##***		
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)				**** *****************	****************		***************************************	••••	***************************************
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)									
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)		 L	dustion Ction	ulation					
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.) None		'n	gucuon sum	<u>uauv4</u>	uquro 64664221,460000004533340968644	*************************************	•4••••••••••	••••••••••••••••••••••••••••••	
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)					***********************	*******************	*****************	***************************************	***************************************
(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)					~~~~	*********	,	Denth Cleaned Or	ut

RECORD OF DRILL-STEM AND SPECIAL

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

•					=			feet to feet.
				PRODUC	TION			
Put to Pro	oducing		Not.	, 19				
OIL WE	LL: The	production	on during the first 24 hor	ırs was		b ar	rels of liq	uid of which
	was	oil;	% was e	mulsion;		.% water	; and	% was sediment. A.P.I.
	Grav	vi ty						
GAS WE	LL: The	productio	on during the first 24 ho	ırs was		M.C.F. pl	us	barrels of
	liqui	d Hydroc	arbon. Shut in Pressurc	lbs.				
Length o	_							
					ORMANO	er witi	r GEOGE	RAPHICAL SECTION OF STATE):
L	MSE IND	CAIL D	Southeastern New M	•	Olemani	J13 *****	LULUUI	Northwestern New Mexico
T. Anhy			т.	Devonian		•••••	Ť.	Ojo Alamo
			T.	Silurian	-			Kirtland-Fruitland
			Т.	Montoya				Farmington Pictured Cliffs
			Т. Т.	McKee	_			Menefee
			T.	Ellenburger				Point Lookout
•	•		т.	Gr. Wash				Mancos
			T.	Granite				Dakota
			T.	***************************************				Penn
T. Tubb)S		т.	***************************************			Т.	
			T.					
			T.	•••••				
1. 1.2200		•••••		FORMATIO	N RECO	RD		
From	То	Thickness	Formati	on	From	То	Thicknes in Feet	s Kermadid ax
	61	in Feet	Distance from 1				in reet	7.22
0	0.		Bushing to G	*				DEVIATIONS - TOTCO SURVE
	305 1320		Caliche & Red Red Bed	3ed.				1/2 - 1310!
	1460		Red Bed & Anhyo					1/2 - 1310' 1/2 - 2130'
	1790 2215		Anhydrite & Sal Anhydrite & Li					
	2904		Anhydrite			:		1
			Plugged back to	o 0 '				
								1
								1
	1	!	l					
			ATTACH SEPAR					
				iven herewith is a	complete	and corre	ct record	of the well and all work done on it so
as can be	determin	ed from a	vailable records.					Nov. 28, 1955.
Company	v or O	tor	Gulf Oil Carno					Hobbs, N. M.
		tor	<)					rea Supt. of Prod.
Name				••••••••••••••••	rosition	or little		*.***
			<i>¥</i>					