(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Budget B Approval	ureau expir	42-R358 es 12-31-4	.3. 55.
			ace:	ŀ
Land Office	068	370)	. – -
Lease No			Bro	
Unit				

ICE OF INTENTION TO DRILL		SUBSEQUENT RE	PORT OF WATER SHUT-OFF	
ICE OF INTENTION TO CHANGE PLA			PORT OF SHOOTING OR ACIDIZING	
ICE OF INTENTION TO TEST WATER		SUBSEQUENT RE	PORT OF ALTERING CASING	
ICE OF INTENTION TO RE-DRILL OF			PORT OF RE-DRILLING OR REPAIR	
ICE OF INTENTION TO SHOOT OR A			PORT OF ABANDONMENT	
TICE OF INTENTION TO PULL OR AL		11	Y WELL HISTORY	
TICE OF INTENTION TO ABANDON W		ll .		
(INDICATE	E ABOVE BY CHECK MARK		NOTICE, OR OTHER DATA)	
		Septembe	r 19,	, 19 .
	4 MÜMA	(N)	1980°, w.E	of sec 33
Nois locate	ed ft. fron	n X Soline and	(W)	of sec.
(1/2 Sec. and Sec. No.)	TallaS	R-31-E (Range)	(Merldian)	
(M Sec. and Sec. No.)	Chaves	- 	Nev K.X	<u>lco</u>
(Field)	(County	or Subdivision)	(State or Territor	ry)
		1, 1, 1, 5		
	a about as la	malie things for	•	
elevation of the derrick			i.	
	DETA	ILS OF WORK		
	DETA	ILS OF WORK	the of proposed casings; indicate n	nudding jobs, cemen
	DETA	ILS OF WORK	ths of proposed casings; indicate nosed work)	
	DETA	ILS OF WORK	ths of proposed casings; indicate nosed work)	nudding jobs, comen
elevation of the derrick	DETA objective sands; show sing points, and all	ILS OF WORK	sack plug at be	
	DETA objective sands; show sing points, and all	ILS OF WORK	ths of proposed casings; indicate nosed work)	
	DETA objective sands; show sing points, and all T.D. 300; 226; 226; 226; 226; 226; 226; 226; 2	ILS OF WORK izes, weights, and lengt other important propo	sack plug at be	
	DETA objective sands; show sing points, and all T.D. 300i; 1. 220; 1.	ILS OF WORK izes, weights, and lengt other important proper Set 25 incovered 2 in at 220 in at 220 in at the bottom	sack plug at be	
	DETA objective sands; show sing points, and all T.D. 300; 226; 226; 226; 226; 226; 226; 226; 2	ILS OF WORK izes, weights, and lengt other important proper Set 25 incovered 2 in at 220 in at 220 in at the bottom	sack plug at be	
	DETA objective sands; show sing points, and all T.D. 300i; 1. 220; 1.	ILS OF WORK izes, weights, and lengt other important proper Set 25 incovered 2 in at 220 in at 220 in at the bottom	sack plug at be 20h; of casing, a 20 sack plug the base of the of the surface top of the surface	
	DETA objective sands; show sing points, and all T.D. 300i; 1. 220; 1.	ILS OF WORK izes, weights, and lengt other important proper Set 25 incovered 2 in at 220 in at 220 in at the bottom	sack plug at be 20h; of casing, a 20 sack plug the base of the of the surface top of the surface	
	DETA objective sands; show sing points, and all T.D. 300i; 1. 220; 1.	ILS OF WORK izes, weights, and lengt other important proper Set 25 incovered 2 in at 220 in at 220 in at the bottom	sack plug at be 20h; of casing, a 20 sack plug the base of the of the surface top of the surface	
	DETA objective sands; show sing points, and all T.D. 300i; 1. 220; 1.	ILS OF WORK izes, weights, and lengt other important proper Set 25 incovered 2 in at 220 in at 220 in at the bottom	sack plug at be 20h; of casing, a 20 sack plug the base of the of the surface top of the surface	
	objective sands; show sing points, and all T.D. 306i; 1 226i. 1 point and all anch plug anch p	ILS OF WORK izes, weights, and lengtother important property. Set 25 incovered 2 in at 220h it the better ing at the	the of proposed casings; indicate mosed work) sack plug at be 201; of casing, a 20 sack plug the base of the a of the surface top of the surface top of the surface	ttom, Casi Tubing was run as sait at casing see casing
Tubing run to mas shot off a run back to th tapped. a 15 2145. A 10 318. and a it marker 5	objective sands; show sing points, and all T.D. 306i; 1 226i. 1 point and all anch plug anch p	izes, weights, and lengtother important property. Set 25 Microvered 2 Microvered 2	the of proposed casings; indicate mosed work) sack plug at be 201; of casing, a 20 sack plug the base of the a of the surface top of the surface top of the surface	ttom, Casi Tubing was run as sait at casing see casing
Tubing run to mas shot off a run back to the tapped. a 15 2145. A 10 316 and a 14 marker 5	objective sands; show sing points, and all T.D. 30%; 122%; 122%; 13 point and all anck plug 10 mack plug 10	izes, weights, and lengtother important property. Set 25 Microvered 2 Microvered 2	the of proposed casings; indicate mosed work) sack plug at be 201; of casing, a 20 sack plug the base of the a of the surface top of the surface top of the surface	ttom, Casi Tubing was run as sait at casing see casing