

COUNTY	CHAVES	FIELD	Tobac-Pennsylvanian STATE NM		
OPR	HUMBLE OIL & REFG. COMPANY			MAP	
4 New Mexico State "BW"					
Sec. 16, T-3-S, R-33-E				CO-ORD	
1988' fr S Line & 1997' fr E Line of Sec.					
Spd 2-14-65		CLASS			
Cmp 6-2-65		E			
CSG & SX - TUBING	LOG:	FORMATION	DATUM	FORMATION	DATUM
10 3/4" 391' 375		Rust 1848			
7 5/8" 3612' 500		Yates 2364			
4 1/2" 9100' 300		Queen 3041			
		SA 3549			
		Glor 4946			
		Iubb 6419			
LOGS EL GR RA IND HC A		Abc 7130			
		TD 9100'			

PLUGGED & ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH 9100'	TYPE
DATE		

F.R. 2-18-65; Oper's Elev. 4398' Df.
 PD 9100' - Bough "C"
 2-15-65 TD 391', WOC.
 2-22-65 TD 3612', fshg.
 3-1-65 Drlg. 6490'.
 3-8-65 Drlg. 8219'.
 3-15-65 Drlg. 9057'.
 3-22-65 TD 9100', PBD 9076', prep to Acidize.
 Perf @ 8983', 8984', 8985', 8989', 8990'
 W/1 SPI
 Attempted to acidize w/250 gals.,
 would not break.
 3-29-65 TD 9100', PBD 9076', WOC on squeeze.
 Ac. 250 gals. 8983-8990'.
 Acid job channelled
 Squeezed perfs 8983-8990' W/75 sx.

4-5-65 TD 9100', PBD 9076', swbg.
Re-Perf @ 8983', 8984', 8985', 8989',
8990' W/1 SPI
Attempted to acidize,
would not break.
Re-Perf @ 8983', 8984', 8985', 8989',
8990' W/1 SPI
Re-Ac. 250 gals.
swbd dry.

4-12-65 TD 9100', PBD 9076', swbg.
Re-Ac. 3000 gals. 8983-8990'
Swbd 28 BLW in 5 hrs & swbd dry
Re-Ac. 15,000 gals. 8983-8990'
Swbd 51 BAW/10 hrs.

4-19-65 TD 9100', PBD 9076', swbg

Swbd all load,
swbd 30 BFW/9 hrs.

4-26-65 TD 9100', PBD 9076', SI.
Swbd 28 BW in 10 hrs.

5-3-65 TD 9100', SI.

5-10-65 TD 9100', SI.

5-17-65 TD 9100', prep to perf Bough "D" Zone.

5-24-65 TD 9100', PBD 9076', prep to P&A.
(Did not perf Bough "D" Zone)

6-1-65 TD 9100', PBD 9076', prep to P&A.

6-7-65 TD 9100', PBD 9076', PLUGGED & ABANDONED.
LOG TOPS: Wolfcamp 8123', Bough "C"
8971', Bough "D" 9026'.

COUNTY CHAVES FIELD Chaveroo STATE NM OWWO
 OPR HUMBLE OIL & REFG. CO. MAP
4 New Mexico State "BW"
 Sec. 16, T-8-S, R-33-E CO-ORD
 1988' FSL, 1997' FEL of Sec.
 Re-Spd 4-18-66 CLASS owf EL [REDACTED]
 Re-Cmp 4-23-66

	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
10 3/4" 391' 375				
7 5/8" 3612' 500				
4 1/2" 9100' 300				
LOGS EL GR RA IND HC A				
	TD 9100', PBD 4488'			

IP San Andres Perfs 4249-4305' Swbd 123 BOPD + 30 BW. Pot. Based on 24 hr test, gravity 22.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH PB 5000' TYPE WO
 DATE

5-16-66 F.R. 4-21-66; OWWO
 PD 5000' - SA
 (Orig. P&A 6-2-65, OTD 9100')
 Elev. 4398' DF, Orig.
 TD 9100', PBD 4488', COMPLETE.
 Set BP @ 4488'
 Perf @ 4249', 4251', 4253', 4255', 4257',
 4259', 4261', 4263', 4265', 4267', 4269',
 4271', 4273', 4275', 4277', 4279', 4281',
 4283', 4285', 4287', 4289', 4291', 4293',
 4295', 4297', 4299', 4301', 4303', 4305'
 W/1 SPI
 Ac (4249-4305') 6000 gals.