

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. <b>E-8253</b>

## SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator <b>Signal Oil and Gas Company</b>	8. Farm or Lease Name <b>State 30</b>
3. Address of Operator <b>509 West Texas Avenue, Midland, Texas</b>	9. Well No. <b>4</b>
4. Location of Well UNIT LETTER <b>E</b> , <b>1880</b> FEET FROM THE <b>North</b> LINE AND <b>560</b> FEET FROM THE <b>West</b> LINE, SECTION <b>30</b> TOWNSHIP <b>8-S</b> RANGE <b>33-E</b> NMPM.	10. Field and Pool, or Wildcat <b>Tobac (Penn.)</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>4399- K. B.</b>	12. County <b>Chaves</b>

## Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

### SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Drilled 6-3/4" hole to 9110'.

April 25, 1965

Ran 46 jts (1510') 11.60#, N-80, LT&C, 8-Rd casing and 239 jts (7613') 11.60#, J-55, LT&C, 8-Rd casing, Cemented @ 9110' with 200 sax Incor with 8% gel, followed with 100 sax Incor Pozmix with 2% gel and 10# salt per sack.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Paul J. Dorris TITLE Production Engineer DATE April 28, 1965

**Paul J. Dorris**

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY: