

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL GAS
PRODUCTION OFFICE	
OPERATOR	

HOBBS OFFICE 0.0.0.

Aug 28 1962 AM 64

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPPLICATE If State Land submit 6 Copies

Sunset International Petroleum Corporation Humble State "A" AREA 640 ACRES
(Company or Operator) (Lease) LOCATE WELL CORRECTLY

Well No. 2, in S W 1/4 of N W 1/4, of Sec. 21, T. 8-S, R. 33-E, NMPM.
Undesignated Penn. Bough "C" Pool, Chaves County.

Well is 1980 feet from North line and 660 feet from West line
of Section 21. If State Land the Oil and Gas Lease No. is E 9089

Drilling Commenced 7-29-64, 1964 Drilling was Completed 8-17-64, 1964

Name of Drilling Contractor Noble Drilling Co.

Address Midland, Texas

Elevation above sea level at Top of Tubing Head 4376 The information given is to be kept confidential until 1964

OIL SANDS OR ZONES

No. 1, from 9002 to 9013 No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.
No. 2, from to feet.
No. 3, from to feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
13 3/8	48	New	417	Texas Pattern		Circulated	Cement
8 5/8	32&24	"	3577	Float Shoe & Collar			
4 1/2	11.6&10.5	"	9060	Float Shoe & Collar			
2 3/8	4.70	"	8964	Packer-Backer R			

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2	13 3/8	417	400	Circulated	14.6	
12 1/2	8 5/8	3577	300	Plug & Pump	14.6	
7 7/8	4 1/2	9060	300	Plug & Pump	14.6	

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforated 4 holes per ft. 9002 to 9013. Acidized with 500 gal. 15% reg. acid.
Displaced acid 1/2 bbl. per min. @ 1000PSI. Increased production from 8 bbls. per
hr. 44 bbls. per hr.

Result of Production Stimulation

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 9060 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 8-25, 19 64
OIL WELL: The production during the first 24 hours was 438 barrels of liquid of which 100 % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity 48.8
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy 1810	T. Devonian	T. Ojo Alamo	
T. Salt	T. Silurian	T. Kirtland-Fruitland	
B. Salt	T. Montoya	T. Farmington	
T. Yates 2360	T. Simpson	T. Pictured Cliffs	
T. 7 Rivers 2473	T. McKee	T. Menefee	
T. Queen 3150	T. Ellenburger	T. Point Lookout	
T. Grayburg	T. Gr. Wash	T. Mancos	
T. San Andres 3542	T. Granite	T. Dakota	
T. Glorieta 4953	T.	T. Morrison	
T. Drinkard 5046	T.	T. Penn	
T. Tubbs 6427	T.	T.	
T. Abo 7310	T.	T.	
T. Wolfcamp 8386	T.	T.	
T. Penn. Bough "C" 8990	T.	T.	
T. Miss	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
1810	2360	550	Rustler Anhy				
2360	2473	113	Seven Rivers				
2473	3150	677	Yates				
3150	3542	392	Queen				
3542	4953	1411	San Andres				
4953	5046	93	Glorietta				
5046	6427	1381	Drinkard				
6427	7310	883	Tubb				
7310	8386	1076	Abo				
8386	8990	604	Wolfcamp				
8990	9016	26	Penn. Bough "C"				
9016	9060	44	T. D.				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

8-26-64
Company or Operator Sunset International Pet. Corp. Address 1205 Pet. Life. Bldg. Midland, Texas (Date)