



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **Las Cruces**
Lease No. **062478**
Unit **Federal "G" Lease**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 7, 1963

Well No. **1** is located **660'** ft. from **S** line and **1980'** ft. from **E** line of sec. **26**
SW/4 of SE/4 of Sec. 26 **13-S** **30-E** **NMPH**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Wildest - Scottwell Area **Chaves** **New Mexico**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **3929'** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 17-1/2" Hole & drilled to 627', set 13-3/8" OD Casing @ 621' & Cemented with 600 Sx. Cement Circulated. Drilled 12-1/4" & 11" Hole to 3013', ran 8-5/8" OD casing set @ 3013' & cemented with 1500 sx., drilled 7-7/8" hole to 11,564' Total Depth, as dry hole.

EXTENSIONS Spot 60 Sx. cement plug in 7-7/8" Open hole from 11,355' to 11,555'

Spot 60 Sx. cement plug in 7-7/8" Open hole from 3425' to 3625'

Spot 30 Sx. cement plug in and out bottom of 8-5/8" casing from 2963' to 3063'

Spot 5 Sx. cement plug in top 8-5/8" OD casing from 0' to 15' & install 4" x 4' dry hole Marker.

Cement Circ. on both 13-3/8" OD & 8-5/8" OD casing. no casing to be pulled.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Amerada Petroleum Corporation**Address **Roswell Star Route****Tatum, New Mexico**

By *W. H. Henderson*
Title **Assistant District Superintendent**