

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

OCT 21 11 32 AM '65

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. 2850
7. Unit Agreement Name
8. Farm or Lease Name Davis-State
9. Well No. 1
10. Field and Pool, or Wildcat Wildcat
12. County Chaves

SUNDY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Dry
2. Name of Operator GREAT WESTERN DRILLING COMPANY
3. Address of Operator
4. Location of Well UNIT LETTER C , 1980 FEET FROM THE West LINE AND 660 FEET FROM THE North LINE, SECTION 36 TOWNSHIP 8-S RANGE 32-E NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 4414 GR

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

This well was drilled and cored to total depth of 9140 feet. No shows of oil or gas were encountered. It is proposed to plug and abandon this well as follows:

25 sack cement at 9040'
25 sack cement at 8290'
* 25 sack cement at 3600' (in bottom of 7-5/8" casing)
Cut 7-5/8" casing at about 1800' and pull
25 sack cement in top of 7-5/8" stub @ ±1800'
** 10 sack cement in top
Remainder of well filled with 9.3# per gallon mud.

* 15 sack cement at 1000' bottom of 7-5/8" casing
** 25 sack cement at 1000' bottom of 7-5/8" casing

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED George R. Hoy TITLE Staff Analyst DATE October 20, 1965
APPROVED BY [Signature] TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY: