
NO. OF COPIES RECEIVED				Form C-103	
DISTRIBUTION		HARRS OFFICE	0.0.0.	Supersedes Old C-102 and C-10.	
SANTA FE	NEW	MEXICO OIL CONSERVATION	COMMISSION	Effective 1-1-65	
FILE		Apr 20 27	22° MG	5a. Indicate Type o	f Lease
U.S.G.S.		NEW CO I ₹4	Lid 88	State 🔻	Fee
LAND OFFICE				5. State Oil & Gas	
OPERATOR				K-257	3
(DO NOT USE THIS FORM	SUNDRY NOTICES AN	ND REPORTS ON WELLS R TO DEEPEN OF PLUG BACK TO A DIF (FORM C-101) FOR SUCH PROPOSALS	FERENT RESERVOIR.		
OIL GAS WELL	OTHER-	·		7. Unit Agreement	Name
Name of Operator	leum Exploratio	n, Inc.		8. Form or Lease N	
Box 1434, Rosw	ell, New Mexico			9. Well No.	
1. Location of Well	1980	North	660	10. Field and Pool Chavez	
UNIT LETTER	FEET FF	ROM THE LINE AND			
THECIN	IE, SECTION	8-S _ TOWNSHIPRANG	33-E	PM.	
	15. Ele	evation (Show whether DF, RT, GF 4416 GR	R, etc.)	12. County Chaves	
16.	Check Appropriate B	ox To Indicate Nature of	Notice, Report or	Other Data	
	E OF INTENTION TO		SUBSEQUE	ENT REPORT OF:	
					<u></u>
F-7			WORK T	ALTERIN	IG CASING
PERFORM REMEDIAL WORK	P	LUG AND ABANDON REMEDIAL	-	ALTERIN Plug an	D ABANDONMENT
TEMPORARILY ABANDON		COMMENCE	E DRILLING OPNS.		-
$\overline{}$		COMMENCE HANGE PLANS CASING TE	-	PLUG AN	-
TEMPORARILY ABANDON		COMMENCE HANGE PLANS CASING TE	ST AND CEMENT JOB	PLUG AN	-
other 17. Describe Proposed or Conwork) SEE RULE 1103,	c apleted Operations (Clearly	HANGE PLANS COMMENCE CASING TE OTHER state all pertinent details, and gi	E DRILLING OPNS. ST AND CEMENT JOB We pertinent dates, include	PLUG AN	D ABANDONMENT
other 17. Describe Proposed or Conwork) SEE RULE 1103. Well was spuctaging cement	ipleted Operations (Clearly ided 6:00 P.M. A ied 200 sacks 50 Plug down 1:30	HANGE PLANS COMMENCE CASING TE OTHER	to pertinent dates, including the pertinent dates, including 357° of 8-5, leium chlorides. Waited 18	Plug And ding estimated date of state of State 1-5	tarting any propose
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Conwork) SEE RULE 1103. Well was spuceasing cement to surface. set. Tested	ided 6:00 P.M. A ced 200 sacks 50 Plug down 1:30 casing w/1000#	commence casing the other state all pertinent details, and give a casing the other state all pertinent details, and give a casing the casing the other casing the other casing the other casing the ca	e DRILLING OPNS. ST AND CEMENT JOB The pertinent dates, including the pertinent dates, including the pertinent dates. The pertinent dates, including the pertinent dates, including the pertinent dates. The pertinent dates including the pertinent dates, including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates include the pertinent dates including the pertinent dates. The pertinent dates include the pertinent dates include the pertinent dates. The pertinent dates include the pertinent dates include the pertinent dates. The pertinent dates include the pertinent dates include the pertinent dates. The pertinent dates include the pertinent dates include the pertinent dates. The pertinent dates include the pertinent dates in pertinent dates in the pertinent dates include the pertinent date	/8", 24#, J-5! e. Cement cir hours for cer	tarting any propose 5, ST&C roulated ment to
TEMPORARILY ABANDON PULL OR ALTER CASING OTHER 17. Describe Proposed or Conwork) SEE RULE 1103. Well was spuceasing dement to surface. set. Tested	ided 6:00 P.M. A ced 200 sacks 50 Plug down 1:30 casing w/1000#	commence casing the other state all pertinent details, and give a casing the other state all pertinent details, and give a casing the casing the other casing the other casing the other casing the ca	e DRILLING OPNS. ST AND CEMENT JOB TO PETTINENT dates, included in 357° of 8-5, leium chlorides. Waited 18 deld O.K.	/8", 24#, J-5! e. Cement cir hours for cer	tarting any propose
PULL OR ALTER CASING OTHER 17. Describe Proposed or Conwork) SEE RULE 1103. Well was sput casing cement to surface. set. Tested	ided 6:00 P.M. A ced 200 sacks 50 Plug down 1:30 casing w/1000#	commence casing the other state all pertinent details, and give a casing the other state all pertinent details, and give a casing the casing the other casing the other casing the other casing the ca	e DRILLING OPNS. ST AND CEMENT JOB The pertinent dates, including the pertinent dates, including the pertinent dates. The pertinent dates, including the pertinent dates, including the pertinent dates. The pertinent dates including the pertinent dates, including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates including the pertinent dates including the pertinent dates. The pertinent dates include the pertinent dates including the pertinent dates. The pertinent dates include the pertinent dates include the pertinent dates. The pertinent dates include the pertinent dates include the pertinent dates. The pertinent dates include the pertinent dates include the pertinent dates. The pertinent dates include the pertinent dates include the pertinent dates. The pertinent dates include the pertinent dates in pertinent dates in the pertinent dates include the pertinent date	/8", 24#, J-5! e. Cement cir hours for cer	tarting any propose 5, ST&C roulated ment to

CONDITIONS OF APPROVAL, IF ANY:







Job separation sheet

			1	
			:	
	,			

FILE U.S.G.S. LAND OFFICE OPERATOR APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK a. Type of Work DRILL DRILL DRILL OTHER SAS WELL OTHER STATE FEE FEE FEE FEE FEE FEE S. State Oil & Gas Leane No. E-2573 7. Unit Agreement Name Bane B. Farm or Lease Name SINGLE ZONE STATE FEE FEE FEE 1. Name of Operator STATE FEE FEE FEE 1. Name of Operator STATE FEE FEE FEE FEE 1. LINE STATE FEE FEE FEE FEE FEE 1. LINE STATE FEE FEE FEE FEE FEE FEE FEE								
Sample S	אסווספואופוט	NEW I	MEXICO OIL CONSER	EVATION COL	MMISSION	. R R		
MAR 28 7 50 M V STATE OF HOLE APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK A Type of Work APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Work APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Type of Work AND DRILL DEEPEN DEEPEN PLUG BACK PLUG BACK PLUG BACK PLUG BACK PLUG BACK THE WORK DEEPEN DE DE	SANTA FE			110882	OFFICE U	!: !: !:		
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK A. Type of Work The Company of Work	FILE	·		M 28	7 1	M 100	_	
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK A Type of Work See 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	U.S.G.S.			MAR (0	1 30	#T ***		-
APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK 1. Type of Wat. 1.	LAND OFFICE							
The of wall with an organic state of wall of the special state of the sp	OPERATOR						THITTH.	THIIIIII
DEPEN DELLE DEEPEN DEEP	ADDLICATIO	ON EOD DEDMIT TO	DRILL DEEPEN	OR PLUG B	ACK	_		
DEFEND DRILL DEFEND DEF		JN TOK TEKMIT TO	DRILL, OLL. 1.17				l	
District State Sta		٦	DEEDEN		PLUG BA	ACK 🗍		
Name of Operations September Septemb	b. Type of Well		-	_		_		
The above space describe information above is true made complete to the best of my knowledge and beller. 2		OTHER		ZONE ZONE				10 3
Address of Operations (Show whicher DF, KT, etc.) Address of Operations (Show whicher DF, KT, etc.) 21A, Kind & States Play, Board 21B, Delling Contentor 20, Rotary or C.T. 21A, Kind & States Play, Board 21B, Delling Contentor 22, Approx. Date 24, Approx. Date 24, Approx. Date 24, Approx. Date 24, Approx. Date 25, Approx. Date 26, Approx. Date 26, Approx. Date 27, Approx. Date 27, Approx. Date 27, Approx. Date 28,			,				-	
The apace of percentage Proposed Programs is tree and complete to the best of my knowledge and bellef. Address of Contraction Proposed Proposed Programs Proposed Percentage Proposed Percent		un Exploration,	Ino.				_	Pool, or Wildcat
Decretion of Well OFFICE STATE		a man tational and						
Signed Line proposed proposed programs if proposed and Ricrolateral grams and complete to the best of my knowledge and bellet. 15. Proposed Depth 15. Formation 15. For		1, New Mexico	1080		Horeth		minis	ımımı
15, Proposed Depth 19A, Francison 20, Rotory or C.T.	. Location of Well UNIT LETT	TER LOC	ATED ATED	EET FROM THE _	2742 CM	LINE		
19, Proposed Depth 19A. Briestico. 20, Rotary or C.T. 19, Proposed Depth 19A. Briestico. 20, Rotary or C.T. 19, Proposed Stand Play, Bond 218, Delling Controctor 20, Rotary or C.T. 19, Proposed Stand Play, Bond 218, Delling Controctor 22, April 5, 1966 23. 1966 24, April 5, 1966 24, April 5, 1966 24, April 5, 1966 24, April 5, 1966 25, 1966 25, 1966 26, 29	660	Vest	T OF SEC	we 8-8	RGE. 33	-E HMPM		
Size of hole 21. Rid & Sidus Play, Boad 218. Ellilling Contractor 22. Approx. Date Work will stort 4700 5an Amires 22. Approx. Date Work will stort 4700 5an Amires 22. Approx. Date Work will stort 4700 5an Amires 22. Approx. Date Work will stort 4700 5an Amires 22. Approx. Date Work will stort 4700 5an Amires 22. Approx. Date Work will stort 4700 5an Amires 22. Approx. Date Work will stort 4700 5an Amires 22. Approx. Date Work will stort 4700 5an Amires	AND FEET FROM		ımınını	HHH	TITT		V	
21. Elevations (Show whether DF, RT, etc.) 21. Elevations are contract to the lateral section of the state of the sta							Cheves	
21. Elevations (Show whether Dr. RT. etc.) 21. A Kind & Status Play, Bond 21B. Drilling Contractor 22. Approx. Date Work will start 23. PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11. Set 12. Set 13.	HHHHHHH	*****						
21. Elevations (Show whether Dr. RT. etc.) 21. A Kind & Status Play, Bond 21B. Drilling Contractor 22. Approx. Date Work will start 23. PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11. Set 12. Set 13.								20 Poters of C.T.
21. Elevations (Now whether DE, RT, etc.) 21. Kind 6 Status Plag. Bond 218. Delilling Contractor 1. Also Card. 22. Approx. Date Work will start 23. PROPOSED CASING AND CEMENT PROGRAM SIZE OF HOLE SIZE OF CASING SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.				- L	epth 19		_	
SIZE OF HOLE SIZE OF HOLE SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11" 124 1350 7-5/8" 10,504 Plan to drill thru pay section, run Gamma-ray Sonic log total depth to surface easing - Laterolog and Ricrolaterolog thru pay section. Set pipe, selectively perferate and break down formation with 2000 gals. acid, free with 25,000 gals. lease erude and 25,000 lbs. sand. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED HEW PROPOSED IN THE TONE, SIVE BLOWNLY PREVENTER PROGRAM, IF ANY. Like Post of the the information above is true and complete to the best of my knowledge and belief. Title Bistrict Land Banager Date March 25, 1966 (This space of State Use)				_	ontratator.			
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11" 5-5/8" 245 350 200 SHEARA 7-5/8" 10,50# 330 3300 3000 Plan to drill thru pay section, run Gamma-ray Sonie log total depth to surface easing - Laterolog and Microlaterolog thru pay section. Set pipe, selectively perferate and break down formation with 2000 gale. acid, free with 25,000 gale. lease crude and 25,000 lbs. and. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED NEW PROPOSED PROGRAM; IF ANY. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROSENT. STATE BLOWDOW'S PROVINCE FOR THE PROPOSED NEW PROPO		F, RT, etc.) 21A. Kind	& Status Plug. Bond	on the	et met	let	April	5, 1966
SIZE OF HOLE SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SACKS OF CEMENT EST. TOP 11" 8-5/3" 7-5/8" 10.50F Plea to drill thru pay section, run Gamma-Pay Somic log total depth to curface easing - Laterolog and Microlaterolog thru pay section. Set pipe, selectively perforate and break down formation with 2000 gale. acid, free with 25,000 gale. lease crude and 25,000 lbs. cand. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, CIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED WITH THE TOWN, IF ANY. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, CIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED WITH EDGE CHILD THAT THE DISTRICT PROPOSED NEW PROPOSED WITH THE PROPOSED WITH THE PROPOSED PROGRAM, IF ANY. Title District Land Manager Date March 25, 1966 (This space for State Use)			- 3000	• • • • • • • • • • • • • • • • • • • •			!	
Size of Hole 11* 12* 10.50* Plan to drill three pay section, run Germa-ray Sonie log total depth to carface easing - laterolog and Hierolaterolog three pay section. Set pipe, selectively perferate and break down formation with 2000 gale. acid, free with 25,000 gale. lease erude and 25,000 lbs. sand. In above space describe proposed program: if proposal is to deepen on pluc back, give data on present productive zone and proposed new province zone, give such acid, if any. It hereby certify that the information above is true and complete to the best of my knowledge and belief. Signed Title Bistrict Land Hamager Date March 25, 1966	23.	P	PROPOSED CASING AN	CEMENT PR	OGRAM			
Plan to drill thru pay section, run Gamma-ray Sonie log total depth to curface ensing - Interolog and Microlaterolog thru pay section. Set pipe, selectively perforate and break down formation with 2000 gale, acid, free with 25,000 gale, lease crude and 25,000 lbs. sand. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED REW P	CIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING	DEPTH	SACKS (F CEMENT	EST. TOP
Plan to drill thru pay section, run Gamma-ray Sonie log total depth to cerface easing - Interclog and Microlatereleg thru pay section. Set pipe, selectively perferate and break down formation with 2000 gale. asid, free with 25,000 gale. lease erade and 25,000 lbs. and. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROPOSED SET IN EACH OF THE ZONE. GIVE BLOWDUT PREVENTER PROGRAM, IF ANY. It hereby certify that the information above is true and complete to the best of my knowledge and belief. Signed		1 3,22 0. 0.10.11						A
Plan to drill three pay section, run Garma-Pay Sonic log total depth to curface easing - Laterolog and Microlaterolog thru pay section. Set pipe, solectively perforate and break down formation with 2000 gale. acid, free with 25,000 gale. lease erude and 25,000 lbs. cand. IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROFITE ZONE, GIVE BLOWOUT PREVENTER PROGRAM, IF ANY. It bereby certify that the information above is true and complete to the best of my knowledge and belief. Signed M. March 25, 1966 (This space for State Use)		2-9/2"	244	3	50 •	2	90	
Pipe, selectively perforate and break down formation with 2000 gale, acid, free with 25,000 gale, lease crude and 25,000 lbs. small. N. ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROFINE ZONE, GIVE BLOWDUT PREVENTER PROGRAM, IF ANY. Thereby certify that the information above is true and complete to the best of my knowledge and belief. Signed M. J. Lieb Bistriet Land Humages Date March 23, 1966	11*							
N ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PROFITE ZONE, GIVE BLOWOUT PREVENTER PROGRAM, IF ANY. Thereby certify that the information above is true and complete to the best of my knowledge and belief. Title Bistrict Land Hanger Date Karch 25, 1966 (This space for State Use)	11* 7-5/8*	4-1/2"	10.50#	450	% '	3	50	3900*
(This space for State Use)	Plan to desirance of	trill thru pay tracing - Latero	10.50#	Gama-raj Laterologic dova for	y Sonic thru	log i	otal dep etien.	th to set la. asid,
2000年 - 1000年 - 1000	Plan to describe in above space describe with	proposed program: IF	10.50# Dection, run leg and Micro rate and break lease crude at	or Pluc BACK,	Sonic thru thru thru Dibs.	log to pay se a with sand.	PRODUCTIVE ZON	th to set la. acid,
マー・アー・アー・アー・アー・アー・アー・アー・アー・アー・アー・アー・アー・サイン 相談 アイカ 樹巻 コー	Plan to describe pipe, self free with	proposed program: IF	10.50# Dection, run leg and Micro rate and break lease crude at	or Pluc BACK,	Sonic thru thru thru Dibs.	log to pay se a with sand.	PRODUCTIVE ZON	th to set la. acid,
	Plan to aurice pipe, and free with	PROPOSED PROGRAM: IF ENTER PROGRAM, IF ANY.	10.50# Dection, run leg and Micro rate and break lease crude at	OR PLUG BACK, knowledge and	Sonic thru thru thru Dibs.	log to pay se a with sand.	PRODUCTIVE ZON	th to set la. acid,

CONDITIONS OF APPROVAL, IF ANY:

.9.0.0 mg - 1 ... 14

MAR 20 7 SO AH 'S

ee a same a same a