Submit 3 Copies To Appropriate District Office	State of New Mexico			Form C-103		
District I 1625 N. French Dr., Hobbs, NM 88240 Energy, Minerals and Natural Resources				Revised March 25, 1999 WELL API NO.		
District II OIL CONCED VATION DIVISION				30-045-10450		
District III 1220 South St. Francis Dr				5. Indicate Type STATE		
1000 Rio Brazos Rd., Aztec, NM 87410 District IV Santa Fe, NM 87505			6. State Oil &			
1220 S. St. Francis Dr., Santa Fe, NM 87505				K-527		
SUNDRY NOTICES AND REPORTS ON WELLS				7. Lease Name	or Unit Agreement Na	me:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH						
PROPOSALS.) 1. Type of Well:						
Oil Well Gas Well Other Injection Well*				KM Chaveroo SA Unit		
2. Name of Operator Puges Production Corp.				8. Well No. 31		
Dugan Production Corp. 3. Address of Operator				9. Pool name or Wildcat		
P. O. Box 420, Farmington, NM 87499-0420				*Chaveroo (San Andres)		
4. Well Location						
Unit Letter B: 660 feet from the North line and 1980 feet from the East line						
Section 2 Township 8 South Range 33 East NMPM Chaves County						
Cection 2	10. Elevation (Show w				, outry	
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data						
				Report of Other		
			REMEDIAL WORK	•	ALTERING CASING	: 🗆
TEMPORARILY ABANDON	CHANGE PLANS		COMMENCE DRIL	LING OPNS.□	PLUG AND	\boxtimes
PULL OR ALTER CASING	MULTIPLE		CASING TEST AN		ABANDONMENT	
PULL OR ALTER CASING []	COMPLETION	L	CEMENT JOB			
OTHER:			OTHER:			
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of						
starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.						
•						
Plugged well as follows:			A	_		
1) Set CIBP @ 4104'. Approv.				ed as to plugging of the Well Bore. under bond is retained until		
2) Contact Change (CH command on Act of Change				wider cond to re	stoin a d	
 spot 25 sx Class "C" cement on top of plug. Spot 25 sx Class "C" cement @ 3048'. Perforate @ 1939', squeeze 45 sx Class "C" cement. Attempt to tag, no plug. 						
5) Squeeze another 45 sx Class "C" cement, tag @ 1772'.						
6) Perforate @ 428', pump 140 sx Class "C" cement to surface inside and outside casing. Tag @ 132' per OCD. Pump 10 sx Class						
"C" cement inside casing to surface. 7) Cut off wellhead and set marker. 11 / 26/02 per hb						
// Cut off Wolffledd and Set Ima		707	Ρ			
hereby certify that the information a	bove is true and complete	to the be	est of my knowledge	and belief.		
SIGNATURE Houk	Bur I	TTLE	Petroleum Enginee	r DATI	E 11/27/2002	
				Telephone No. (
Type or print name Hank Baca This space for State use)				rerephone IVO. (505/525-1021	
	. 1				JAN 1 0 2003	
APPPROVED By Jacy W. W	T. du	ITLE			_DATE	
Conditions of approval, it will know the state of the sta						
WE TILLD RETRESE	MANUALINE II/21AFF MAN	NAGE R				