

COUNTY	CHAVES	FIELD	Wildcat	STATE	NM
OPR	McGRATH & SMITH				MAP
	1 Shell-State "A"				
	Sec. 16, T-8-S, R-31-E				CO-ORD
	660' FNL, 660' FEL of Sec.				MC 10489
	Spd 9-13-66		CLASS	EL	
	Cmp 9-28-66		FORMATION	DATUM	FORMATION DATUM
CSG & SX - TUBING					
8 5/8" 358' 250					
LOGS EL GR RA IND HC A					
			TD 4030'		
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	4100'	TYPE
DATE			

F.R. 7-28-66; Opr's Elev. 4265' KB
PD 4100' - SA

9-1-66 AMEND OPERATOR & LEASE DESIGNATION: Formerly
BROWN, H. L. JR., #1 Shell-State.

9-19-66 Drlg. 3531' anhy & dolo.

9-26-66 TD 4030', prep to P&A.
No cores or tests.
Ran Logs.

10-3-66 TD 4030', PLUGGED & ABANDONED.
LOG TOPS: Yates 1898', San Andres 3083',
Pi Zone 3624'.

100

COUNTY	CHAVES	FIELD	Wildcat	STATE	NM
OPR	McGRATH & SMITH				MAP
	1 Shell-State "A"				
	Sec. 16, T-8-S, R-31-E				CO-ORD
	660' FNL, 660' FEL of Sec.				MC 10489
	CLASS		EL		
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
LOGS	EL	GR	RA	IND	HC A

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH 4100'	TYPE
DATE		

F.R. 7-28-66; Opr's Elev. 4253' GL
PD 4100' - SA
9-1-66 AMEND OPERATOR & LEASE DESIGNATION: Formerly
BROWN, H. L. JR., #1 Shell-State

COUNTY	CHAVES	FIELD	Wildcat	STATE	NM	OWDD
OPR	BROWN, H. L. JR.			MAP		
1 Shell-State						
Sec. 16, T-8-S, R-31-E						
CO-ORD						
660' FNL, 660' FEL of Sec.						
Re-Spd 4-16-67						
CLASS						
OWDD EL 4260'						
Re-Cmp 7-21-67						
		FORMATION	DATUM	FORMATION	DATUM	
CSG & SX . TUBING						
8 5/8"	358'	250				
4 1/2"	4031'	340				
LOGS EL GR RA IND HC A						
		TD 4031'				
PLUGGED & ABANDONED						

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 4030' TYPE DD
DATE

F.R. 4-6-67; OWDD
PD 4030' - SA
(Orig. McGrath & Smith, #1 Shell-State "A",
P&A 9-28-66, OTD 4030')
4-17-67 TD 4030', CO @ 40'.
4-24-67 TD 4030', CO to 930', MIRT
5-1-67 TD 4031', prep Acid.
Deepened 1'
Set 4½" casing @ 4031' W/340 sx.
Perf 3872-82' W/2 SPF
Acid (3872-82') 1000 gals.
Swbd 25 BO, w/show gas, no time (3872-82')
5-8-67 TD 4031', RU Pump.
Acid (3872-82') 3000 gals.
Swbd 113 BF (6% oil) in 9 hrs (3872-82')

CHAVES Wildcat NM
BROWN, H. L. JR., #1 Shell-State

Sec. 16-8S-31-
Page #.

5-15-67 TD 4031', TOP
Pmpd 157 BF (5% oil) in 24 hrs.
5-22-67 TD 4031', TOP
Pmpd 156 BF (5% oil) in 24 hrs. (3872-82')
5-29-67 TD 4031', swbg.
Sqzd perfs 3872-82' w/100 sx.
Notched @ 3876' & 3878'
Acid (3876-78') 3000 gals.
6-5-67 TD 4031', TOP
Pmpd 90 BF (2% oil) in 24 hrs.
6-12-67 TD 4031', TOP
6-19-67 TD 4031', TOP
Pmpd 53 BF (2% oil) in 18 hrs.
6-26-67 TD 4031', TOP
Pmpd 80 BF (2% oil) in 24 hrs.

7-3-67 TD 4031', TOP
Pmpd 80 BF (2% oil) in 24 hrs.
7-10-67 TD 4031', TOP
7-17-67 TD 4031', prep P&A.
7-24-67 TD 4031', prep P&A
7-31-67 TD 4031', PLUGGED & ABANDONED