

COUNTY	CHAVES	FIELD	Wildcat	STATE	NM
OPR	PATOIL CORPORATION				MAP
	1 Federal 31				
	Sec. 31, T-8-S, R-30-E				CO-ORD
	660' FSL, 660' FEL of Sec.				MC 10518
	Spd 8-22-66				
	Cmp 10-11-66				
	CLASS		E		
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
8 5/8" 433' 275					
5 1/2" 3592' 200					
LOGS EL GR RA IND HC A					
	TD 3600'				
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	3800'	TYPE
DATE			

F.R. 8-11-66; Opr's Elev. 4114'
PD 3800' - SA

9-22-66 AMEND REFERENCE NUMBER: Formerly reported as
MC 10500 in error.

8-29-66 TD 3600', WOO.
Ran Logs.
No cores or tests.

9-6-66 TD 3600', PBD 3590', SI, WOO.
Perf @ 3314', 3322', 3326', 3328', 3332',
3336', 3342', 3346', 3349', 3357', 3361',
3363', 3367', 3371' W/1 SPI
Acid (3314-71') 500 gals MA
Acid (3314-71') 2000 gals 15%
Swbd load
Swbd 6 BNO + 36 B Salt Wtr/14 hrs (3314-71')

9-12-66 TD 3600', PBD 3590', SI, WOO.

9-19-66 TD 3600', PBD 3590', SI, WOO.

9-26-66 TD 3600', PBD 3590', prep to P&A.
Swbd 3 BEPH (5% oil, 95% form. wtr) (3314-71')

CHAVES Wildcat NM
PATOIL CORPORATION, #1 Federal 31

Sec. 31-8S-30E
Page #2

10-3-66 TD 3600', PBD 3590', prep to P&A.
66 TD 3600', PBD 3590', PLUGGED & ABANDONED.
LOG TOPS: San Andres 2614', Slaughter
3307'.

COUNTY	CHAVES	FIELD Wildcat	STATE	NM
OPR	PATOIL CORPORATION			MAP
	1 Federal 31			
	Sec. 31, T-8-S, R-30-E			CO-ORD
	660' FSL, 660' FEL of Sec.			MC 10518
	CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING				
LOGS	EL	GR	RA	IND HC A

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	3800'	TYPE
DATE			

F.R. 8-11-66
 PD 3800' - SA
 9-22-66 AMEND REFERENCE NUMBER: Formerly reported as
 MC 10500 in error.