OIL CONSERVATION DIVISION P.O. Box 2088 Santa Fe, New Mexico 87504-2088 SINDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO GRILL OR TO DEFER OR PLUG BACK TO A DIFFERENT RESERVICION. USE "PRUCATION FOR FEMAL" COMMIC-1019 FOR SUCH PROPOSALS. 1. Type of Walt Commic-1019 FOR SUCH PROPOSALS. 1. Type of Walt Commic-1019 FOR SUCH PROPOSALS. 2. Nation of Openior Dugan Production Corp. P.O. Box 420, Farmington, NM 87499 Feel Laws of Walt P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior Dugan Production Corp. 1. Type of Walt P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior Dugan Production Corp. 1. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Femal National Report of Popenior P.O. Box 420, Farmington, NM 87499 Social 2. Tomes of Popenior P.O. Box 420, Farmington, NM 87499 Femal National Report of Popenior P.O. Box 420, Farmington, NM 87499 Femal National Report of Popenior P.O. Box 420, Farmington, NM 87499 Femal National Report of Popenior P.O. Box 420, Farmington, NM 87499 Femal National Report of Popenior P.O. Box 420, Farmington, NM 87499 Femal National Report of Popenior P.O. Box 420, Farmington, NM 87499 Femal National Repor	Submit 3 Copies to Appropriate District Office	State of New M Ener_ Minerals and Natural R	lexico Resources Department	3 NMOCD (Hobbs) Form C-103 1 File Revised 1-1-39 1 Pennant Pet.
FO. Driver DD. Anteria NM METIO STRECTE SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOR. USE "APPLICATION FOR PERMAT" (FORM C. TOI) FOR SUCK PROPOSALS 1. Type of Will: One M. Different RESERVOR. USE "APPLICATION FOR PERMAT" (FORM C. TOI) FOR SUCK PROPOSALS 1. Type of Will: One M. Different RESERVOR. USE "APPLICATION FOR PERMAT" (FORM C. TOI) FOR SUCK PROPOSALS 1. Type of Will: One M. Different RESERVOR. USE "APPLICATION FOR PERMAT" (FORM C. TOI) FOR SUCK PROPOSALS 1. Lake Name or Usin Agreement Name (FORM C. TOI) FOR SUCK PROPOSALS (FOR C. TOI) FOR SUCK P	DISTRICTI	P.O. Box 20)88	i .
SUNDRY NOTICES AND REPORTS ON WELLS SUNDRY NOTICES AND REPORTS ON WELLS OPERATOR OF PROPOSALS TO PRILL ON TO DEEPEN OF PLUG BACK TO A DEFERRENT RESERVOR. USE "APPLICATION FOR PERMIT" (PORM Child) FOR SUCK PROPOSCALS OF PERMIT" (PORM Child) FOR SUCK PROPOSCALS OF PERMIT (PORM CHILD) OF PERMIT (PORM CHI	DISTRICT II P.O. Drawer DD, Artesia, NM 88210	Santa Fe, New Mexico	87504-2088	5. Indicate Type of Lease STATE X FEE
COD NOT USE THIS FORM FOR PROPOSALS TO DRIED AND TO DEFERENT A PLUG BACK TO A TO DEFERENT A PLUG BACK	DISTRICT III 1000 Rio Brazos Rd., Aziec, NM 87410	&		
COD NOT USE THIS FORM FOR PROPOSALS TO DRIED AND TO DEFERENT A PLUG BACK TO A TO DEFERENT A PLUG BACK	CLINDRY NO.	TICES AND REPORTS ON WE	IIS	
1. Type of Well will ones Mater water water will ones Injection Well* L Well No. 113 Nadross of Operator P. O. Box 420, Farmington, NM 87499 Pool same of Wildest P. O. Box 420, Farmington, NM 87499 *Chaveroo (San Andres) Can Andres of Operator P. O. Box 420, Farmington, NM 87499 *Chaveroo (San Andres) Can Andres of Operator P. O. Box 420, Farmington, NM 87499 *Chaveroo (San Andres) Can Andres of Operator P. O. Box 420, Farmington, NM 87499 *Chaveroo (San Andres) Can Andres Can Andr	(DO NOT USE THIS FORM FOR PE	ROPOSALS TO DRILL OR TO DEEPEN ERVOIR. USE "APPLICATION FOR PE	N OR PLUG BACK TO A	
2. Name of Operator Dugan Production Corp. 1.3 Address of Operator P.O. Box 420, Farmington, NM 87499 4. Well Location Unit Letter P: 990 Feet From The South Lise and 990 Feet From The East Lise and South Lise and 990 Feet From The East Lise	OE — 043 —	Wate ones Injec		KM Chaveroo SA Unit
1. Address of Operator P. 0. Box 420, Farmington, NM 87499 Post Brown or Wildest Chavegoo (San Andres)				1
NATIONAL OF PARTINANE **A VALUE of Automatic Committee of Notice of State of the State of State of the S		rp.		
Well Location Unit Letter P : 990 Feet From The South Line and 990 Feet From The East Line and		naton, NM 87499		1
Usit Letter P 990 Foot Proon The South Lise and 990 Foot From The East Line Socion 2 Township 85 Range 33E NNOPM Chaves County 10. Elevation (Show whether DF, RKB, KT, GR, etc.)	4 Well Location			
Socion 2 Township 85 Range 33E NAMEM Chaves Commy 10. Elevation (Show whether DF, RKB, RT, GR, atc.) 11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK	Imit Letter P . 99	O Feet From The South	Line and 990	Feet From The East Line
Towaship	_			01
Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING PEMPORABRILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB OTHER: Mechanical Integrity Test	Section 2	Township 85 R	ange 33E DF, RKB, RT, GR, etc.)	NMPM CITAVES COUNTY
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK		10. Elevating (2000 whether	the branchist and many	<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING PEMPORARRILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT PULL OR ALTER CASING OTHER: Mechanical Integrity Test OTHER: Mechanical Integrity Test 12. Describe Proposed or Completed Operations (Clearly state all pertinent datas), and give pertinent datas, including estimated date of starting any proposed work) SEE RULE 1103. Well No. 113 was pressure tested to 500 psi for 30 minutes in compliance with OCD guidelines and witnessed by Mr. Billy Prichard, NMOCD. The original pressure chart is with OCD representative. Tested ok. The well is equipped with plastic coated tubing and tension packer set @ 4,153'. 11 is Approval of Tabaparary 9/2-6/2005 11 borday contry that the information goods is true and complete to the boot of my boomfodge and belief. Signature	Charle	Appropriate Rox to Indicate	Nature of Notice, Re	eport, or Other Data
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT OF COMMENCE DRI			SUB	SEQUENT REPORT OF:
TEMPORARLE Y ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDONMENT CASING TEST AND CEMENT JOB OTHER: CASING TEST AND CEMENT JOB OTHER: Mechanical Integrity Test OTHER: Mechanical Inte	NOTICE OF IN			
CASING TEST AND CEMENT JOB OTHER: OTHER: Mechanical Integrity Test 12. Describe Proposed or Compided Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. Well No. 113 was pressure tested to 500 psi for 30 minutes in compliance with OCD guidelines and witnessed by Mr. Billy Prichard, NMOCD. The original pressure chart is with OCD representative. Tested ok. The well is equipped with plastic coated tubing and tension packer set @ 4,153'. This Approval of Tamporary 9/26/2005 The detail information give is true and compide to the best of my browledge and belief. Signature Time Engineer Date 9/13/00 Time Fingineer Date 9/13/00 The space for State Use) Time Fingineer Date 9/13/00 TIME TIME Fingineer Date 9/13/00 TIME DATE 1020	PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	
CASING TEST AND CEMENT JOB OTHER: Mechanical Integrity Test 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. Well No. 113 was pressure tested to 500 psi for 30 minutes in compliance with OCD guidelines and witnessed by Mr. Billy Prichard, NMOCD. The original pressure chart is with OCD representative. Tested ok. The well is equipped with plastic coated tubing and tension packer set @ 4,153'. This Approval of	EMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLING	OPNS. PLUG AND ABANDONMENT
OTHER: Mechanical Integrity Test 12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. Well No. 113 was pressure tested to 500 psi for 30 minutes in compliance with OCD guidelines and witnessed by Mr. Billy Prichard, NMOCD. The original pressure chart is with OCD representative. Tested ok. The well is equipped with plastic coated tubing and tension packer set @ 4,153'. This Approval of Tamporary 9/26/2005 Iborby certify that the information powe is true and complete to the best of my browledge and belief. SIGNATURE TITLE Engineer DATE 9/13/00 THE PRICHARD NO. (505)325-			1	
12. Describe Proposed or Completed Operations (Clearly state all perinent datals, and give perinent dates, including estimated date of starting any proposed work) SEE RULE 1103. Well No. 113 was pressure tested to 500 psi for 30 minutes in compliance with OCD guidelines and witnessed by Mr. Billy Prichard, NMOCD. The original pressure chart is with OCD representative. Tested ok. The well is equipped with plastic coated tubing and tension packer set @ 4,153'. This Approval of Jamporery 9/26/2005 Ibordry certify that the information good is true and complete to the best of my browledge and belief. SIGNATURE TITLE Engineer DATE 9/13/00 THE PRICHE NO. (505) 325-			CASING TEST AND CE	MENT JOB
Well No. 113 was pressure tested to 500 psi for 30 minutes in compliance with OCD guidelines and witnessed by Mr. Billy Prichard, NMOCD. The original pressure chart is with OCD representative. Tested ok. The well is equipped with plastic coated tubing and tension packer set @ 4,153'. This Approval of Temporary 9/26/2005 Thereby certify that the information gives in true and complete to the best of my throwledge and belief. SIGNATURE TITLE Engineer DATE 9/13/00 TELEPHONE NO. (505) 325- TITLE TITLE TITLE DATE THE DATE DATE	PULL OR ALTER CASING			_
Thereby certify that the information gove is true and complete to the best of my knowledge and belief. SIGNATURE THE Engineer DATE 9/13/00 TYPE OR FRONT HAME TERRY KOChis TITLE Engineer DATE 9/13/00 THE DATE DATE DATE DATE DATE	OTHER:	(C)	OTHER: Mechanic	cal Integrity Test
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE	DTHER:	s pressure tested to 500 and witnessed by Mr. Bi	OTHER: Mechanic and give periment dates, include O psi for 30 minute Tly Prichard, NM	ting estimated date of starting any proposed utes in compliance with
Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Engineer THE PHONE NO. (505)325- (This space for State Use) TITLE TITLE TITLE TITLE TITLE DATE DATE DATE	DTHER: 12 Describe Proposed or Completed Oper work) SEE RULE 1103. Well No. 113 was OCD guidelines a pressure chart. The well is equi	s pressure tested to 500 and witnessed by Mr. Bi is with OCD representat	OTHER: Mechanic ond give periment dates, include on psi for 30 minute lly Prichard, NMi ive. Tested ok.	ting estimated date of starting any proposed utes in compliance with OCD. The original
Thereby certify that the information above is true and complete to the best of my knowledge and belief. SIGNATURE TITLE Engineer THE PHONE NO. (505)325- (This space for State Use) TITLE TITLE DATE 9/13/00 THELEPHONE NO. (505)325- TITLE DATE	DTHER: 12 Describe Proposed or Completed Oper work) SEE RULE 1103. Well No. 113 was OCD guidelines a pressure chart. The well is equi	s pressure tested to 500 and witnessed by Mr. Bi is with OCD representat ipped with plastic coat	OTHER: Mechanic ond give periment dates, include on psi for 30 minute lly Prichard, NMI ive. Tested ok. ed tubing and te	ting estimated date of starting any proposed utes in compliance with OCD. The original nsion packer set @
SIGNATURE FRONT NAME Terry Kochis TELEPHONE NO. (505) 325- (This space for State Use) APPROVED BY. TITLE Engineer DATE 9/13/00 TELEPHONE NO. (505) 325- TITLE DATE	DTHER: 12 Describe Proposed or Completed Oper work) SEE RULE 1103. Well No. 113 was OCD guidelines a pressure chart. The well is equi	s pressure tested to 500 and witnessed by Mr. Bi is with OCD representat ipped with plastic coat	OTHER: Mechanic ond give periment dates, include on psi for 30 minute lly Prichard, NMI ive. Tested ok. ed tubing and te	ting estimated date of starting any proposed utes in compliance with OCD. The original nsion packer set @
SIGNATURE FRONT NAME Terry Kochis TELEPHONE NO. (505) 325- (This space for State Use) APPROVED BY. TITLE Engineer DATE 9/13/00 TELEPHONE NO. (505) 325- TITLE DATE	DTHER:	s pressure tested to 500 and witnessed by Mr. Bi is with OCD representat ipped with plastic coate This Apple	OTHER: Mechanic of give perinent dates, include of psi for 30 minute lly Prichard, NMI ive. Tested ok. ed tubing and tele roval of Jappore	Ling estimated date of starting any proposed utes in compliance with OCD. The original nsion packer set @
TYPE OR FRENT NAME Terry Kochis Telephone No. (505)325- (This space for State Use) APPROVED BY TITLE DATE	DTHER:	s pressure tested to 500 and witnessed by Mr. Bi is with OCD representat ipped with plastic coate This Apple	OTHER: Mechanic of give perinent dates, include of psi for 30 minute lly Prichard, NMI ive. Tested ok. ed tubing and tele roval of Jappore	Ling estimated date of starting any proposed utes in compliance with OCD. The original usion packer set 0
APPROVED BY TITLE	DTHER: 12 Describe Proposed or Completed Oper work) SEE RULE 1103. Well No. 113 was OCD guidelines a pressure chart The well is equidantly 4,153'.	s pressure tested to 500 and witnessed by Mr. Bi is with OCD representationed with plastic coated and the second complete to the best of my knowledge and the second complete to the	OTHER: Mechanic of give perinent dates, include of psi for 30 minute lly Prichard, NMI ive. Tested ok. ed tubing and test roval of Tempora ent Expires	Ling estimated date of starting any proposed utes in compliance with DCD. The original usion packer set 0
APPROVED BY TITLE	DTHER: 12 Describe Proposed or Completed Oper work) SEE RULE 1103. Well No. 113 was OCD guidelines a pressure chart. The well is equidently that the information shows is the SIGNATURE.	s pressure tested to 500 and witnessed by Mr. Bi is with OCD representation in the plastic coat. Pris Apple Area complete to the best of my knowledge and the coat.	OTHER: Mechanic of give perinent dates, include of psi for 30 minute lly Prichard, NMI ive. Tested ok. ed tubing and test roval of Tempora ent Expires	Ling estimated date of starting any proposed utes in compliance with OCD. The original usion packer set @ $\frac{9}{26/2005}$ DATE $\frac{9}{13/00}$
ATROYED BY	DTHER: 12 Describe Proposed or Completed Oper work) SEE RULE 1103. Well No. 113 was OCD guidelines a pressure chart. The well is equidely that the information shows is the SIGNATURE.	s pressure tested to 500 and witnessed by Mr. Bi is with OCD representation in the plastic coat. Pris Apple Area complete to the best of my knowledge and the coat.	OTHER: Mechanic of give periment dates, include of psi for 30 minular lly Prichard, NMI ive. Tested ok. ed tubing and ter roval of Tampora ont Expires Ibdid. Engineer	ting estimated date of starting any proposed utes in compliance with OCD. The original nsion packer set @ PATE 9/13/00 TELEPHONE NO. (505) 325-
CONDITIONS OF AFFROVAL IF ANT:	DTHER: 12 Describe Proposed or Completed Oper work) SEE RULE 1103. Well No. 113 was OCD guidelines a pressure chart. The well is equidely that the information shows is the SIGNATURE.	s pressure tested to 50% and witnessed by Mr. Bis is with OCD representation in the plastic coate of the plastic c	OTHER: Mechanic of give periment dates, include of psi for 30 minus lly Prichard, NMI ive. Tested ok. ed tubing and test roval of Jampors ent Expires Ibdid. Engineer	ing estimated date of starting any proposed utes in compliance with OCD. The original nsion packer set @ PATE 9/13/00 TELEPHONE NO. (505) 325-
	DTHER: 12 Describe Proposed or Completed Oper work) SEE RULE 1103. Well No. 113 was OCD guidelines a pressure chart. The well is equidely that the information shows is the signature. Thereby certify that the information shows is the signature. TYPE OR FRINT NAME. TYPE OR FRINT NAME.	s pressure tested to 50% and witnessed by Mr. Bis is with OCD representation in the plastic coate of the plastic c	OTHER: Mechanic of give periment dates, include of psi for 30 minus lly Prichard, NMI ive. Tested ok. ed tubing and test roval of Jampors ent Expires Ibdid. Engineer	ing estimated date of starting any proposed utes in compliance with OCD. The original nsion packer set @ PATE 9/13/00 TELEPHONE NO. (505) 325-



