

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

NEW MEXICO OIL CONSERVATION COMMISSION

JUL 21 11 47 AM '67

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. K-3259
7. Unit Agreement Name
8. Farm or Lease Name New Mexico "J" State
9. Well No. 1
10. Field and Pool, or Wildcat Und. Cato - San Andres
12. County Chaves

SUNDRY NOTICES AND REPORTS ON WELLS <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT --" (FORM C-101) FOR SUCH PROPOSALS.)</small>	
1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>	2. Name of Operator Sun Oil Company
3. Address of Operator P. O. Box 2792, Odessa, Texas 79760	4. Location of Well UNIT LETTER K 1980 FEET FROM THE West LINE AND 1980 FEET FROM THE South LINE, SECTION 36 TOWNSHIP 7 S RANGE 30 E NMPM.
15. Elevation (Show whether DF, RT, GR, etc.) 4201' Gr.	16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 3730 - 7/16/67

On 7-17-67 Schlumberger ran Gamma Ray 0 - 3709, Caliper-density log 287-3725, Laterolog 2700-3719, Microlog - 2700-3722. On 7-18-67 ran 87 jts. 4 1/2" OD, 9.5# casing, seated at 3730. Cemented with 280 sks Trinity Lite Wate, w/7.5#/sk salt, 1/4#/sk Flocele, 0.5% CFR-2. WOC 24 hours. Tom Hansen ran temperature survey 0 - 3689'. Top of cement 2498'. Tested 4 1/2" casing 2000#, 30 minutes, o.k.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>J. E. Edison</u>	TITLE <u>Area Superintendent</u>	DATE <u>7-20-67</u>
APPROVED BY <u>J. E. Edison</u>	TITLE <u></u>	DATE <u></u>
CONDITIONS OF APPROVAL, IF ANY:		