

UNITED STATES DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

**SUBMIT IN DUPLICATE**

(See other instructions on reverse side)

Form approved.  
Budget Bureau No. 42-R355.5.

## WELL COMPLETION OR RECOMPLETION REPORT AND LOG\*

|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     |                                                           |                          |                                                                                       |                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|----------------------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------------------------------------------|--------------------------|---------------------------------------------------------------------------------------|------------------------------|
| <b>1a. TYPE OF WELL:</b><br>OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> Other <input type="checkbox"/>                                                                                               |                             |                                                                                                                |                                     |                                                           |                          | <b>7. UNIT AGREEMENT NAME</b>                                                         |                              |
| <b>b. TYPE OF COMPLETION:</b><br>NEW WELL <input checked="" type="checkbox"/> WORK OVER <input type="checkbox"/> DEEP-EN <input type="checkbox"/> PLUG BACK <input type="checkbox"/> DIFF. RESVR. <input type="checkbox"/> Other <input type="checkbox"/>            |                             |                                                                                                                |                                     |                                                           |                          | <b>8. FARM OR LEASE NAME</b><br>New Mexico "X" Federal                                |                              |
| <b>2. NAME OF OPERATOR</b><br>Sunray DX Oil Company                                                                                                                                                                                                                  |                             |                                                                                                                |                                     |                                                           |                          | <b>9. WELL NO.</b><br>4                                                               |                              |
| <b>3. ADDRESS OF OPERATOR</b><br>P. O. Box 1416 - Roswell, New Mexico                                                                                                                                                                                                |                             |                                                                                                                |                                     |                                                           |                          | <b>10. FIELD AND POOL, OR WILDCAT</b><br>Chaveroo                                     |                              |
| <b>4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*</b><br>At surface 1980 FSL & 660 FWL of Section 11, T-8-S, R-33-E<br><br>At top prod. interval reported below<br><br>At total depth<br>See Deviation Report Attached |                             |                                                                                                                |                                     |                                                           |                          | <b>11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA</b><br><br>Sec 11, T-8-S, R-33-E |                              |
| <b>14. PERMIT NO.</b>                                                                                                                                                                                                                                                |                             |                                                                                                                |                                     | <b>DATE ISSUED</b>                                        |                          | <b>12. COUNTY OR PARISH</b><br>Chaves                                                 |                              |
| <b>15. DATE SPUNDED</b><br>7-27-67                                                                                                                                                                                                                                   |                             |                                                                                                                |                                     | <b>16. DATE T.D. REACHED</b><br>8-2-67                    |                          | <b>13. STATE</b><br>New Mexico                                                        |                              |
| <b>17. DATE COMPL. (Ready to prod.)</b><br>9-2-67                                                                                                                                                                                                                    |                             |                                                                                                                |                                     | <b>18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*</b><br>4379 GR |                          | <b>19. ELEV. CASINGHEAD</b><br>4379 (Est)                                             |                              |
| <b>20. TOTAL DEPTH, MD &amp; TVD</b><br>4450                                                                                                                                                                                                                         |                             | <b>21. PLUG, BACK T.D., MD &amp; TVD</b><br>4428                                                               |                                     | <b>22. IF MULTIPLE COMPL., HOW MANY*</b>                  |                          | <b>23. INTERVALS DRILLED BY</b><br>ROTARY TOOLS 0-4450<br>CABLE TOOLS                 |                              |
| <b>24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*</b><br>4431 - 4349                                                                                                                                                                  |                             |                                                                                                                |                                     |                                                           |                          | <b>25. WAS DIRECTIONAL SURVEY MADE</b><br>No                                          |                              |
| <b>26. TYPE ELECTRIC AND OTHER LOGS RUN</b><br>Schlumberger - GR Density, Laterolog, Microlaterolog                                                                                                                                                                  |                             |                                                                                                                |                                     |                                                           |                          | <b>27. WAS WELL CORED</b><br>No                                                       |                              |
| <b>28. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                            |                             |                                                                                                                |                                     |                                                           |                          |                                                                                       |                              |
| CASING SIZE                                                                                                                                                                                                                                                          |                             | WEIGHT, LB./FT.                                                                                                |                                     | DEPTH SET (MD)                                            |                          | HOLE SIZE                                                                             |                              |
| 8-5/8                                                                                                                                                                                                                                                                |                             | 20                                                                                                             |                                     | 364                                                       |                          | 12-1/4                                                                                |                              |
| 4-1/2                                                                                                                                                                                                                                                                |                             | 9.5                                                                                                            |                                     | 4450                                                      |                          | 7-7/8                                                                                 |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     | CEMENTING RECORD                                          |                          |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     | 200 xxs (Circulated)                                      |                          |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     | 200 xxs (TOC - 3710')                                     |                          |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     |                                                           |                          |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     |                                                           |                          |                                                                                       |                              |
| <b>29. LINER RECORD</b>                                                                                                                                                                                                                                              |                             |                                                                                                                |                                     |                                                           |                          |                                                                                       |                              |
| SIZE                                                                                                                                                                                                                                                                 | TOP (MD)                    | BOTTOM (MD)                                                                                                    | SACKS CEMENT*                       | SCREEN (MD)                                               | <b>30. TUBING RECORD</b> |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     |                                                           | SIZE                     | DEPTH SET (MD)                                                                        | PACKER SET (MD)              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     |                                                           | 2-3/8                    | 4347                                                                                  | -                            |
| <b>31. PERFORATION RECORD (Interval, size and number)</b>                                                                                                                                                                                                            |                             |                                                                                                                |                                     | <b>32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.</b>     |                          |                                                                                       |                              |
| 1 1/2" bullet @ 4422, 4418, 4411, 4405                                                                                                                                                                                                                               |                             |                                                                                                                |                                     | DEPTH INTERVAL (MD)                                       |                          |                                                                                       |                              |
| 1 1/2" bullet @ 4349, 4339, 4335, 4331                                                                                                                                                                                                                               |                             |                                                                                                                |                                     | AMOUNT AND KIND OF MATERIAL USED                          |                          |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     | 4405-4422 1000 Gal XFW Acid                               |                          |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     | 4405-4422 Squeeze - 160 xxs w/1# Gilsomite                |                          |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     | 4331-4349 1000 Gal XFW Acid                               |                          |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     | 4331-4349 20,000 Gal Ref. Oil & 30,000# ad                |                          |                                                                                       |                              |
| <b>33.* PRODUCTION</b>                                                                                                                                                                                                                                               |                             |                                                                                                                |                                     |                                                           |                          |                                                                                       |                              |
| <b>DATE FIRST PRODUCTION</b><br>9-2-67                                                                                                                                                                                                                               |                             | <b>PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)</b><br>Pumping - 1-1/4" - 44" - 12 SPM |                                     |                                                           |                          | <b>WELL STATUS (Producing or shut-in)</b><br>Prod.                                    |                              |
| <b>DATE OF TEST</b><br>9-2-67                                                                                                                                                                                                                                        | <b>HOURS TESTED</b><br>24   | <b>CHOKE SIZE</b><br>-                                                                                         | <b>PROD'N. FOR TEST PERIOD</b><br>→ | <b>OIL—BBL.</b><br>14                                     | <b>GAS—MCF.</b><br>17.4  | <b>WATER—BBL.</b><br>61                                                               | <b>GAS-OIL RATIO</b><br>1240 |
| <b>FLOW. TUBING PRESS.</b><br>-                                                                                                                                                                                                                                      | <b>CASING PRESSURE</b><br>- | <b>CALCULATED 24-HOUR RATE</b><br>→                                                                            | <b>OIL—BBL.</b><br>14               | <b>GAS—MCF.</b><br>17.4                                   | <b>WATER—BBL.</b><br>61  | <b>OIL GRAVITY-API (CORR.)</b><br>25.0                                                |                              |
| <b>34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)</b><br>Vented                                                                                                                                                                                          |                             |                                                                                                                |                                     |                                                           |                          |                                                                                       |                              |
| <b>35. LIST OF ATTACHMENTS</b><br>Open hole logs and Deviation Record                                                                                                                                                                                                |                             |                                                                                                                |                                     |                                                           |                          |                                                                                       |                              |
| <b>36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records</b>                                                                                                                             |                             |                                                                                                                |                                     |                                                           |                          |                                                                                       |                              |
| <b>SIGNED</b> C. T. McClanahan                                                                                                                                                                                                                                       |                             |                                                                                                                |                                     | <b>TITLE</b> District Manager                             |                          |                                                                                       |                              |
|                                                                                                                                                                                                                                                                      |                             |                                                                                                                |                                     | <b>DATE</b> 9-6-67                                        |                          |                                                                                       |                              |

**\*(See Instructions and Spaces for Additional Data on Reverse Side)**

# INSTRUCTIONS

**General:** This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

**Item 4:** If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

**Item 18:** Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22 and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

**Item 29: "Sacks Cement":** Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

**Item 33:** Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

| 37. SUMMARY OF POROUS ZONES:<br>SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING<br>DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES |      |        | 38. GEOLOGIC MARKERS        |      |             |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--------|-----------------------------|------|-------------|------------------|
| FORMATION                                                                                                                                                                                                                                             | TOP  | BOTTOM | DESCRIPTION, CONTENTS, ETC. | NAME | MEAS. DEPTH | TRUE VERT. DEPTH |
| Rad Bed                                                                                                                                                                                                                                               | 0    | 350    |                             |      |             |                  |
| Anhy, Salt                                                                                                                                                                                                                                            | 350  | 2550   |                             |      |             |                  |
| Anhy                                                                                                                                                                                                                                                  | 2550 | 3353   |                             |      |             |                  |
| Dolo                                                                                                                                                                                                                                                  | 3353 | 4175   |                             |      |             |                  |
| Anhy Dolo                                                                                                                                                                                                                                             | 4175 | 4450   |                             |      |             |                  |

In compliance with Rule 111 New Mexico Oil Conservation Commission Rules and Regulations, the following are the deviation tests for the Sunray DX Oil Company's

New Mexico "X" Federal No. 4

| Degrees      | Depth            |
|--------------|------------------|
| <u>3/4</u>   | <u>364</u>       |
| <u>1</u>     | <u>814</u>       |
| <u>1</u>     | <u>1264</u>      |
| <u>3/4</u>   | <u>1714</u>      |
| <u>3/4</u>   | <u>1940</u>      |
| <u>1</u>     | <u>2390</u>      |
| <u>2</u>     | <u>3132</u>      |
| <u>3/4</u>   | <u>3567</u>      |
| <u>1 1/4</u> | <u>3927</u>      |
| <u>3/4</u>   | <u>4148</u>      |
| <u>3/4</u>   | <u>4347</u>      |
| <u>1</u>     | <u>4450 (TD)</u> |
| <u> </u>     | <u> </u>         |
| <u> </u>     | <u> </u>         |
| <u> </u>     | <u> </u>         |

I, C. T. McClanahan being first duly sworn on oath state that I have knowledge of the facts and matter set forth and that the same are true and correct.

C. T. McClanahan  
(SIGNATURE)

Subscribed and sworn to before me this 6 day of September, 1967.

Notary Public in and for Chaves  
County, New Mexico