

NMOCC - ARTESIA
NMOCC - HOBBS
BLM - SANTA FEUNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

5. LEASE DESIGNATION AND SERIAL NO.

NM-0155254-A

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

Amco Federal

9. WELL NO.

4

10. FIELD AND POOL, OR WILDCAT

Cato (San Andres)

11. SEC., T., R., M., OR BLOCK AND SURVEY

OR AREA
Section 33, T-8-S, R-30-E,
Chaves County, New Mexico
NMPM Survey

12. COUNTY OR

PARISH

Chaves

13. STATE

New Mexico

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____

2. NAME OF OPERATOR

Shell Oil Company (Western Division)

3. ADDRESS OF OPERATOR

P.O. Box 1509, Midland, Texas 79701

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1980' FNL and 1980' FEL, Section 33, T-8-S, R-30-E,
Chaves County, NMPM Survey, New Mexico

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

10-28-67

16. DATE T.D. REACHED

11-2-67

17. DATE COMPL. (Ready to prod.)

11-5-67

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

4165' DF

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

3630'

21. PLUG. BACK T.D., MD & TVD

3596'

22. IF MULTIPLE COMPL.,
HOW MANY*

1

23. INTERVALS
DRILLED BY

ROTARY TOOLS

0-3630'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

3457' - 3511' San Andres

25. WAS DIRECTIONAL
SURVEY MADE

Yes

26. TYPE ELECTRIC AND OTHER LOGS RUN

GR/CCL GR/N Acoustics

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	270'	12 1/4"	200 sacks	
4 1/2"	10.5#	3629'	7 7/8"	400 sacks	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8"	3370'	3370'

31. PERFORATION RECORD (Interval, size and number)

1 1/2" jet shot
3457', 3461', 3466', 3471', 3479', 3481',
3485', 3488', 3490', 3505', 3508', 3511'.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT OF ACID OR OTHER MATERIAL USED

U. S. GEOLOGICAL SURVEY
ROSWELL, NEW MEXICO

33. PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
11-5-67		Flowing				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
11-6-67	9	18/64"	→	147	59	1	400
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
210		→	392	157	1	27.0	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Vented

TEST WITNESSED BY

H. G. Starling

35. LIST OF ATTACHMENTS

Deviation record logs.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

Original Signed By

SIGNED J. D. DUREN J.D. Duren

TITLE Staff Petrophysical Engineer

DATE 11/9/67

*(See Instructions and Spaces for Additional Data on Reverse Side)

ACCEPTED FOR RECORD

J. W. Smith 1

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Stacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

37. SUMMARY OF POROUS ZONES: SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES				38. GEOLOGIC MARKERS		
FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
San Andres	3450'	3520'	Oil bearing	Basin Red Beds	1047'	+3119'
San Andres	3530'	3580'	Oil & water bearing	Yates	1570'	+2596'
				San Andres	2737'	+1429'
				Slaughter "A"	3441'	+ 725
				Slaughter "BC"	3526'	+ 640

NEW MEXICO OIL CONSERVATION COMMISSION

OPERATOR SHELL OIL COMPANY ADDRESS P.O. BOX 1507, MIDLAND, TEXAS 79701
 (WESTERN DIVISION)
 FIELD Cato (San Andres) LEASE Amco Federal WELL NO. 4
 LOCATION 1960' FHL & 1960' FHL, Section 33, T-4-S, R-30-E, Chavez County, New Mexico

DEVIATION RECORD

275'	3/4°
764'	1-1/4°
1299'	1-1/4°
1798'	1°
3163'	1-1/2°
3620'	1-3/4°
3800'	1-1/2°
3933'	1-1/2°
3448'	1/2°
3630'	1-1/4°

Certification of personal knowledge of Deviation Record:

I hereby certify that I have personal knowledge of the data and facts placed on this form, and that such information is true and complete.

For KW Jorgensen S.B. Deal
 Signature
 Shell Oil Company (Western Division)
 Company

STATE OF TEXAS
 COUNTY OF MIDLAND

S.B. Deal Before me, the undersigned authority, on this day personally appeared _____, known to me to be the person whose name is subscribed hereto, who, after being duly sworn, on oath states that he is acting at the direction and on behalf of the operator of the well identified in this instrument and that such well was not intentionally deviated from the vertical.

For KW Jorgensen S.B. Deal
 Signature
 Division Drilling Supt.
 Title

Sworn and Subscribed to before me, this the 5th day of November, 19 67

David L. Jorgensen
 Notary Public in and for Midland County