

Form 9-331 C
(May 1966)
NM300 - R300A
NM300 - R300B
BLM - SANTA FE



UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE
(Other instructions
reverse side)

Form approved.
Budget Bureau No. 42-R1425.

APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK

1a. TYPE OF WORK
DRILL ☒ DEEPEN ☐ PLUG BACK ☐

b. TYPE OF WELL
OIL WELL ☒ GAS WELL ☐ OTHER ☐
SINGLE ZONE ☒ MULTIPLE ZONE ☐

2. NAME OF OPERATOR
SUN OIL COMPANY

3. ADDRESS OF OPERATOR
P. O. Box 2880, Dallas, Texas 75221

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*)
At surface
1980' FNL & 660' FEL of Sec. 29, T8S-R30E
At proposed prod. zone

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*
Approximately 10 miles Southeast of Boaz

15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drlg. unit line, if any) 656.5'

16. NO. OF ACRES IN LEASE
280.84**

17. NO. OF ACRES ASSIGNED
TO THIS WELL 40

18. DISTANCE FROM PROPOSED LOCATION*
TO NEAREST WELL, DRILLING, COMPLETED,
OR APPLIED FOR, ON THIS LEASE, FT. 1320.0'

19. PROPOSED DEPTH
3700'

20. ROTARY OR CABLE TOOLS
Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)
4122' GR

22. APPROX. DATE WORK WILL START*
When Approved

23. PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
12-1/4	8-5/8	20#	300'	200 Sks
7-7/8	4-1/2	9.5#	3700'	300 Sks

From 300' to Total Depth, the hole will be drilled using Series 600 (2000 psi test) blowout prevention equipment.

A Series 600 wellhead will be used if well is successfully completed.

**160.67 acres in Sec. 28, T8S-R30E being NW/4 of Sec. 28.
120.17 acres in Sec. 29, T8S-R30E being E/2 and SW/4 of NE/4 of Sec. 29.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. F. A. Lawrence
SIGNED _____ TITLE Asst. Division Supt. DATE Nov. 17, 1967

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

44
Ronnie E. Shook
ACTING DISTRICT ENGINEER
*See Instructions On Reverse Side

Instructions

General: This form is designed for submitting proposals to perform certain well operations, as indicated, on all types of lands and leases for appropriate action by either a Federal or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

Item 1: If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable State or Federal regulations concerning subsequent work proposals or reports on the well.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 14: Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on this reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal or State agency offices.

Items 15 and 18: If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective production zone.

Item 22: Consult applicable Federal or State regulations, or appropriate officials, concerning approval of the proposal before operations are started.

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102
Supersedes C-128
Effective 1-1-65

All distances must be from the outer boundaries of the Section.

Operator Sun Oil Company			Lease Woodman-Federal 7		Well No. 3
Tract Letter H	Section 29	Township 8S	Range 30E	County Chaves	

Actual Footage Location of Well:

1980 feet from the **North** line and **660** feet from the **East** line

Ground Level Elev. 4122'	Producing Formation Milnesand	Pool San Andres	Dedicated Acreage: 40 Acres
------------------------------------	---	---------------------------	---------------------------------------

1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.

CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.

F. A. Lawrence

None

F. A. Lawrence

Position
Asst. Division Supt.

Company
Sun Oil Company

Date
November 17, 1967

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed
11-16-67

Registered Professional Engineer and/or Land Surveyor
Robert J. Howell

Certificate No.
LS 3050

589° 56' 2". E. 2649.6'

5890 58'E Crosby 5298.6'

Federal. Hodges

N0° 56' E - 5274.3'

00

N1° 04' E

Singclair

Sincerely,

50° 58' W. 5287.7'

27

5inclair

Bell State

I, Robert L. Howell, Registered Public Surveyor, certify that this plat is accurately drawn to scale and correctly reflects all pertinent, and required data to the best of my knowledge and belief.

N89° 48 1/2° W. 5307.7' Shell

Shell

Shel

Packer. Federal

Federal-Hodges "B"

Winkler. Federal

Conley - Federal

Federal-Hodges "A"

4

5

2

۷۷

●

34.

Adrian Davis

OUT OF SECS 28 & 29-T8S-R30E
CHAVES COUNTY, NEW MEXICO
SCALE: 1"=1000' 10-30-67

Revised: 11.7.67, 11.17.67