

OWWO

COUNTY	CHAVES	FIELD	Cato	STATE	NM 30-005-20199
OPR	SINCLAIR OIL & GAS CO.			MAP	
	14 Winkler-Federal				
	Sec. 29, T-8-S, R-30-E			CO-ORD	
	1980' FSL, 1980' FWL of Sec.				
	Re-Spd 7-14-68		CLASS	OWOF	EL [REDACTED]
	Re-Cmp 7-20-68		FORMATION	DATUM	FORMATION DATUM
CSG & SX - TUBING					
	8 5/8"	285'	200		
	4 1/2"	4000'	400		
LOGS EL GR RA IND HC A					
			TD 4000'		
TEMPORARILY ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	PROP DEPTH	3926'	TYPE	WO
DATE				

8-12-68 F.R.C. 8-15-68; OWWO
 PD 3926' - San Andres
 (Orig. Cmp Temp Aband 2-20-68, OTD 4000')
 TD 4000', PBD 3958', TEMPORARILY ABANDONED
 Sqzd (3289-3358') 200 sx.
 Drld out to 3958'
 Perf @ 3836', 3840', 3842', 3844', 3847',
 3849', 3851', 3879', 3881', 3884', 3919',
 3923', 3926' W/2 SPI
 Acid (3836-3926') 5000 gals (28%)
 Swbd no shows oil or gas (3836-3926')
 (May be converted to Water Disposal Well
 at later date)

COUNTY	CHAVES	FIELD	Cato	STATE	NM
OPR	SINCLAIR OIL & GAS CO.				
	14 Winkler-Federal				
	Sec. 29, T-8-S, R-30-E				
	1980' FSL, 1980' FWL of Sec.				
	30-005-20199				
	Spd 12-13-67				
	Cmp 2-20-68				
CSG & SX - TUBING		CLASS			
		FORMATION	DATUM	FORMATION	DATUM
8 5/8" 285' 200					
4 1/2" 4000' 400					
LOGS EL GR RA IND HC A		TD 4000';			

TEMPORARILY ABANDONED

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus
DATE
PROP DEPTH 4000'
TYPE RT

F.R. 12-14-67
PD 4000' - SA
Contr. - Cactus
12-19-67 TD 3306', SD Repairs.
Cored 3250-3306', rec 56' dolo.
1-3-68 TD 4000', swbg.
Cored 3306-39', rec 53' dolo.
Cored 3359-3417', rec 58' dolo.
Cored 3417-3455', rec 38' dolo., NS.
Cored 3455-3510', rec 55' dolo., NS.
Perf 3840-52'
Swbd 80 BW in 3 hrs (3840-52')
Sqzd 3840-52' W/90 ss.

CHAVES

Cato

NM

Sec. 29-8S-30E

SINCLAIR O&G CO., #14 Winkler-Federal

Page #2

1-3-68

Cont.

Perf @ 3289', 3292', 3296', 3301', 3304',
3316', 3347', 3351', 3354', 3356', 3357',
3358'

Acid (3289-3358') 10,000 gals.

Swbd 9 BNO + 50 BLW in 24 hrs (3289-3358')

1-9-68

TD 4000', TOP

Pmpd 1 BO + 7 BLW in 24 hrs.

1-16-68

TD 4000', TOP

Pmpd 1/2 BO + 21 BLW in 72 hrs.

1-23-68

TD 4000', TOP

Pmpd 7 BLW in 24 hrs.

2-5-68

TD 4000', TOP

Pmpd 2 BW in 24 hrs (3289-3358')

2-12-68

TD 4000', SI.

2-19-68

TD 4000', SI.

2-26-68

TD 4000', TEMPORARILY ABANDONED