

COUNTY	CHAVES	FIELD	Wildcat	STATE	NM
OPR	PAN AMERICAN PET. CORP.			MAP	
	1 White "B" Federal				
	Sec. 9, T-10-S, R-31-E				
	330' FNL, 330' FEL of Sec.			CO-ORD	
	Spd 1-14-68			30-005-20213	
	Cmp 4-2-68			CLASS	E
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
8 5/8" 500' 300					
4 1/2" 4673' 400					
LOGS EL GR RA IND HC A					
	TD 4673'				
PLUGGED & ABANDONED					

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Chico Drlg. Co. PROP DEPTH 4200' TYPE RT
DATE

F.R. 1-18-68; Elev. 4268' RDB
PD 4200' - SA
Cntr. - Chico Drlg. Co.
1-22-68 Drlg. 3766'.
1-29-68 Drlg. 4485'.
Cored 3897-3947', rec 50' anhy dolo., w/scatt
PPP, poor to fair bldg oil.
Cored 3947-95', rec 48' being:
1' dolo., good vuggy poro & scatt bldg oil;
37' dolo., fair to good poro., scatt fracs,
sli bldg oil & wtr;
1' dns lm;
2' dolo., good poro., sli bldg oil;
3' lm., scatt frac small vuggs, sli bldg oil;
4' dolo., poor to very good poro., oil stain
& sli bldg wtr.

2-5-68 TD 4673', tstg.
Perf 4516-22', 4541-48', 4574-78', 4595-97',
4642-50' W/2 SPF
Acid (4516-4650') 5000 gals 20% NE + 5000
gals treated wtr.
Swbd 262 BLW in 14 hrs.
Flwd 30 BLW in 1 hr.
2-12-68 TD 4673', PBD 4467', swbg.
Swbd 70 BFW in 6 hrs (4516-4650')
Sqzd 4516-4650' W/100 sx.
Perf 4360-68' W/2 SPF
Acid (4360-68') 500 gals.
Swbd 9 BLW + 52 B Salt Wtr in 10 hr s.
Swbd 57 B Salt Wtr w/tr. oil in 9 hrs.
2-19-68 TD 4673', PBD 4299', swbg.

Swbd 40 B Salt Wtr in 9 hrs (4360-68')
Set CIBP @ 4299'
Sqzd perfs 4360-68' W/100 sx.
Perf 3923', 3932-34 , 3938-42', 3955-57',
3961-64', 3976-80' W/2 SPF
Acid (3923-80') 4000 gals.
Swbd 251 BLW + 12 BFW w/tr. oil in 16 hrs.
2-26-68 TD 4673', PBD 4291', swbg.
Swbd 1 BO + 88 BW in 9 hrs
3-4-68 TD 4673', PBD 4291', SI, WOO.
Swbd 1/4 BO + 95 BW in 8 hrs (3923-80')
3-11-68 TD 4673', PBD 4291', SI, WOO.
3-18-68 TD 4673', PBD 4291', SI, WOO.
3-25-68 TD 4673, PBD 4291', prep P&A.
4-1-68 TD 4673', PBD 4291', prep P&A.
4-8-68 TD 4673', PBD 4291', PLUGGED & ABANDONED
Swbd 62 BFW w/tr. oil in 4 hrs (3923-80')

CHAVES Wildcat NM Sec. 9-10S-31E
PAN AMERICAN PET. CORP., #1 White "B" Federal
Page #3

4-8-68 Cont.
LOG: Yates 1990', San Andres 3232',
Pi Zone 3783', Glorieta 4631'.