

COUNTY	CHAVES	FIELD	Cato	STATE NM 30-005-20234
CPR	CRA INC.	MAP		
2 Alexander-Federal				
Sec. 32, T-8-S, R-30-E				
1980' FSL, 1980' FEL of Sec.				
Spd 3-8-68				
Cmp 6-3-68				
CSG & SX - TUBING		CLASS		
		FORMATION	DATUM	FORMATION DATUM
8 5/8" 345' 225				
4 1/2" 3525' 350				
LOGS EL GR RA IND HC A				
		TD 3525'		
TEMPORARILY ABANDONED				

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Cactus Drilg. Co. PROP DEPTH 3550' TYPE RT

F.R. 2-29-68
PD 3550' - SA
Concr. - Cactus
3-13-68 Drilg. 3332' dolo & lm.
3-19-68 TD 3525', tstg.
Perf @ 3373', 3379', 3391', 3400', 3402',
3442', 3444', 3447' w/1 SPI
Acid (3373-3447') 4500 gals (28%)
Swbd 9 BO + 131 BFW in 12 hrs (3373-3447')
3-25-68 TD 3525', PBD 3432', swbg.
Swbd 6.8 BF Per Hr (85% oil, 15% wtr)
for 3 hrs (3373-3402')
Swbd 28.8 BF (90-100% wtr) 4 hrs (3442-47')
Set BP @ 3432'

3-25-68

Cont.

Acid (3373-3402') 3500 gals (28%)
Swbd 70 EFW (5% oil) in 5 hrs (3373-3402')

4-3-68

TD 3525', PBD 3410', prep perf.
Swbd 9 EO + 90 BW in 6 hrs (3373-3402')
Perf 3415-20' (Casing Squeeze)
Sqzd 3415-20' W/100 sx.
Sqzd 3373-3402' W/150 sx.
Drld out to 3410'
Perf @ 3373', 3379', 3391', 3400', 3402',
Acid (3373-3402') 175 gals.
Swbd 5 BO + 51 BW in 6 hrs (3373-3402')
Sqzd 3373-3402' W/200 sx.
4-10-68 TD 3525', PBD 3410', swbg.
Sqzd 3373-3402' W/50 sx.

Perf 3373-79'

Acid (3373-79') 200 gals (28%)

Swbd dry (3373-79')

Acid (3373-79') 300 gals (28%)

Swbd dry (3373-79')

Perf 3400-04'

Acid (3400-04') 250 gals (28%)

Swbd 81 EF (1% oil, 99% wtr) 12 hrs (3400-04')

Acid (3373-79') 2250 gals (28%)

Swbd wtr w/sli show oil & gas (3373-79')

4-17-68

TD 3525', PBD 3424', WOO.

Sqzd 3400-04' W/50 sx.

Drld out to 3424', Cleared perfs 3415-20'

Acid (3415-20') 1250 gals. (28%)

Swbd 18 EF (.5% oil, 99.5% wtr) in 3 hrs
(3415-20')

CHAVES Cato NM
CRA INC., #2 Alexander-Federal

Sec. 32-8S-30E

Page #3

4-24-68 TD 3525', PBD 3424', WOO.
4-29-68 TD 3525', PBD 3424', SI.
5-6-68 TD 3525', PBD 3424', SI.
5-13-68 TD 3525', PBD 3424', SI.
5-27-68 TD 3525', PBD 3424', SI.
6-3-68 TD 3525', PBD 3424', TEMPORARILY ABANDONED
LOG: Yates 1494' (+2629'), San Andres
2662', Pi Zone 3211', Porosity I Zone
3358', Porosity II Zone 3439'.